VERMONT INSTITUTE OF NATURAL SCIENCE



Records of Vermont Birds

WINTER SEASON 1979-80

1 DECEMBER 1979 - 29 FEBRUARY 1980 DONALD B. CLARK, SEASONAL EDITOR

The mild fall weather continued well into a Winter Season which was characterized by little snowfall and the driest January on record (the majority of the snow fell on the state in mid-February).

Taking advantage of this bonus, large numbers of birds lingered for Christmas Counts (63,387 individuals - 16,000 more than last year) with many remaining to winter-over. Among these were a few accidentals, including RED-BELLIED WOODPECKER and VARIED THRUSH.

Six December Christmas Counts were able to beat their previous high counts while the thirteen counts set new high records for 20 species (ten by the Island Pond and Craftsbury-Greensboro counts alone).

Generally, birds were well dispersed by the open winter, leaving fewer individuals at feeders. As can be seen by looking at the Christmas Counts, "Winter Finches" invaded the Northeast Kingdom and all but abandoned the remainder of the state. This void was filled somewhat by the numerous lingering species and by southern invaders.

ONS THROUGH HERON

Small numbers of Common Loon were found on Chamain during December with one at Converse Bay, Characte, December 8 (JJA), a high of seven on the Ferrisburg CC December 15 and one on the Burlington CC December 16. Four observed by the Ellisons on Lake Morey, December 9, were the only others reported. A Red-throated Loon, only the second reported in the "Winter Records," was found on Shelburne Bay December 8-13 (BDF, CR et al.). An individual on the Ferrisburg CC December 15 may well have been the same bird.

A Red-necked Grebe, which is considered a rare migrant in Vermont, was tallied by the Ferrisburg CC for the second year in a row. Average numbers of Horned Grebe were on Lake Champlain in December with highs of 80 on the Ferrisburg CC December 15 and 8 at Burlington the following day. On a January 2 trip along the Champlain shoreline 50+ were recorded, 20 of which were at Shelburne Town Beach (WGE). An injured Grebe, probably a Horned, was found on Silver Lake, Barnard, December 16 (CHH). A single Piedbilled Grebe on the Connecticut River in Westminster December 15 (HSP, EE et al.) was a first for the Saxtons River CC and the only bird reported for the season.

A <u>Great Blue Heron</u> was at West Woodstock December 13 (RoJ) and one was in the Ferrisburg area during "count period." As late as December 22 a bird was still patrolling the waters in West Arlington (via NS), an area where they have wintered for the last few years.

GEESE AND DUCKS

A late group of 30 Canada Geese passed over Winil on December 11 (WJN). Excellent numbers wintered in Champlain with 2200 on the Ferrisburg and Burlington CC's December 15-16. A high of 2000+ was gathered at Rock Island, Panton January 27-February 10 with splinter groups at Button Bay, Dead Creek, Charlotte, and Grosse Pt., Ferrisburg. Also reported were fifteen in a Brattleboro field, December 19 (seven of which remained on the Retreat Meadows well into January - fide WDN), two on the Craftsbury CC December 31, and one on the Ottauquechee River, Quechee, at the very late date of January 6 (KT). A lone Snow Goose wintered with Canadas at Addison (JSA).


Two Mallards were lingering at Lake Morey December 9 (WGE, GFE). Seven CC's recorded 263 with highs of 172 at Burlington December 16 and 42 at Rutland December 30. At least 26 were on Converse Bay, Charlotte, January 23, with a final sighting of 10-12 the following day (JJA). <u>Black Ducks</u>, although more numerous, followed much the same pattern as Mallard with nine at Lake Morey December 9 (WGE, GFE) and 512 on six CC's (highs of 201 at Ferrisburg and 197 at Burlington). A bird first observed in a flooded field in South Pomfret December 25 remained through the 20th of February (CRP). An exceptionally late drake Pintail was found with a mixed flock of Canadas, Blacks and Mallards at Button Bay January 20 (JSA). A hardy male Green-winged Teal on the Ferrisburg CC was observed with Mallards and Blacks at Converse Bay, Charlotte, as late as January 20 (JJA). Single Wood Ducks were recorded on the Burlington and Rutland CC's and a pair remained at Poor Farm Bay, Charlotte, into January (WCH).

The three Ring-necked Ducks on the Saxtons River CC, December 15, were the only ones reported for the season. The two male Canvasbacks on Converse Bay December 1 had increased to eight by January 13 and then fell back to three by January 23 (JJA). The seasonal high was recorded on December 30 at Sand Bar where approximately 2,000 birds had collected (WRB, MJM). The only Greater Scaup of the season was on the Ferrisburg CC while single Lesser Scaup were found on the Connecticut River December 15 and at Burlington during the same period. Five unidentified Scaup sp. on CC's were the only others reported.

Common Goldeneye were in average numbers on Champlain with 524 on December CC's, 250 along the Lake on January 2 (WGE) and 180+ recorded at Converse Bay, Charlotte, February 4 (JJA). Three were still at Lake Morey December 9 (WGE, GFE) while the Saxtons River, Hanover-Norwich and Springfield CC's reported 15, 15 and 5 respectively. Three males and two females remained on Lake Willoughby through January 5 (PFZ). A male BARROW'S GOLDENEYE at Shelburne (Ferrisburg CC) was only the second recorded in these "Winter Records" (JID, MCD). Above average numbers of Bufflehead were on Champlain in December. Eleven were recorded on the Ferrisburg CC, December 15, while a record high of 54 was set at Burlington the following day. By December 25 only 20 were seen between Burlington and Shelburne (WRB) and by January 10 the number had dwindled to 6 male and 4 female at the "ferry dock" in Burlington (MJM).

Ten Oldsquaw on the Ferrisburg CC set a new high record. After an absence last year, single Black Scoters showed up on the Ferrisburg and Burlington CC's. Hooded Mergansers were present on 4 CC's with Saxtons River and Ferrisburg reporting two apiece and Norwich and Burlington one each. As usual, Common Mergansers took advantage of any open water with 554 throughout the state on CC's. On December 8 fifty were found on Marshfield Reservoir (MFM). Two females were on Lake Willoughby (PFZ) as late as January 5

CHRISTMAS COUNTS 1979-80



AMERICAN WOODCOCK

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		processor and the second		-	-	_	-		-	-	year-terrally-	erenanti Vi	-
	P						_ ا		0			1	BURV- SBORC 31	1
	RIVER	Ú	BURLINGTON DEC. 16	١.	BENNINGTON DEC.22	1 -	TSLAND FOND DEC. 23	WOODSTOCK DEC. 27	BRAITHE ESCARO DEC. 29	PLAINIFIELD DEC. 29	<u> </u>	SPRINGFIELD DEC.30	30	•
	12° 15	FERRISBURG DEC. 15	1E .	، ا	15 N	HANOVER - NORWICH DEC. 22	25.25	12 ~	8	닖	RUTLAND DEC 30	<u> </u>	138-	i
WINTER, 1979-1980	13 7.	£ 'L'	15 5	7 3	13,6	문호성	04	15 6	ЫX	'^ 등	20	7500	SE	
11111EN 1373 1300	IXTONS I	RRISBUI	JEC.16	WINHALL DEC. 16	ENNING DEC. 22	1280	DEC	اليارة [ATTLEP DEC. 24	123	ان تر	PRINGFIE DEC.30	FZY	i
	5 분	C X	区员	三円	ŹΨ	ZZX	14%	88	128	2 1	はら	包出	HE WA	1
ļ	SAXTONS DEC 13	12 14	겠ㅂ	314	別は	F 1	(S) '-	3	102 1-	44	ΙΨ	13 1	CRAFTS BI GREENS B DEC 31	1
	107		·		μ	_	F"		124			1 4.	00	
COMMON LOON	ļ	7	1		ļ							L		8
RED-THROATED LOON		_1_	CP											1
RED-NECKED GREBE					ļ							<u> </u>	<u> </u>	
HORNED GREBE		80	9		L			ļ						89
PED-BILLED GREBE	1												ļ	1
GREAT BLUE HERON		CP						 				<u> </u>	ļ	CP
CANADA GOOGE	CP	1867	333						7				2	2209
SNOW GOOSE		CP											<u> </u>	CP
GOOSE Sp.								CP				ļ	ļ	CP
MALLARD	10	25	172		9	4				<u></u>	42	<u> </u>	 	263
BLACK DUCK		201	197		14	6		CP			83		ļ	512
GRN-WINGED TEAL									ļ				 	!!
AMERICAN WIGEON		1	<u> </u>					 	 		-	ļ	<u> </u>	1 .
WOOD DUCK			_1								1		ļ	2
RING-NECKED DUCK	3	ļ <u>.</u>			<u> </u>	ļ		 -	<u> </u>			<u> </u>		3
CANYASBACK		1							1				ļ	2
GREATER SCAUP		1						ļ	ļ				ļ	17
LESSER SCAUP			CP									·		<u> </u>
SCAUP Sp.	3		2										ļ	5
COMMON GOLDENEYE	15	256	268			15					-	5		559
BARROWS GOLDENEYE			1						ļ ·					1
BUFFLEHEAD		-11	5H*											65
CLDSQUAW		10*							-					10
BLACK SCOTER			1									ļ		2
HOODED MERGANSER	2	2.	1			1							<u> </u>	6
COMMON MERGANSER	9	437	17			48		8	17			18		554
RED-BREASTED MERG.			1				-		CP			<u> </u>	5*	7
GOSHAWK		1	1	1	-			CP	CIP		1	2	3,	9
SHARP-SHINNED HANK	2	1			-'			CP						3
COOPERS HAWK RED-TAILED HAWK	1	33*	9	2	33*	3		4	5		5	5	1	111
		1*	7-		22	5		-7-	2			3		1
BROAD-WINGED HAWK		18	4		1					1	1			25
BLITEO Sp.		3	7									 	$\overline{}$	4
AMERICAN KESTREL		2	1		6				2					11
HAWK Sp.			1		<u> </u>				-					1
SPRUCE GROUSE							3*							3
RUFFED GROUSE	.3	20	17	5	3	2	84*	3.3	10	23	13	13	35	261
TURKEY	3	5	· · ·		24		(,,	30	CP		17	10/		49
BOBWHITE									<u> </u>			1		T
AMERICAN WOODCOCKT	<u> </u>	1*							l				 	i
COMMON SNIPE		i							ļ				l	i
GT-BLACK-BACKED CULL		11	9											20
HERRING GULL	2	69	253			2	1		11			- (339
RING-BILLED GULL	1	682	469				•			4		14		1160
BONAPARTE'S GULL	<u> </u>	298*	1											299
GULL Sp.		269	84					2	2					357
ROCK DOVE	949	948	668	17	1012	138	133	324	223	291	340	273	133	5449
MOURNING DOVE	196	241	75	<u>/3</u>	176	12		109	144	60	35	97	44	1194
SCREECH OWL		4												Н
GT. HORNED OWL	2	4	١		2					1	1	CP		11
BARRED OWL	1						1	2	2		2	1	1	10
BELTED KINGTISHER	4	1	3	2	2		ı	2	1	CP	2	Ż	1	2
COMMON FLICKER					3			1			1			5
PILEATED WOODFLKER	3	7	3		4	5	9	2			Z	2	4	41
RED-BELLIED WOODP.														ليلا
HAIRY WOODPECKER	23	39	26	2.2	26	18	16	31	20	36	16	37	23	333
DOWNY WOODPECKER	30	71	29	16	25	18	25	44	24	43	29	43	22	419
BB3 TOED WOODP.							10*						<u> </u>	10
HORNED LARK	14	118			i	15		1	4				1 1	151



while two females were seen on the Connecticut River in Lemington January 30 (NLM, ALG). The seasonal high of c. 2,000 was tallied at Shelburne on February 17 (ABS). A Red-breasted Merganser was present at Burlington throughout the winter. In addition four were on Lake Willoughby January 2 (WGE), and four were at Converse Bay, Charlotte, January 13 (JJA).

VULTURE THROUGH EAGLE

A report of three <u>Turkey Vultures</u> soaring over Bridport January 6 (HB) lacked the details necessary for such an exceptionally late sighting (only the second winter record). <u>Goshawks</u> were in record numbers at Craftsbury where they reported five of the seven CC birds. One bird hung around a Cornwall feeder throughout the winter (BBP) while singles were ob-

served at Mt. Holly, December 15 (AEB), Warren December 27 (MFM), Bear Swamp, Wolcott, December 30 (MFM), Marlboro January 1 (WDN), South Burlington February 6 (WRB) and Bridport February 16 (JSA). Nine Sharpshinned Hawks were recorded on CC's with ten additional sightings at feeders in North Ferrisburg (MCD, JID), Bethel (MCP), Saxtons River (SP), Stockbridge (EH), White River Junction (PFZ), West Woodstock (SHH), Charlotte (JJA), Westford (WRB, MJM), Woodstock (ES, WRC) and Union Village (TP). Cooper's Hawks were found on the Saxtons River, Winhall and Hanover-Norwich CC's, as well as at feeders in Bridport February 7-16 (JSA), North Ferrisburg February 28 (MCE, JID) and Cornwall (all winter - BBP).

Red-tailed Hawks took advantage of the mild weather and lingered in numbers with a few remaining

r									ette page to be a second			and the same of the same of		w The March and Art	Secretary Control of the Control of
	WINTER, 1979-1980	SAXTONS RIVENT DEC. 15	FERRIS Buse. Dec. 15	BURLINGTON DEC. 160	WINHALL DEC.16	BENNINGTORI DEC. 22	HANOVER - NORWICH DEC. 22	ISLAND PCND DEC. 23	WCODSTECK DEC. 27	BRATTLE BURD DEC. 24	PLAINIFIEL D DEC. 29	RUTLAND DEC.30	SPRINGFIELD DEC. 30	CRAFISBURY- GREENSPORO DEC. 31	
¥	YEAR TAN		·	 				7	1	<u> </u>					-
	'RAV JAY		ļ								ļ				17_
	3 LUE JAY	343	144	44	138	178	177	107	112	158	150	147	252	168	2118
	COMMON RAVEN	L	5	1	2_		2	28	4	}	- 18	6	8	54	128
Г	COMMON CROW	212	427	455	38	336	91	20	173	56	251	303	282	54	2698
- 1	BLK CAPPED CHKKADEE	578	533	545	418	240	462	726	937	699	921	408	936		8815
ŀ		010	1 302	1010	100	7 10	100	80	-131	W 1 1	15-	700	734	93*	173
ŀ	BOREAL CHICKADEE	1.5			<u> </u>			80						43"	
L	TUFTED TITMOUSE	15	14	2	2	8			2	11	8		9		71
	WHITE -BR NUTHATCH	51	102	50	20	30	46	7	97	58	42	63	78	27	671
- 1	RED -BR. NUTHATCH	4	2	2	46	2	15	251	11	14	86	4	8	329*	774
Г	BROWN CREEPER	1	13	12	3		16	9	10	13	8	3	13	7	109
ľ	WINTER WREN		ı			ļ ———									1
ŀ		CP													CP
ŀ	CARCILINA WREN		5												21
ŀ	MOCKING BIRD	4	1-2-	3	ļ	<u>+</u>	<u> </u>		<u> </u>			2			
L	GRAY CATBIRD		ļ												1
1	AMERICAN ROBIN	8	9	34	3	6			<u> </u>	1	2	CP	2		65
	EASTERN BLUEBIED					3									3
	CLIDEN-CR KINGLET	7			42	10	13	34	31	27	26		21	72	283
	BCHEMIAN WAXWING													2	2
r	CEDAR WAXWING	15	68	248		92	17		2						442
ŀ		<u> </u>	1 00		 	-/-	2			2			CP	5	13
ŀ	NORTHERN SHRIKE	1	07/	1.104		017		2	000		1 0 7	5.50			
ŀ	STARLING	645	836	1488	76_	1267	438	23	289	562	637	559	349	96	7265
þ	ELLOW-RIMPED WARELER	2	2							2	1				8
L	OVENBIRD			CP											CP
L	HOUSE SPARROW	537	1326	1309	69	412	262	166	211	235	433	583	564	451	6558
	RED-WINGED BLACKBIRD	49	15		1	15	4,		6		2	CP		-	92
Г	COMMON GRACKLE	4	4	CP		10			1			1	26	1	48
- I	BRN-HEADED COWBIRD		ei	3	30		37		CP	35	38	15	63	11	314
ŀ	CARDINAL	24	53		- 50	3.1	8								
Į.														4	1931
				25	201			077	<u>4</u>	29	9	17	9	4	193
	EVENING GROSBEAK	291	261	29	206	293	672	877	899	276	1686*	385	529	1143	7549
	EVENING GROSBEAK PURPLE FINCH				206 183			1264*	<u>६</u> 99 32		1686* 323	385 12		1081	7549 2860
	EVENING GROSBEAK	291 5	261	29 8		293 28	672 61		899	276	1686*	385	529	1143	7549 2660 938
	EVENING GROSBEAK PURPLE FINCH	291	261	29		293	672	1264*	हुनन 32 10		1686* 323	385 12	529	1081	7549 2660 938 27
	EVENING GROBBEAK PURPLE FINCH PINE GROBBEAK	291 5	261	29 8		293 28	672 61	1264*	<u>६</u> 99 32	276	1686* 323 24	385 12	529	1081	754A 2660 938 27 1
	EVENING GROBEAK PURPLE FINCH PINE GROBBEAK HOUSE FINCH COMMON REDPOLL	291 5 16*	261	29 8		293 28	672 61	1264*	हुनन 32 10	276	1686* 323	385 12	529	1081	7549 2660 938 27
	EVENING GROBEAK PURPLE FINCH PINE GROBBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN	29 I 5 16* 2	261	29 8 CP	18	293 28	672 61 4	1264* 549*	899 32 10 CP	276	1686* 323 24	385 12	529 8 1	1143 1081 354	754A 2660 938 27 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH	291 5 16*	261 CP	29 8	18	293 28 3	672 61 H	1284* 549* 86	899 32 10 CP	276 1 1 267	1686* 323 24 233	385 12 1	529 8 1	1143 1081 354 1 369	7549 2660 938 27 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIGKIN AM GOLDFINCH RET) CROSSBILL	29 I 5 16* 2	261 CP	29 8 CP	18	293 28 3	672 61 H	1284* 549* 86 13	25 32 10 CP 1660 128	276	1686* 323 24 233 219	385 12 1	529 8 1	1081 354 1 3691 165	7549 2660 938 27 1 1073 1965
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIGKIN AM GOLDFINCH RET) CROSSBILL "WINGED (ROSBILL	29 I 5 16* 2	261 CP	29 8 CP	18	293 28 3	672 61 H	1284* 549* 86	E99 32 10 CP 133 128	276 1 1 267	1686* 323 24 233	385 12 1	529 8 1 7 427	1143 1081 354 1 369	7549 2660 938 27 1 1073 1965 1 304
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RET. CROSSBILL "WINGED (ROSBILL US-S TOWHEE	29 I 5 16* 2	261 CP	29 8 CP	18	293 28 3	672 61 H	1284* 549* 86 13	25 32 10 CP 1660 128	276 1 1 267	1686* 323 24 233 219	385 12 1	529 8 1 7 427 CP	1081 354 1 3691 165	7549 2860 938 27 1 1073 1965 1 304 CP
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RET) CROSSBILL WINGED CROSBILL US-S TOWHEE	29 I 5 16* 2	261 CP	29 8 CP	18	293 28 3	672 61 H	1284* 549* 86 13	E99 32 10 CP 133 128	276 1 1 267	1686* 323 24 233 219	385 12 1	529 8 1 7 427	1081 354 1 3691 165	7549 2860 938 27 1 1073 1965 1 304 CP 2
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RET. CROSSBILL WINGED (ROSBILL US-S TOWHEE INIAH SPARROW) JPEP SPARROW	291 5 16*	92	29 8 CP	2 1	293 28 3	61 61 4 195 448	1264* 549* e.6 13	E99 32 10 CP 160 128 19 CP	276 1 1 267	233 24 233 233 233 219	38.5 12 1 84	524 8 1 7 427 CP 2*	1081 354 1 3691 165	7549 2660 938 27 1 1073 1965 1 304 CP: 2
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RET) CROSSBILL WINGED CROSBILL US-S TOWHEE	291 5 16* 2 62 205	92 1	29 8 CP	2 1	293 28 3 14	672 61 H	1284* 549* 86 13	E99 32 10 CP 133 128	276 1 1 267	1686* 323 24 233 219	385 12 1	529 8 1 7 427 CP	1081 354 1 3691 165	7549 2860 938 27 1 1073 1965 1 304 CP 2
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RET. CROSSBILL WINGED (ROSBILL US-S TOWHEE INIAH SPARROW) JPEP SPARROW	291 5 16*	92	29 8 CP	2 1	293 28 3	61 61 4 195 448	1264* 549* e.6 13	E99 32 10 CP 160 128 19 CP	276 1 1 267 CP	233 24 233 233 233 219	38.5 12 1	524 8 1 7 427 CP 2*	1143 1081 354 1 389 165 27	7549 2660 938 27 1 1073 1965 1 304 CP: 2
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RET) CROSSBILL WINGED CROSBILL US STOWHEE (MIAH SPARROW) DARK-EYED JUNCO	291 5 16* 2 62 205	92 1	29 8 CP	2 1	293 28 3 14	4 195 148 54	1264* 549* elb 13 245*	E.G.F. 10 CP 160 128 19 CP 27	276 1 267 CP	233 24 233 24 233 219 13	3E5 12 1 84	529 8 1 7 427 CP 2*	1143 1081 354 1 389 165 27	7549 2860 938 27 1 1073 1965 1 304 CP 2 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RETY CROSSBILL US S TOWHEE INIAH SPARROW DARK-EYED JUNCO TREE SPARROW CHIPPING SPARROW	291 5 16* 2 62 205	92 1	29 8 CP	2 1	293 28 3 14	4 195 148 54	1264* 549* elb 13 245*	E.G.F. 10 CP 160 128 19 CP 27	276 1 267 CP	233 24 233 24 233 219 13	385 12 1 84 41 51	529 8 1 7 427 CP 2*	1143 1081 354 1 389 165 27	7549 2860 938 27 1 1073 1965 1 304 CP 2 1 982 956
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RET) CROSSBILL US S TOWHEE INIAH SPARROW DARK-EYED JUNCO THEE SPARROW CHIPPING SPARROW FIELD SPARROW	291 5 16* 2 62 205	92 1	29 8 CP 44 136	2 1	293 28 3 14 12 82	672 61 195 1448 544 87	1264* 549* elb 13 245*	E.G.F. 10 CP 160 128 19 CP 27	276 - - 267 CP 318 53	233 24 233 24 233 219 13	385 12 1 84 41 51	529 8 1 7 427 CP 2* 267 72	1143 1081 354 1 389 165 27	7549 2660 938 21 1 1073 1965 1 304 CP. 2 1 982 956 10
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIS KIN AM GOLDFINCH RED CROSBILL WINGED ROBBILL US.S TOWHEE WINGH SPARROW DARK-EYED JUNCO TREE SPARROW CHIPPING SPARROW WHTHR SPARROW	291 5 16* 2 62 205	92 1	29 8 CP #4	2 1	293 28 3 14	672 61 195 148 54 87	1264* 549* elb 13 245*	E.G.F. 10 CP 160 128 19 CP 27	276 1 267 CP	233 24 233 24 233 219 13	385 12 1 84 41 51	529 8 1 7 427 CP 2*	1143 1081 354 1 389 165 27	7549 2860 938 27 1 1073 1965 1 304 CP 2 1 982 956
	EVENING GROSBEAK PURPLE FINCH PINE GROBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RET) CROSBILL WINGED ROOSBILL WINGED ROOSBILL WINGED ROOSBILL OPER SPARROW DARK-EYED JUNCO TREE SPARROW CHIPPING SPARROW WHTIR SPARROW FOX SPARROW FOX SPARROW FOX SPARROW FOX SPARROW	291 5 16* 2 62 205	92 1	29 8 CP 44 136	2 1	293 28 3 14 12 82	672 61 195 1448 544 87	1264* 549* elb 13 245*	E.G.F. 10 CP 160 128 19 CP 27	276 - - 267 CP 318 53	233 24 233 24 233 219 13	385 12 1 84 41 51	529 8 1 7 427 CP 2* 267 72 1	1143 1081 354 1 389 165 27	7549 2660 938 27 1073 1965 1 304 CP 2 1 982 956 10 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RET) CROSBILL WINGED CROSBILL OF PARROW TREE SPARROW FIELD SPARROW FIELD SPARROW FOX SPARROW SWAMP SPARROW	291 5 18* 2 62 205 113	92 1 5 252	29 8 CP 44 7 136	2 1	293 28 3 14 12 82	672 61 4 195 1448 544 87	1264* 549* elb 13 245*	27 B	276 1 267 CP 318 53	233 24 233 24 233 219 13	385 12 1 84 41 51	529 8 1 7 427 CP 2* 267 72 1	1143 1081 354 1 389 165 27	7549 2660 938 27 1073 1073 1965 1 204 CP 2 1 982 956 10 1 2 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RED CROSBILL WINGED CROSBILL US STOWHEE (NIAH SPARROW) DARK-EYED JUNCO TREE SPARROW CHIPPING SPARROW WHTHR SPARROW GOX SPARROW SONG SPARROW SONG SPARROW SONG SPARROW	291 5 18* 2 62 205 113	92 1	29 8 CP 44 136	2 1	293 28 3 14 12 82	672 61 195 148 54 87	1264* 549* elb 13 245*	E.G.F. 10 CP 160 128 19 CP 27	276 - - 267 CP 318 53	233 24 233 24 233 219 13	385 12 1 84 41 51	529 8 1 7 427 CP 2* 267 72 1	1143 1081 354 1 389 165 27	7549 2660 938 27 1073 1965 1 304 CP 2 1 982 956 10 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RED CROSBILL WINGED CROSBILL WINGED CROSBILL WINGED CROSBILL WINGED CROSBILL WINGED CROSBILL WINGED CROSBILL COMPENDED CROSBILL WINGED CROSBIL	291 5 18* 2 62 205 113	92 1 5 252	29 8 CP 44 7 136	2 1	293 28 3 14 12 82	672 61 4 195 1448 544 87	245*	27 B	276 	233 24 233 219 13 3 444	385 12 1 84 41 51	529 8 1 7 427 CP 2* 267 72 1	1143 1081 354 1 165 27 10 43	7549 2860 938 27 1 1073 1965 1 207 207 107 107 107 107 107 107 107 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RED CROSBILL WINGED CROSBILL US STOWHEE (NIAH SPARROW) DARK-EYED JUNCO TREE SPARROW CHIPPING SPARROW WHTHR SPARROW GOX SPARROW SONG SPARROW SONG SPARROW SONG SPARROW	291 5 18* 2 62 205 113	92 1 5 252	29 8 CP 44 7 136	2 1	293 28 3 14 12 82	672 61 4 195 1448 544 87	1264* 549* elb 13 245*	27 B	276 1 267 CP 318 53	233 24 233 24 233 219 13	385 12 1 84 41 51	529 8 1 7 427 CP 2* 267 72 1	1143 1081 354 1 389 165 27	7549 2860 938 27 1 1073 1965 1 207 207 107 107 107 107 107 107 107 1
	EVENING GROSBEAK PURPLE FINCH PINE GROBEAK HOUSE FINCH COMMON REDPOLL PINE SIGKIN AM GOLDFINCH RET) CROSBULL WINGED CROSBULL PER SPARROW FIELD SPARROW FILLD SPARROW FOX SPARROW GWAMP SPARROW SONG SPARROW LAPLAND LONGSPUR SNOW BUNITING	291 55 16* 2 62 205 113	92 1 5 252 1 100	29 8 CP HH 136 1 6	18	293 28 3 14 12 82 2	672 61 195 1448 544 87	1264x 549x 86 13 245x	27 B	276 1 1 267 CP 318 53 3	233 24 233 219 13 30	84 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9	1143 1081 354 1 369 165 2.7 10 43	7549 2860 938 27 1 1073 1965 1 304 CP. 2 1 982 956 10 1 26 1 1 1 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SISKIN AM GOLDFINCH RED CROSBILL WINGED CROSBILL WINGED CROSBILL WINGED CROSBILL WINGED CROSBILL WINGED CROSBILL WINGED CROSBILL COMPENDED CROSBILL WINGED CROSBIL	291 5 16* 2 62 205 113	92 92 1 5 252 1 100	29 8 CP HH 136 1 6	18 2 1 32 2	293 28 3 14 12 82 2 4408	61 H 195 H48 54 87 3 1 2	1264x 549x 86 13 245x	27 B	276 1 1 267 CP 318 53 3	233 24 233 219 13 30 5670	84 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9 1 5	1143 1081 354 1 369 166 27 10 43	7549 2660 938 27 1 1073 1965 1 304 2 2 1 982 956 10 1 2 1 1 79 1 1 1 1 1 1 1 1 1 1 1 1 1
	EVENING GROSBEAK PURPLE FINCH PINE GROBEAK HOUSE FINCH COMMON REDPOLL PINE SIGKIN AM GOLDFINCH RET) CROSBULL WINGED CROSBULL PER SPARROW FIELD SPARROW FILLD SPARROW FOX SPARROW GWAMP SPARROW SONG SPARROW LAPLAND LONGSPUR SNOW BUNITING	291 55 16* 2 62 205 113	92 1 5 252 1 100	29 8 CP HH 136 1 6	18	293 28 3 14 12 82 2	672 61 195 1448 544 87	1264x 549x 86 13 245x	27 B	276 1 1 267 CP 318 53 3	233 24 233 219 13 30	84 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9	1143 1081 354 1 369 165 2.7 10 43	7549 2660 938 27 1 1073 1965 1 304 2 2 1 982 956 10 1 2 1 1 79 1 1 1 1 1 1 1 1 1 1 1 1 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIS KIN AM GOLDFINCH RED CROSBILL WINGED ROOSBILL US. 5 TOWHEE WINGH SPARROW DARK-EYED JUNCO TREE SPARROW CHIPPING SPARROW HTHR SPARROW HTHR SPARROW SOMM SPARROW SOMM SPARROW SOMM SPARROW SOM SPARROW LAPLAND LONGSPUR SNOW BUNITING TOTAL INDIVIDUALS TOTAL INDIVIDUALS	291 5 16* 2 62 205 113	92 92 1 5 252 1 100	29 8 CP HH 136 1 6	18 2 1 32 2	293 28 3 14 12 82 2 4408	61 H 195 H48 54 87 3 1 2	1264x 549x 66 13 245x 1 13	E99 32 10 128 128 19 27 8	276	233 24 233 219 13 30 5670	325 12 1 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9 1 5	1143 1081 354 1 369 166 27 10 43	7549 2660 938 27 1 1073 1965 1 304 2 2 1 982 956 10 1 2 1 1 79 1 1 1 1 1 1 1 1 1 1 1 1 1
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIS KIN AM GOLDFINCH RET) CROSBILL WINGED CROSBILL	291 55 18* 2 62 205 113 14 14 4511 51	92 92 1 5 252 1	29 8 CP 44 136 1 6	18 2 1 32 2	293 28 3 14 12 82 2 2 4408 42	612 61 195 1448 544 87 2 3406 41	1264x 549x 66 13 245x 1 13	E99 32 10 10 128 19 19 27 8	276 -1 -267 -1 -267 -1 -267 -1 -267 -267 -27 -27 -27 -27 -27 -27 -27 -2	233 24 233 219 13 30 44 30 5670	325 12 1 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9 1 5	1143 1081 354 1 369 165 27 10 43	7549 2660 938 27 1 1073 1965 1 304 CP 2 1 982 956 10 1 10 11 179 1 1127 63381 606
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIS KIN AM GOLDFINCH RED CROSBILL WINGED ROOSBILL US. 5 TOWHEE WINGH SPARROW DARK-EYED JUNCO TREE SPARROW CHIPPING SPARROW HTHR SPARROW HTHR SPARROW SOMM SPARROW SOMM SPARROW SOMM SPARROW SOM SPARROW LAPLAND LONGSPUR SNOW BUNITING TOTAL INDIVIDUALS TOTAL INDIVIDUALS	291 55 18* 2 62 205 113 14 14 4511 51	92 92 1 5 252 1	29 8 CP 44 136 1 6	18 2 1 32 2	293 28 3 14 12 82 2 2 4408 42	612 61 195 1448 544 87 2 3406 41	1264x 549x 66 13 245x 1 13	E99 32 10 10 128 19 19 27 8	276 -1 -267 -1 -267 -1 -267 -1 -267 -267 -27 -27 -27 -27 -27 -27 -27 -2	233 24 233 219 13 30 44 30 5670	325 12 1 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9 1 5	1143 1081 354 1 369 165 27 10 43	7549 2660 938 27 1 1073 1965 1 304 CP. 2 1 982 956 10 1 26 1 1 179 1 1127
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIS KIN AM GOLDFINCH RED. CROSBILL WINGED (ROSBILL	291 5 18* 2 62 205 113 14 4511 51	92 92 1 5 252 1 100 100 10141 69	29 8 CP HH 136 1 6 10 7173 52 36	18 2 1 32 2 2	293 28 3 14 12 82 2 5 4408 8	54- 87 3406 H1 15	1264x 549x 66 13 245x 1 13	E99 32 10 10 128 19 19 27 8	276 -1 -267 -1 -267 -1 -267 -1 -267 -267 -27 -27 -27 -27 -27 -27 -27 -2	233 24 233 219 13 30 44 30 5670	325 12 1 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9 1 5	1143 1081 354 1 369 165 27 10 43	7549 2660 938 27 1 1073 1965 1 304 CP 2 1 982 956 10 1 10 179 1 1127 63387 606
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIGKIN AM GOLDFINCH RED CROSBILL WINGED CROSBILL US STOWHEE UNIAH SPARROW PEP SPARROW DARK-EYED JUNCO TREE SPARROW FIELD SPARROW FIELD SPARROW EDIT SPARROW SPARROW SPARROW EDIT SPARROW SONG SPARROW SONG SPARROW SONG SPARROW TOTAL INDIVIDUALS TOTAL SPECIES A OF OBSERVERS (WHEN AVAILABLE)	291 55 8* 2 62 205 113 14 14 15 19	92 92 1 5 252 1 100 100 48	29 8 CP HH 136 10 10	18 2 1 32 2 2 1218 29	293 28 3 	54 87 3406 41 15	1264x 549x 642x 13 245x 1 13 145 4956 32	E99 32 10 128 128 19 27 8	276 -1 -267 -1 -267 -1 -267 -1 -267 -267 -27 -27 -27 -27 -27 -27 -27 -2	233 24 233 219 13 30 44 30 5670	325 12 1 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9 1 5	1143 1081 354 1 369 165 27 10 43	7549 2660 938 27 1 1073 1965 1 304 CP 2 1 982 956 10 1 10 11 179 1 1127 63381 606
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIGKIN AM GOLDFINCH RET) CROSBILL WINGED CROSBILL FOX SPARROW SONG SPARROW SONG SPARROW SONG SPARROW SONG SPARROW SONG SPARROW TOTAL INDIVIDUALS TOTAL INDIVIDUALS TOTAL SPECIES # OF OBSERVERS (WHEN AVAILABLE) CP BIRDS SEI ** RECORD H	291 55 18* 2 62 2 62 113 14 14 151 19 19 19	92 92 1 5 252 1 100 100 101 141 69	29 8 CP HH 136 10 10 7173 52 36 7 COL	18 2 1 32 2 2 1218 29 1218 29	293 28 3 	54 87 3406 41 15	1264x 549x 642x 13 245x 1 13 145 4956 32	E99 32 10 128 128 19 27 8	276 -1 -267 -1 -267 -1 -267 -1 -267 -267 -27 -27 -27 -27 -27 -27 -27 -2	233 24 233 219 13 30 44 30 5670	325 12 1 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9 1 5	1143 1081 354 1 369 165 27 10 43	7549 2660 938 27 1 1073 1965 1 304 CP 2 1 982 956 10 1 10 11 179 1 1127 63381 606
	EVENING GROSBEAK PURPLE FINCH PINE GROSBEAK HOUSE FINCH COMMON REDPOLL PINE SIGKIN AM GOLDFINCH RED CROSBILL WINGED CROSBILL US STOWHEE UNIAH SPARROW PEP SPARROW DARK-EYED JUNCO TREE SPARROW FIELD SPARROW FIELD SPARROW EDIT SPARROW SPARROW SPARROW EDIT SPARROW SONG SPARROW SONG SPARROW SONG SPARROW TOTAL INDIVIDUALS TOTAL SPECIES A OF OBSERVERS (WHEN AVAILABLE)	291 55 18* 2 62 205 113 14 151 17 1645 17 H16	92 92 1 5 252 1 100 10141 69	29 8 CP 44 136 1 6 10 7173 52 38 5, COI	18 32 2 1218 29 1218 29 17 C	293 28 3 14 12 82 2 2 4408 42 8	54- 87 3-106 115 000 000 000 000 000 000 000 000 000	1264x 549x 245x 13 113 145 4956 32	E99 32 10 128 128 19 27 8	276 -1 -267 -1 -267 -1 -267 -1 -267 -267 -27 -27 -27 -27 -27 -27 -27 -2	233 24 233 219 13 30 44 30 5670	325 12 1 84 41 51 9*	529 E 1 7 427 CP 2* 267 72 1 9 1 5	1143 1081 354 1 369 165 27 10 43	7549 2660 938 27 1 1073 1965 1 304 CP 2 1 982 956 10 1 10 179 1 1127 63387 606



WHITE-WINGED CROSSBILL

100 BCP

throughout the winter. There were 111 on December CC's with Ferrisburg and Bennington tying for a new record with 33 apiece. In addition, 37 other records were received. A Broad-winged Hawk on the Ferrisburg CC December 15 was the first to be recorded on a Vermont count. Unfortunately the bird was in the Essex, New York portion of the circle (fide HPAS). Roughlegged Hawk numbers were down for the season. Only 25 were tallied on CC's with a high of 18 at Ferrisburg. Eight to twelve were reported regularly on a day's birding in the Champlain Valley with the only other reports coming from Bennington December 22, Sharon December 29 (JLW) and Ira, December 30 (LHP).

A <u>Bald Eagle</u> found shot at the Shelburne access in January (BDF) was the only one recorded. Unfortunately, a reported adult <u>Golden Eagle</u> north of Walling-

ford January 20 (KU, PDU) lacked the detailed description or photo necessary for this species, considered only accidental for the state. Seven Marsh Hawk reports came from the Champlain region during the period.

Bruce Peterson observed an adult <u>Peregrine Falcon</u> hovering over the Champlain Bridge in Addison January 5. The only other report was a possible near an Orwell feeder in Early February (JeB). Eleven <u>American Kestrels</u> were tallied on four CC's with the high of 6 at Bennington. There were nine winter reports from the Champlain Valley as well as singles at West Windsor February 19 (JEH, BMH) and Castleton February 21 (EH).

GROUSE THROUGH SNIPE

Three Spruce Grouse on the Island Pond CC set a new record as did the 84 Ruffed Grouse tallied on the

same count. Numbers for the species were above average this season with 261 on the thirteen CC's alone. A <u>Bobwhite</u> was found under a Springfield feeder on count day, while a covey of 35 spent the winter near a Charlotte feeder. Forty-nine <u>Turkeys</u> were recorded on 4 CC's with the high of 24 at Bennington on December 22. Numerous other reports came from areas where it is well established.

The Ellisons found four American Coots on Lake Morey on December 9. An early Killdeer circling and calling at South Burlington February 25 (WRB) was the only bird reported, while an American Woodcock on the Ferrisburg CC December 15 became a first for a Vermont count. It is also the latest date the species has been recorded in the "Winter Records." A late Common Snipe was also located on the Ferrisburg count.

GULLS

Single Glaucous Gulls were found at Thompson's Point, Charlotte, January 3 (WGE) and Blodgett's, Burlington on January 5 (WRB, MJM). There was one report of an <u>Iceland Gull</u> at Town Farm Bay, Charlotte, January 3 (WGE). Twenty Great Black-backed Gulls were located on the Ferrisburg and Burlington CC's. A number remained on Converse Bay, Charlotte, throughout most of the season (WCH) with a high of 10 immature and 5 adults on February 4 (JJA). Singles were also reported from Panton during January (JJA). There were 339 Herring Gulls on seven CC's. Good numbers wintered on Champlain. Two were on the Ottauquechee in Woodstock December 7 (HLM); two were on the White River at West Hartford December 12 (possibly the same birds) (RHA); and four were on the Connecticut River at Bellows Falls December 22 (DC). Ring-billed Gulls were in average numbers on Champlain. Three were on Marshfield Reservoir December 8 (MFM), one was tallied on the Saxtons River CC for the first time as were four at Springfield December 30. On December 28, four were at Montpelier (MFM), while 70+ were at Charlotte on February 4 (JJA). A record 298 Bonaparte's Gulls were counted on the Ferrisburg CC while Burlington could only find one. Eight were found at Addison on January 3 (WGE, FO, WS). For the second year in a row LITTLE GULLS have shown up on Champlain. This year two were near DAR State Park, Addison on January 3 (WGE, WS, FO). This European straggler makes regular visits to the Atlantic coast from Maine to Virginia and occasionally to the eastern Great Lakes. It is usually in the company of Bonaparte's.

DOVES

Rock Doves continue to increase on CC's with 5,449 tallied this year. A total 1,194 Mourning Doves were on CC's. Seventy-eight were perched in trees at Charlotte December 25 (WRB). Twenty-two wintered at a Moretown feeder (BW via ADH), 37 were at a Plainfield feeder February 3 (MFM) and 15 were at Pittsford February 19 (BMZ). Two birds which overwintered at a Peru feeder was a first for the area (fide WJN).

OWLS

A red phase Screech Owl was found dead on the interstate in North Hartland December 13 (GH). Four were located on the Ferrisburg CC December 15 with a final bird at Thompson's Point, Charlotte, February 29 (JJA). There were eleven Great Horned Owls on Christmas Counts in December. A pair were heard calling at Thompson's Point (JJA) throughout the period and up to two were observed in the Bridport area during January and February. During February birds were observed at Grafton (MB) and Florence (VH). Snowy Owls went unrecorded for the season. Ten Barred Owls showed up on seven CC's while an additional eight were found at Grafton, Hartland, Saxtons River, Winhall, Woodstock, Marlboro and Clarendon during the period. Long-eared, Short-eared and Saw-whet Owls went unrecorded for the season.

-4- KINGFISHER THROUGH WOODPECKERS

A total of 21 Belted Kingfishers were on eleven CC's with a high of four at Saxtons River. Twelve additional reports were received as birds lingered on waterways left open by the mild weather.

Common Flickers also took advantage of the weather to winter throughout the state. The Benningto CC tallied three while Woodstock and Rutland each had one. In addition birds were found at North Pomfret (MCH), South Strafford (HR) and Cornwall (BBP). Including CC's, fifty Pileated Woodpeckers were reported for the season. A high of nine was located at Island Pond on December 23. A RED-BELLIED WOODPECKER turned up in Vermont for the second year in a row. An adult male was present at a feeder in Vergennes from November 18 through January 27 (WGE). This is only the third state and winter record for the species. Hairy and Downy Woodpeckers were in good numbers for the season as evidenced by the 333 and 419 respectively which were totaled on CC's. The Island Pond CC set a new high record with ten Black-backed Three-toed Woodpeckers, a considerable climb over the three recorded in 1976.

HORNED LARK THROUGH CREEPER

Only four Audubon CC's were able to locate Horned Larks. Of the 151 total, Ferrisburg racked up 118 of them. On February 24, thirty were found at Bridport with twenty remaining through the end of the month (JSA). The only other report was a 100+ in a South Burlington field on February 27 (WRB). Seven Gray Jays were counted on the Island Pond CC while four to six shared lunch with a party at Ferdinand on January 13 (WGE, NLM, AL). The 2,118 Blue Jays on CC's was down considerably from the 5,295 recorded last year when a semi-explosion occurred. Bill Norse noted the drop in the Winhall area. Common Raven numbers continue to increase yearly. This year 128 were found c ten CC's. The thirteen additional reports received tallied 58 birds. A group of 40 were seen in Bear Swamp, Wolcott on December 30 (DS). By late February courtship was taking place on the Winhall breeding sites (WJN). Above average numbers of Common Crow showed up on CC's with 2,698 birds and some observers reported wintering birds in areas where they are not usually found. A bird found dead in Shelburne December 24 by Will Beecher "seemed small in size for (a) crow (and) underwing linings showed much white."

The woods were alive with <u>Black-capped Chickadees</u> this winter with 8,815 on CC's with a record high of 1,412 at Craftsbury's count December 31. Courtship songs were heard in Woodstock by January 6, with four males competing on January 16 (JMN). Record numbers of <u>Boreal Chickadees</u> were also found in the Northeast Kingdom with 80 on the Island Pond CC and the record high of 93 at Craftsbury. <u>Tufted Titmice</u> continue their push northward showing up in all but the northeastern and north central sections of the state. Nine Christmas counts tallied 72 in late December while the February 9-10 census reported 144. Birds at Plainfield and Stowe were worthy of note.

White-breasted Nuthatches were present in average numbers with 671 on CC's and 2-4 at feeders. Although reports showed Red-breasted Nuthatches scarce at most feeders, above average numbers were found in the woods, particularly at higher elevations. Of the total 774 on thirteen CC's, Craftsbury set a record high with 329 while Island Pond tallied 251. The Brown Creeper made an excellent showing with 109 on the thirteen CC's. Hanover-Norwich had the high of 16. Only three reports were received for the remainder of the season with singles at Randolph and Charlotte off and on (EWC, JJA) and two at Grafton (DC).

WRENS AND MIMICS

A Winter Wren was found in the New York section

of the Ferrisburg CC circle. There were two reports of <u>Carolina Wren</u>, one at a Saxtons River feeder in early <u>December</u> (FB fide DC) and a male which arrived at a West Woodstock feeder November 23 and remained through the period eating peanut butter and millet 'EHW). At least two <u>Long-billed Marsh Wrens</u> lingered t <u>Dead Creek</u>, Addison, through <u>December 24</u> where a close study left no doubt as to the identification (JSA, KA). This is the third winter record in the last five years.

The Mockingbird is becoming a regular winter resident in the southern Connecticut River Valley and along Lake Champlain while still expanding its range into new areas. Twenty-one were found on CC's and notable sightings were singles at Rochester (HB), South Royalton (AG), and Montpelier (MFM). The Mockingbird Survey in February turned up only 17 in six counties. This seems very low and I am sure field work would have produced many more. A <u>Gray Catbird</u> was found on the Bennington CC December 22 while one was a regular visitor at a Saxtons River feeder beginning December 28 (SP).

THRUSHES

Christmas counts in December found sixty-five American Robins lingering in the state. Of these an unusually high number remained throughout the season. Noteworthy were birds at Stowe, Plainfield, and Winhall (CSz, MFM, WJN) and a flock of 60 at Cornwall January 3 with twenty-one still present February 21 (BBP). A male VARIED THRUSH which showed up at an Athens feeder February 19 (MW, m. ob) remained through the end of the season to become the fifth state and winter record for the species. Previous sightings were at Pomfret (1967), Jeffersonville (1970), Northfield (1977), and Brattleboro (1978). Three Eastern Bluebirds lingered for the Bennington CC, December 16. A male observed on a sumac in West Arlington, February 10 (fide NS) was an exceptionally early arrival.

KINGLET THROUGH WARBLER

Golden-crowned Kinglets were in excellent numbers in December with 283 on ten CC's (highs of 72 at Craftsbury and 42 at Winhall). A few at Grafton off and on throughout the winter (DC) and six at Tinmouth on February 4 (PB) were the only other birds reported. Where did they go??

There were only two reports of the Bohemian Waxwing; two on the Craftsbury CC, December 31 and one in Cabot February 24 (BBC). Cedar Waxwings made a fair showing in December with $4\overline{42}$ on six CC's (high of 248 at Burlington). Other records of note were eight at Woodstock January 8 (EH), ten at Brattleboro January 10 (WDN), eleven at Westminster West January 15 (WDN), 100+ at Shelburne Point February 9 (WRB, MJM), twelve at Saxtons River February 27 (CDK) and 52 at North Ferrisburg February 27 (JID, MCD).

Christmas counts tallied thirteen Northern Shrikes in December with a high of 5 at Craftsbury. In addition, eleven other birds were reported during the season. Starling numbers continue to spiral with 7,265 on CC's alone. The mild weather was certainly inviting to Yellow-rumped Warblers. Eight were at Shelburne Beach December 8 (CR) and eight were recorded on the CC's. In addition one was at Burlington December 25 (WRB), seven were at Charlotte January 3 (WGE), a pair at Westminster January 20-February eating suet (CDK, DJK), another was at a second Westminster location February 17 (CDK, DJK), and one was at Plainfield February 20 (MFM). An Ovenbird was recorded during he Burlington CC period (no other details available). far as I can ascertain, this is the first winter cord for the species.

HOUSE SPARROW THROUGH ICTERIDS

House Sparrow numbers climb with 6,558 on CC's. An Eastern Meadowlark heard singing and flushed from a Shelburne Point hayfield February 22 (MJM) was the lone bird of the season. Exceptionally high numbers of Red-winged Blackbirds lingered into December when seven CC's reported ninety-two. Birds were also reported from Mt. Holly (AEB), Woodstock (GC), South Pomfret (JJi), Addison and Bridport (JSA), Waterbury (HBD) and Berlin (MFM). Although a number of birds were banded and color-marked, we were not able to trace their origin. The first "spring" arrivals were reported from Fairlee February 16 (SHB) and Tinmouth (GTL) February 26. A Rusty Blackbird lingered at Mt. Holly through December 26 (AEB). Forty-eight Common Grackles were compiled on eight CC's with highs of 26 at Springfield and ten at Bennington. In addition single birds were reported from Shrewsbury December 1 and 21 (via AFS), Mt. Holly December 4-20 (AEB), and Thompson Point, Charlotte November-February (WCH). Brown-headed Cowbird numbers were up somewhat over last year. The species is slowly climbing back after a crash in southern Vermont, and perhaps statewide, in 1976. This year's tally by ten CC's was 314. Small flocks in Bethel December 4-5 disappeared until February 23 (MCP). Two were at Mt. Holly December 14 (AEB), ten in South Londonderry December 6 (WJN), 200 on Westminster Flats January 12 (CDK, DJK), a large flock of females in Saxtons River January 28 (SP) and finally 25 in Saxtons River February 20 (CDK, DJK).

FINCHES AND SPARROWS

Cardinal numbers continue to climb yearly with 193 on December CC's (all but Winhall and Island Pond) and 734 plus on the February census. Where at one time single birds at Vermont feeders were unusual, "flocks" of 5 to 9 birds are now being reported regularly. A bird was singing in Woodstock by February 24 (JMN). A female Rose-breasted Grosbeak at South Barre, December 2 (MFM), was the second winter report in two years. Large numbers (7,549) of Evening Grosbeaks were present for CC's especially in the Northeast Kingdom where 1,688 at Island Pond set a new state record and 1,143 brought Craftsbury in second. Numerous feeders throughout the state were visited regularly by flocks of 50-200 birds (a somewhat depressing scene to seed buyers). While only small numbers of Purple Finch visited feeders sporadically in the southern half to 2/3 of the state, record numbers were invading the north woods. A record 1,284 were at Island Pond December 23 and 1,081 were at Craftsbury on the 31st. Plainfield had 323 on the 29th. Record numbers of Pine Grosbeak were in the Northeast Kingdom with 549 at Island Pond and 354 at Craftsbury for CC's. Plainfield had 24, Woodstock 10, and Rutland 1 for a total 938 birds. A handful of sightings of small flocks of 2-12 birds came from Grafton, Norwich, and Clarendon. Twentyseven House Finches were tallied on CC's with a record 18 at Bellows Falls (Saxtons River CC), a number of which remained in the area throughout the season. Hanover had 4, Bennington 3, and Brattleboro and Springfield one apiece. This species which only began its northward march a few years ago is already a breeder and full time resident here. A single Common Redpoll on the Craftsbury CC December 31 and a report during the Woodstock "Count Period" was all that was recorded for the species this season. There were 1,073 <u>Pine Siskins</u> reported on 8 CC's in December with highs of 389 at Craftsbury and 233 at Plainfield. Flocks of up to 200 birds were observed in Grafton (DC) throughout the season. Three were in Marlboro December 7 (WDN), 30 were at Woodstock December 27 and 37 on January 1 (JMN), 20-25 were at Stockbridge January 13 (EH), 6 were at North Ferrisburg December 29-January 5 (MCE, JID), one was at North Pomfret February 15 (MCH) and a few were at Randolph throughout the season (EWC).

Average numbers of American Goldfinch were present throughout the winter season. Due to the mild weather birds were more dispersed than usual and were

-6-

not found in exceptionally high numbers at feeders. Good numbers were found in the field, however, as seen by the 1,965 recorded on CC's. Many noted the first vellow appearing on males by March 10-12. Only small numbers of Red Crossbills visited the state this winter. A lone bird on the Winhall CC December 16 was still present January I (WJN). Nine were found in Marlboro December 30 (WDN), twelve were feeding on pine in Londonderry January 16 (SDA) and a pair were in Barnard February 26 (EH). The only other birds reported were seventeen just over the border at Mink Brook in Hanover, N.H. February 28 (WGE). A record high of 245 White-winged Crossbills were at Island Pond for count day while 27 were at Craftsbury, 19 at Woodstock and thirteen at Plainfield. On January 3, 13 and 30 many males were singing, doing flight displays and acting territorial in Ferdinand (WGE, FO, ALG et al.). On January 29 territorial and singing birds were recorded at Hartwellville (3 males, 1 female), Victory (1 male) and Kirby (pr.) (all ALG, NLM). On January 30 there were two singing males at Underpass Pond, Morgan Township, and a territorial male at Shadow Lake, Glover (both ALG, NLM). On January 31 a territorial male was found in Bear Swamp, Hardwick (ALG, NLM). Rufoussided Towhees were recorded as "count period" birds at Woodstock and Springfield. One was at a Wallingford feeder from December 5 on (RW fide GTL) and Sally Laughlin observed one on the VINS Preserve December 31.

A pair of tardy Savannah Sparrows on the Springfield CC (WGE) was a new high for the species. A Vesper Sparrow tallied on the Ferrisburg CC was found in the New York portion of the circle. The 982 Darkeyed Juncos on CC's was quite an increase over the 58 reported last year. Very few were found at feeders reflecting the mild winter. Small flocks were beginning to build by February with highs of 23 at Stockbridge February 17 (EH), 20 at Fayston (ADH) and 15+ at Clarendon February 29 (LHP). Once again Tree Swallow numbers were down. Only 956 were counted on CC's and out of twenty-two reports the twenty at Plainfield February 25 was high (MFM). A record number of nine Chipping Sparrows was found on the Rutland CC, beating the three set in Saxtons River in 1969. A single bird was found on the Springfield CC the same day. A tardy Field Sparrow was in the Burlington count area December 16. One, in company with a flock of Tree Sparrows arrived at a Westford feeder January 2 and lingered through the end of the season (MJM). Coincidentally, twenty-six White-throated Sparrows were recorded on CC's for the second year in a row. January found single birds at feeders in Rochester (HB), Tinmouth (GTL) and South Barre (MFM). Two reports of one and three birds came from Woodstock on the 19th and 20th of February (JMN and EH). A Fox Sparrow at a feeder in Union Village throughout most of the winter could well have been the same bird reported on the Hanover-Norwich CC. Of the seventy-nine Song Sparrows on CC's, highs were 36 at Ferrisburg and 14 at Saxtons River. An overwintering bird was reported from Woodstock (HJS) while a banded bird was observed in Plainfield February 15 (MFM).

A lone <u>Lapland Longspur</u> on the Craftsbury CC was the only bird reported. Record numbers of <u>Snow Buntings</u> moved into the northern tier of the state as <u>Craftsbury recorded 852</u>, Island Pond 145, Ferrisburg 100 and Plainfield 30. One was at Marlboro December 30 (WDN), two at North Pomfret January 9 (LPr, MCH), and a final record of 30 in a Westminster field on January 13 (DJK).

MANAGING EDITOR: Sarah B. Laughlin EDITORIAL ASSISTANT: Julia M. Nicholson LAYOUT & ILLUSTRATION: Nancy L. Martin

WINTER	1979-80 CONTRIBUTORS	RCJ	Rita Johnson
DUA	Dishard Adalasa	CDK	Chris Kibbe
RHA SDA	Richard Adelson Stan Allaben	DJK DPK	Debra Kibbe
FSA	Betty Allen	JDL	Doug Kibbe David Laughlin
JJA	Jeffrey Allen	SBL	Sally Laughlin
JSA	Jim Andrews	GTL	George LeBoutillier
KA	Kristine Andrews	AL	Alex Levin
AJA	Alfred Appel	TL	Ted Levin
PB	Phillip Ballou	JPM	Janet Martin
AEB	Arlyne Barton	NLM	Nancy Martin
FB	Fran Beals	MJM	Mike Maurer
MB	Molly Beattle	HLM	Henry Merritt
JeB	Jean Beck	GMe	Gertrude Mertens
PaB	Pat Beecher	HFM	Marion Metcalf
WRB	Will Beecher	Bolf	Bob Metz
SHB	Shirley Bolles	MaM	Mary Metz
CBB	Barry Borden	KNe	Kay Nelson
GHB	Gladys Bramhall	WDN	Whit Nichols
DDB	Don Brown	JMN	Julie Nicholson
HB BBC	Helen Brown Barbara Carpenter	HN	Heidi Nikolaidis William Norse
HDC	Howell Chickering	WJN FO	Frank Oatman
WRC	Winona Chickering	JLP	Mrs. Joseph Parlas
EWC	Elizabeth Clapp	MCP	Mary Perrin
DC	Don Clark	SP	Susan Peters
RC I	Mr. & Mrs. Richard Clattenburg	BBP	Bruce Peterson
GC	Mrs. Guy Crosby	LHP	Henry Potter
JPC	Jane Curtis	CRP	Carol Powell
HBD	Helen Davis	TP	Tony Prince
EHD	Elizabeth Dock	LPr	Larry Prussin
SD	Sally Drew	HSP	Hugh Putnam
JID	John Dye	HR	Herman Redden
MCD	Margaret_Dye	TCR	Thomas Richards
BSE	Barbara Eastman	CR	Chris Rimmer
ORE	Oliver Eastman	BRo	Bill Roberts
EE	Eleanor Ellis	JRo	Jim Rosenburg
GFE	George Ellison Walter Ellison	ESR	Elizabeth Ross
WGE BDF	Brian Farrell	CSz	Chris Schultz
JoF	Joan Fletcher	WS	Wayne Scott
FF .	Francis Fredette	WMS NS	William Shepard
AG	Mrs. Albert Gagne	ES	Nancy Simson Betty Sincerbeaux
ALG	Annette Gosnell	DS	Dick Smyth
EH	Ed Hack	JDS	Jim Stewart
SH	Sally Hall	HJS	Harold Stillwell
SHH	Sonya Hall	GSt	Mrs. George Stowell
DWH	David Harris	ABS	Dr. A. B. Soule
VH	Verna Harvey	AFS	Nancy Spencer
ADH	Ann Day Heinzerling	KT	Kevin Taft
СНН	Charles Helmer	FWT	Pete Tully
EMH	Elizabeth Herries	KU	Kathy Upton
HPAS	High Peaks Audubon Society	PDU	Peter Upton
BMH	Beryl Hinton	EGV	Wendy Vogt
JEH	John Hinton	MM	Marjorie Walker
СМНо	Christina Hoffmann	RW	Roy Wilbur
MCH	Mary Holland	EHW	Edward Williams
WCH FCH	Mr. & Mrs. W. C. Horsford Fran Howe	MLW BW	Martha Williamson Bernice Witham
run GH	George Hunt	HW HW	Maurice Wood
an Alh	Mrs. Arthur Hyde	JLW	Julia Lloyd Wright
MI	Margaret Izzo	BMZ	Blanche Zauchinger
SI	Sami Izzo	PFZ	Peter Zika
RoJ	Robert Jackson		
BLJ	Lauren Jarvi		thanks to all who contributed
JJI	Jim Jillson	to the C	ardinal-Tufted Titmouse Count.

Contributors are reminded to send in rare and unusual bird sightings at once (or to call the Vermont Bird Alert) and to submit seasonal summaries promptly at the end of each season. This publication is only as complete as you make it. If you need sighting cards, write VINS, Woodstock, Vt. Or, call us at 457-2779.

SPRING - 1 March - 31 May

Editors, Frank Oatman

Whitney Nichols

SUMMER - 1 June - 31 July

Editors, Wayne Scott

Annette Gosnell

FALL - | August - 30 November

Editor, Walter Ellison

WINTER - 1 December - 28 February Editor, Don Clark

RECORDS OF VERMONT BIRDS is published quarterly by the Vermont Institute of Natural Science and is available only through membership in the Institute. VINS is a statewide natural history education and environmental research organization supported solel by memberships and private contributions.

\$8 - Individual, \$12 - Family, \$25 - Supporting Contributions are tax deductible.