VERMONT INSTITUTE OF NATURAL SCIENCE

Records of Vermont Birds

Volume 14, Number 2 - Spring 1986

SPRING MIGRATION 1986

1 March - 31 May WILLIAM J. NORSE, SEASONAL EDITOR

For the second year in a row, we were treated to a warmer than average spring which was drier than normal

in many places.

The winter of 1985-86 was somewhat different from the preceding one in that there were no major thawing periods during December - February. The temperatures were consistently cold; however the cold was not extreme in most localities, but many nights were in the 0° to -10° F. range. Snowfall was lighter than average with no "mammoth" snowstorms, and for the second year in a row it was heavier in the north than in the south. March was characterized by alternating very cold and very warm periods, with record temperatures being set both for high and low readings, especially in the second half of the month. There was also some flooding, thunderstorms, and several periods of damaging high winds. The month's temperatures averaged about 3 F. warmer than normal. Snowfall for the month was below normal, particularly in the south. The highest temperature at Burlington was 76° F. on March 30 and the lowest was -3° F. on March 8.

April continued the pattern set in March, only this time the warm periods greatly outnumbered the cold ones, and this turned out to be the warmest April since 1968 and the fifth warmest in the 92 years of record keeping. It was also abnormally dry, $1\ 1/2$ inches below normal, for the driest April since 1966. The warm periods produced many warm days, including several with temperatures in the 70's and even 80's. At Burlington the highest temperature was 85° F. on April 29. The minimum for the month was 24° F. on

April 5.

In May temperatures were warmer than normal for the third straight month. May averaged 3° F. warmer than normal, and the three-month average (March-May) was almost 40 warmer than the long-term mean. This was the second warmest spring since 1945, and the seventh warmest in 92 years of record keeping for this statistic. The precipitation for the month was uneven, heavier in the north than in the south. last really cold period in the month was early, with a cold front pushing through late on May 1 bringing showers, and in some areas damaging winds - temperatures dropped into the 20's everywhere during this period, and there was some snow in places. By the 5th a warm front had returned and the temperatures had returned to normal. From then on it warmed up and by the 18th or so there had even been a few days in the

Thunderstorms rumbled across the state frequently in late May, with some hail and damaging winds, an ominous forerunner of things to come in the summer period. The northern part of the state was treated to flooding, power outages, and like miseries. May, on the whole, despite the warm temperatures, had less than the normal amount of sunshine. The warmest temperature at Burlington was 87° F. on May 29, the minimum was 30° F. on May 3 (although it was consider-

ably colder during that period in most other places). What did this mean for the migration? For one thing, the waterfowl migration peaked in late March, and as the ice disappeared to the north of us, the waterfowl went through rapidly in early April, and by April 10 most of them were gone, in contrast to some years when they stage in numbers in the lower Connecticut River Valley and other areas.

The warm temperatures in early April caused early records to surface on many tropical wintering migrants, some of them so very early that they would have been outstanding in the New York City area, some

200 miles to the south of us.

Following the cold front of May 1-5 a warm front and a foggy, drizzly period around May 6, there was a major dropout of passerine migrants just about all over the state. Birds moved through rapidly in May and the land bird migration was concluded earlier than usual, except for a few normally late-arriving species.

The rainy periods in late May caused dropouts of shorebirds that normally over-fly Vermont in the spring, enroute from the coast to their arctic breeding grounds. This was especially noticeable in the lower Connecticut Valley - at the Retreat Meadows (Brattleboro) and Roundy's Cove (Rockingham). The Ellison team on May 17 (Birdathon) recorded many shorebirds by call, passing over in the foggy pre-dawn hours in the Northeast Kingdom.

As far as recent declines of woodland passerines are concerned, the results are mixed; some observers commented on the scarcity of warblers, others considered them abundant. Weather-induced dropouts probably had much to do with this. Many people commented on the scarcity of the five thrush species. More on this in the summer report.

As far as waves were concerned, the warm weather produced a more or less continuous flow of migrants. Days most mentioned as productive were April 29-May 1 and May 6-7, before and after the cold spell, including the foggy day May 6 with many dropouts. Also mentioned were May 11, May 17-18 (Birdathon



AMERICAN SWALLOW-TAILED KITE



We had, as usual, a few rarities, maybe a few less than last year. GREATER WHITE-FRONTED GOOSE (race flavirostris), HARLEQUIN DUCK, AMERICAN SWALLOW-TAILED KITE, GOLDEN EAGLE, SANDHILL CRANE, RED PHALAROPE, WHITE-EYED VIREO.

Others of interest, somewhat less rare, Great Egret, Snowy Egret, several Bald Eagles, Spruce Grouse, Purple Sandpiper, Glaucous Gull, Iceland Gull, Snowy Owl, Carolina Wren, "Brewster's" Warbler (several), Orchard Oriole (several).

As mentioned before, the warm spring produced many early arrivals - the following are the most noteworthy: Broad-winged Hawk, Sora, Pectoral Sandpiper, Northern Flicker, Yellow-bellied Flycatcher, Eastern Phoebe, Eastern Kingbird, Tree Swallow, House Wren, Swainson's Thrush, Tennessee Warbler, Cape May Warbler, Black-throated Green Warbler, Pine Warbler, Ovenbird, Grasshopper Sparrow, Swamp Sparrow, Whitecrowned Sparrow, Bobolink.

The Birdathon was held mostly on May 17, some on May 18. For a change the weather held fairly good, the rain did not commence until the evening of the 18th. 180 species (and one hybrid) were seen. The top list was 141 species by the team of George and Walter Ellison, Narcy Martin and Dan Crook. The team of Don Clark, Tait Johansson, Jeremy Coleman and Ray Griffin had 131 species and 127 species were seen by Chris Kibbe, Midge and Don Clark. Betty Rist, Mark and Connie Youngstrom had 116 species on May 18. Betty Rist and Sally Laughlin had 116 species on May 17. Hugh Putnam and Eleanor Ellis had 107 species and John and Margaret Dye had 104 species. 228 species (and 1 hybrid) were reported for Spring 1986.

LOONS AND GREBES

first 2 3/27 Pomfret/Hartford (DB), Common Loon: 1 4/5 Lake Champlain (ATA), 1 4/12 Champlain Islands (WAM, DLC), 3 4/13 Lake Iroquois-Hinesburg (WAM), 2 4/15 Prouty Beach-Newport (fide PFW). Recorded widely after that, both seen and heard through the period. High count: 4 pairs 5/17 Burlington area (ES). A bird was picked up grounded at Smuggler's Notch 5/27, released at Lake Waterbury, apparently okay (BeD). Pied-billed Grebe: first 1 3/12 Vernon (REG), 1 3/29 Rutland (CJF), 1 4/1 Retreat Mdws.-Brattleboro (hereafter RM) (JJC), 1 4/5 Dead Creek WMA-Addison (hereafter DCWMA) (ATA, WAM), 2 4/5 RM (JJC), 1 4/9 Rockingham (WJN), 2 4/15 Springweather NA (WJN). High counts: 4 5/31 West Rutland Marsh (hereafter WRM) by canoe--calling birds (SBL,BLR), 4 5/17 Barton River Marshes (hereafter BRM) (GFE, WGE, NLM, DHC). A peak population of 20 at Missisquoi NWR (hereafter MNWR) (JBG). Horned Grebe: 1 4/3 Shelburne (WAM), 15 4/11 Grand Isle (RBL) the high count, 1 4/13 Berlin Pond (MFM), 1 4/14 Lake Dunmore (SSW), 1 4/14 Rockingham Overlook (WJN), 11 4/16 Shoreham (ELW), 4 5/5 Milton (BD), 2 5/6 Lake Durmore (JID, MCD). Red-necked Grebe: 15 4/11 Grand Isle (RBL) the high count, 10 4/14 Lake Dunmore (SSW), 1 5/5 Milton (BD), 1 5/17 Connecticut R. at Bellows Falls (DC, REG, TEJ, JJC, EE, HSP, CDK et al.).

CORMORANT THROUGH HERONS

Double-crested Cormorant ever increasing throughout, not only in the Champlain Valley. First 2 4/4 Winooski R. Delta (hereafter WRD)(JDM), 1 4/9 Rockingham Overlook (WJN), 11 4/12 Champlain Islands (WAM,DLC), 3 4/13 Rockingham (WGE), 30 4/20 Panton (WGE,NLM), 1 4/22 Grand Isle (DJH). The high count was 416 5/17 at the Young Isl. breeding area (RBL). Late dates away from the breeding areas: 1 5/28 Roundy's Cove (Rockingham)(WJN), 4-7 5/31 Newport (ELW,REG). American Bittern: first 1 4/11 WRM (LPS) early, 1 4/14 Leicester Jct. (SSW), 1 4/18 Hyde Park


(DMT), 2 4/20 DCWMA (WGE, NLM), 1 Coventry, 3 Newport 4/20 (REG), 3 4/27 N.E. Kingdom (WAM,DLC,BLR), 3 4/29 WRM (WJN). High count: 7 5/31 WRM (SBL,BLR). Peak of 25 at MNWR (JBG). Least Bittern: 2 5/17 WRM (WJN), 1 $\overline{5/18}$ WRM (NER,GB), $\overline{4.5/31}$ WRM (SBL,BLR), peak of $\underline{10}$ at MNWR (JBG). Great Blue Heron: first 1 3/19 MNWR (JBG), 1 3/22 Rutland (CJF), 1 3/25 Leicester Jct. (SSW), 1 3/26 RM (JJC), 1 3/26 Herrick's Cove-Rockingham (hereafter HC) (WJN), on 3/27 3 HC (TEJ), 1 Woodstock (JDL, WGE, NLM), 2 MNWR (JBG), 1 3/28 Grand Isle (DJH), on 3/29 1 Westminster 1 Bellows Falls (TEJ,DC), 11 Champlain Valley (JDM), 1 Sheffield Hts. (PFW,SAW), l Colchester Pt. (WAM,DLC), 1 3/31 Montpelier (MFM). High count: 26 5/18 Champlain 26 5/18 Champlain Valley (JDM). A peak of 1276 at MNWR and young birds at nest there 5/27 (JBG). Great Egret: one reported in May at MNWR (JBG) date not given. Snowy Egret: 1 5/17 Young Isl.-Grand Isle returned to nesting site (RBL), 1 5/22 Roundy's Cove (REG). Cattle Egret: 1 4/20 Charlotte (WAM), 1 4/25 Grand Isle (DJH), 5/8-11 Vernon (PM), 5/18 Young Isl. - back nesting (RBL). Green-backed Heron: 1 4/27 Dorset (EFG), 1 4/30 Howe's Horse Ranch-So. Londonderry (WJN), 1 4/30 Shelburne (WAM), 1 5/5 Montpelier (MFM). High count: 3 several times. Peak of $\underline{20}$ at MNWR (JBG). $\underline{Black-crowned\ Night-Heron}$: 1 $\overline{5/2}$ Shelburne, 1 $\overline{5/1}$ Colchester (WAM), on 5/17 l Burlington Intervale (WGE, NLM, GFE, DHC), 1 Shelburne (JDM, WAM), 1 DCWMA (ATA,LPS), 1 5/20 Shelburne (WAM), 2 5/22 Brattleboro (fide DUW), $\frac{4}{5}$ 5/25 DCWMA (WAM). Peak of $\frac{25}{2}$ at MNWR

WATERFOWL

MNWR high counts are separated from the others. GREATER WHITE-FRONTED GOOSE (race flavirostris): 1 ad. 5/6-9 Roundy's Cove (WGE, JJC, REG). Last year the writer saw a bird briefly 5/19 at nearby HC; believed to be an imm. of this species and race. The thought occurs that this could be the same bird, now an adult, taking the same route on its journey back to Greenland. Snow Goose: 4 3/23 DCWMA (WAM), 300 3/24 DCWMA (MBN), $\overline{150}$ 3/25 MNWR (JBG), on 3/27 57 Plainfield-240 Marshfield (NER, BMP), 80 HC (TEJ), 150 Whiting (SSW), on 3/28 300 Quechee (JDL), 100 +/- Burlington (GEB), 250 Sheffield Hts. (fide PFW), 8 Grand Isle (DJH), 800 3/29 Alburg (WAM,DLC) the high count, 80 3/29 Bellows Falls (TEJ,DC), 5 3/30 Winhall (WJN); widespread in April. Late dates: 1 5/3 DCWMA (ELW), 1 5/17 DCWMA (m. ob.). A "Blue Goose" morph 4/28 DCWMA (WGE, NLM). Canada Goose: 1 3/17 E. Dorset (RuS), 1 3/22 Westminster (TEJ,DC,REG), 1 3/22 Vernon, (JJC), on 3/23 500 DCWMA (WAM), "hundreds" Grand Isle (DJH), 6 Brandon (SSW), 2 Winhall (WJN), 70 3/24 Grand Isle (WGE,NLM), 590 3/24 DCWMA (MBN), 3/26 25 Reading (FMH,GEH), "flock" Topsham (EM,AM), 150 MNWR (JBG). Widespread after that, with numbers of presumably feral birds around through May. The high count was 2600 4/5 Cornwall (MBN); f. on eggs by 4/20 DCWMA (WGE, NLM), 6 goslings by 5/29 at a pond Pomfret/ Hartford (DB). Wood Duck: first 1 3/18 Vernon (JJC,TEJ), 5 Westminster 2 RM 3/22 (TEJ,REG,WGE,NLM), 10 3/22 Clarendon/Otter Ck. (CJF), 2 3/23 DCWMA (WAM), 1 3/25 Bartonsville (TEJ), 2 3/26 Springweather NA (WJN), on 3/27 2 Grand Isle (RBL), 8 Rockingham Overlook, 7 HC (TEJ), 4 Leicester Jct. (SSW), 8 3/28 E. Dorset (RuS), 1 3/28 Shelburne (WAM), 10-20 3/29 Springweather NA (WME,WJN,DC,TEJ), 4 3/29 Sand Bar WMA-Milton (hereafter SBWMA) (JDM), 2 5/29 Addison Widespread after that. High count: 35 4/5 Rutland/Clarendon (CJF). Peak of 150 MNWR 5/9 (JBG). Green-winged Teal: 6 Clarendon 3 Rutland 3/23 (CJF), 6 3/27 Leicester Jct. (SSW), 8 Bartonsville 4 Rockingham 3/27 (TEJ), on 3/29 10 Springfield Mdws. (WJN,DC, TEJ), 6 Thetford (WGE, NLM), 7 Burlington Intervale (JDM), 22 3/30 Otter Ck. Valley (WGE, NLM), 2 3/31 RM

(JJC). Some late dates: 2 5/17 DCWMA (m. ob.), 2 5/17 Rockingham (WJN), 1 5/18 Addison (JSA,KMA,WME), 2 5/24 DCWMA (MBN), 1 5/25 DCWMA (WAM). High counts: 61 4/19 Burlington Intervale (WAM), 60 4/16 MNWR (JBG). American Black Duck overwintered in many areas; where it did not - 1 3/1 Westminster (REG), 2 3/10 Bartonsville (TEJ), 3 3/15 WRM (RWP), 150 3/23 DCWMA (WAM), 50 3/24 DCWMA (MBN), 100 3/25 MNWR (JBG), 8 3/25 Leicester (SSW), 150 3/26 Springfield Mdws./HC (WJN), 60 3/27 Rochingham/HC (TEJ), 4 3/28 E. Dorset (RuS). High counts: 700 4/5 Cornwall (MBN), 350 4/7 MNWR (JBG). Mallard overwintered in many areas. Other dates: 2 3/1 Westminster (REG), 24 3/15 WRM (RWP), 4 3/16 Westminster (TEJ), 30 3/20 Manchester Other dates: (RuS), 8 3/23 DCWMA (WAM), 18 3/24 Weybridge (MBN), 10 3/25 Leicester Jct. (SSW), 50 3/26 Springfield Mdws./ HC (WJN), 32 3/27 Rockingham/HC (TEJ). High counts: 126 3/30 Otter Creek Valley (WGE,NLM), 200 5/1 MNWR (JBG). Northern Pintail: 2 3/15 WRM (RWP), 2 3/20 Woodstock (CRP), 11 3/20 Brattleboro (JJC), 3 3/24 S. Hero (WGE,NLM), 1 3/24 DCWMA (MBN), 7 3/25 Leicester Jct. (SSW), 7 3/26 HC (WJN), 4 3/27 HC (TEJ), 6 3/27 Swanton (RBL), 8 3/29 WRD (JDM), 4 3/29 Springfield Mdws. (TEJ, NLM), 39 3/30 Otter Creek Valley (WGE, NLM). Late date: 1 5/11 Burlington Intervale (WAM). High counts: 50 4/5 Cornwall (MBN), 110 4/1 MNWR (JBG). Blue-winged Teal: 1 3/24 Brattleboro (JJC), 2 Weybridge 3 Salisbury 3/30 (WGE, NLM), 1 4/2 Woodstock (WGE), 4 4/4 Lamoille R. (JDM), on 4/5 2 Springfield (REG), 2 DCWMA (JRA), 5 DCWMA (WAM), 8 4/6 Alburg (WAM), 10 4/6 Burlington (GEB), 5 4/8 Shelburne (WAM), 12 4/12 Champlain Isl. (WAM), 4 4/16 Burlington (GEB), 2 4/19 Weybridge (MBN), 10 4/20 DCWMA (WGE,NLM), 2 4/22 Springfield Mdws. (WJN), 2 4/24 Lake Carmi (PJM). High counts: 32 5/4 DCWMA (WAM), 50 5/9 MNWR (JBG). Northern Shoveler: 1 3/28 Leicester Jct. (SSW), 3 3/29 Burlington Intervale (JDM), 2 3/30 Burlington Intervale (JDM,DLC,WAM), 1 3/31 Leicester (MBN), 5 4/1 and 3 4/4 MNWR (JBG), 2 4/7 Leicester (ELW), 5 4/12 Champlain Isl. (WAM,DLC), 1 4/13 DCWMA (WAM), 2 4/13 Leicester Jct. (SSW), 3 4/20 DCWMA (WGE,NLM,WAM), 5 4/26 DCWMA (WGE,NLM,MBN), 2 5/3 DCWMA (ELW), 3 5/11 DCWMA (JRA). High count: $\frac{5}{3}$ several times. Gadwall: 2 3/22 RM (m. ob.), 10 $\frac{3}{2}$ Burlington Intervale (GEB), 2 3/29 Grand Isle (WAM, DLC), 11 Weybridge 2 DCWMA 3/30 (WGE,NLM), 2 3/30 RM (JJC), $\underline{40}$ 4/1 MNWR (JBG) the high count, 3 4/4 Burlington Intervale (JDM), 2 4/5 DCWMA (WAM), 1 4/12 Grand Isle (WAM, DLC), 2 4/14 Leicester Jct. (SSW), 4 5/4 DCWMA (JRA), 1 5/12,17 Lewis Creek (JID,MCD). American Wigeon: 1 3/15 WRM (RWP), 2 3/24 Grand Isle (WGE,NLM), 4 3/25 Leicester Jct. (SSW), 2 HC 2 Springfield Mdws. 3/26 (WJN), on 3/29 7 Burlington/Swanton (JDM), 1 Bellows Falls, 5 HC, 4 Springfield Mdws. (TEJ,DC), 2 Springweather NA (WJN), 20 3/30 Otter Creek Valley (WGE, NLM), 12 3/31 Leicester Jct. (MBN), 2 3/31 RM (JJC), 3 4/4 Burlington Intervale (JDM), 4 4/5 Springfield (REG), 1 4/5 Button Bay SP (ATA), 2 4/5 HC (WJN), 3 4/6 Alburg (WAM), 24 4/12 Burlington/Grand Isle (WAM, DLC) the high count, 2 4/16 MNWR (JBG), 2 4/20 DCWMA (WGE, NLM), 2 5/4 Mud Creek (WAM), 1 5/11 Burlington Intervale (WAM), 1 5/17 Sudbury (SH). Peak of 10 4/16 MNWR (JBG). Canvasback: 50 +/- 3/24 S. Hero (WGE, NLM) high count, 21 SBWMA-Grand Isle 3/29 (WAM,DLC), 3 SBWMA 15 Alburg 3/29 (JDM), 4 3/30 Vernon (JJC), 40 SBWMA 5 N. Hero 4/4 (JDM), 1 4/15 Long Pt.-Lake Champlain (JID,MCD), 11 4/24 Alburg (RBL). Ringnecked Duck: 3 3/24 (WGE,NLM) 37 3/26 (RBL) Grand Isle, 9 3/26 Hartland (JMN), 5 3/26 Springfield Boat Landing (WJN), 7 3/27 HC (TEJ), 15 3/27 Leicester Jct. (SSW), 5 3/28 Shelburne Bay (WAM), 100+ 3/29 Springfield Mdws.-Roundy's-HC (WJN,DC,TEJ) the high count, on 3/29 59 Shelburne-Mud Creek (WAM,DLC), 8 Springweather NA (WME), 3 Rutland (CJF), 49 WRD 5 Burlington 10 Alburg (JDM), on 3/30 60 Otter Ck. Valley (WGE, NLM), 84 Vernon (JJC), 3 Rochester (WGE, NLM), 7 3/31

Leicester (MBN). Late dates - "through period" Thurman W. Dix Reservoir (hereafter TWD Res.) (ATA), 26 5/4 Champlain Isl. (WAM), 14 5/5 Lake Carmi (PJM), 1 5/17 Orange (DL,JaL). Peak of 1200 MNWR 4/1 (JBG). Greater Scaup: 1 3/12 Bellows Falls (JJC), 6 3/15 mouth of the Ottauquechee R. (JoG), 18 3/24 S. Hero (WGE,NLM), 2 3/29 WRD (JDM), 2 4/1 HC (WJN), 150 4/4SBWMA (JDM) the high count, 1 4/5 Roundy's Cove (REG), 4 4/6 Rockingham (WGE,NLM), 4 4/7 Shoreham (ELW), 1 4/9 HC (WJN), 3 4/12 L. Bomoseen (CJF), 45 4/12 Champlain Isl. (WAM,DLC). Lesser Scaup: 6 3/27 Leicester Jct. (SSW), 1 3/29 HC (WJN), 1 3/29 WRD (JDM), 5 4/1 HC-Roundy's Cove (WJN), 1 4/3 Coventry (PFW,SAW), 2 4/5 HC (WJN), 2 4/9 Roundy's Cove (WJN), 2 5/3 L. Fairlee (WGE, NLM). Scaup sp.: 63 3/29 Burlington to Champlain Isl. (WAM, DLC), 9 3/29 Alburg (JDM), 4 3/30 Shelburne Bay (WAM), 2 4/3 2 4/25 Shelburne Bay (WAM), 3 4/4 WRD-SBWMA (JDM), 3 4/12 Panton (MBN), 2 4/13 Coventry (PFW), 3 5/4 Champlain Isl. (WAM). Oldsquaw: 2 3/27 Leicester Jct. (SSW), 1 4/4 Shelburne (WAM), 2 4/12 Tinmouth Pond (CJF), 2 4/15,17 4 4/18,19 Charlotte (WAM), 1 5/25 Grand Isle (RBL). HARLEQUIN DUCK: drake 3/15 Connecticut R. at Ottauquechee R. Jct. (JoG,GWG) 8th state record-perhaps a carryover from the winter--seen in Feb. '86.



2 3/25 Leicester Jct. (SSW). Black Scoter: 2 5/19 L. Fairlee (REG). 2 5/3 L. Fairlee (WGE, NLM), 1 5/8 L. Pineo-Scoter: Quechee (WGE), 1 5/17 McCuen Slang-Addison (EFG), 1 5/17 Arlington (RSK,ERK,BCD). Common Goldeneye overwintered at White River Jct. (WGE): 1 3/1 Westminster (REG), 2 3/8 Bellows Falls (MPH), on 3/16 3 Otter Ck.-Rutland (CJF), 14 Westminster Sta. (TEJ), 1 White River Jct. (JMN), $\frac{60}{3}$ 3/18 Bellows Falls (JJC, TEJ), 70 3/19 Bellows Falls (REG), 5 Lamoille R. 2 SBWMA 3/22 (JDM), 370 3/24 Grand Isle (WGE,NLM), 30 3/26 HC (WJN), 150 $\overline{3/26}$ Grand Isle (RBL), present on flooded cornfields at Leicester Jct. 3/30-4/20 (WGE et al.); widespread after that. High count: 450 4/12 Champlain Isl. (WAM, DLC). Late dates: 2 Colchester 3 SBWMA 5/18 (JDM). Peak at MNWR 90 4/1 (JBG); broods at MNWR f. w/15 ducklings 5/25 f. w/6 ducklings 5/27 (JBG). Bufflehead: 1 3/22 RM (m. ob.), 2 3/26 Grand Isle (RBL), 1 3/27 Leicester Jct. (SSW), 5 3/28 Shelburne (WAM), on 3/29 4 Burlington (JDM), 1 HC (WJN,DC,TEJ), 2 Swanton (RBL), 2 4/3 Prouty Beach, Newport (PFW,SAW), 32 4/4 Shelburne (WAM) the high count, 12 4/4 SBWMA-Alburg (JDM), 1 4/5 Button Bay SP (ATA), 2 4/7 Shoreham (ELW), 2 4/13 Rockingham (WGE, NLM), 5 4/14 Lake Carmi (PJM). Late dates: 3 5/4 DCWMA (JRA), 3 5/5 Lake Carmi (PJM). Peak of 20 MNWR 4/16 (JBG). Hooded Merganser: 3 3/16 Westminster (TEJ), 1 3/16 Hartland (JMN), 2 3/18 Westminster 2 3/22 Brattleboro (TEJ), 5 3/22 Westminster (REG), 1 3/23 Rutland (CJF), 1 3/25 Colchester Pt. (WAM), 2 3/25 S. Hero (RBL), 20 3/26 HC (WJN,WGE,NLM) the high count, 2 3/26 N. Hartland (JMN), 3 3/28 DCWMA (WAM), widespread after that. Late dates: 6 5/3 DCWMA (ELW), 2 5/8 Gale Mdws.-Winhall (WJN), on 5/17 2 Ferrisburg (JID, MCD), 3 Winhall (WJN), 1 5/17 Sudbury/Orwell (SH). Peak of 10 MNWR 4/1 (JBG).

Common Merganser overwintered in some areas. First: -4-3 2/24 MNWR (JBG), 8 Bellows Falls 3 Westminster 3/1 (REG), 10 3/2 Rutland (CJF), 4 3/9 Bartonsville (TEJ), 4 3/11 34 3/15 Proctor (RWP), 28 3/16 N. Hartland (JMN), 6 3/17 Bartonsville (MPH), 18 3/22 Burlington/ Lamoille R. (JDM), 10 3/26 HC (WJN), 15 3/27 Pomfret (DB), 8 3/28 Springfield (WME), 5 3/28 Grand Isle (DJH), 86 3/29 Vernon (JJC). Late dates: 6 5/2 pond near Fair Haven (EPA), 1 5/4 DCWMA (JRA), 25 5/8 Quechee (ECM), 6 5/11 Colchester Pt. (JDM), 1 5/14Gale Mdws. (WJN), 3 5/23 Lewis Creek (JID, MCD) - many probably breeders. High count: 150 + - 3/29 WRD to N. Hero (JDM). Peak of 70 4/16 MNWR (JBG). Redbreasted Merganser: 2 3/29 HC (WJN,DC,TEJ), 4 $\frac{4}{4}$ /5 Shelburne (WAM), 8 4/14 Grand Isle (DJH), $\frac{42}{4}$ 4/14-15 Charlotte (WAM) the high count, 2 4/15 Ferrisburg (JID,MCD), 26 4/19 Charlotte (WAM,MBN), 4 4/20 Addison (WGE,NLM), 4 4/23 TWD Res. (DL), 3 4/30 L. Fairlee (REG), 1 5/9 HC (WJN), 28 5/10 WRD (JDM), 12 5/11 Colchester Pt. (WAM), 1 5/17 L. Champlain (ATA). Ruddy Duck: 5 4/1 MNWR (JBG).

DIURNAL RAPTORS

The spring hawkwatch, taken primarily in the second half of April produced 1252 hawks, an increase over last year. Turkey Vulture: fifty-five were seen by hawkwatchers. First 2 3/3 Westminster (AJ), 1 3/12 Springfield (TEJ), 1 3/16 Westminster (REG), 4 3/15 Bellows Falls (MPH), 5 3/18 Bellows Falls (JJC, TEJ), on 3/22 l Clarendon (CJF), 2 Vernon 7 Brattleboro (WGE,NLM), 1 Cornwall (MBN), 1 3/23 Morrisville (GFN), 1 3/23 Burlington (WAM), 3 3/25 Milton/Colchester (RBL), 6 3/25 DCWMA (WAM), 1 3/27 Arlington (RuS), 1 3/28 Fair Haven (EPA), 1 3/29 Springfield/Rockingham Town Line (WJN), 6 3/30 L. Durmore (SSW), 1 3/31 Waterbury (MFM), 4 3/31 Bridport (RN). High count: 26 3/25 Bellows Falls (TEJ). AMERICAN SWALLOW-TAILED KITE seen by Anne Aversa and Barb DeAngelis 3/28 Washington ca. 1500' elevation, area mostly snowcovered - cruised by at eye level - third state record. Osprey: 36 were seen by hawkwatchers. First 1 4/5 HC (WJN,REG), 1 4/13 Fair Haven (EPA), 1 4/13 Woodstock (JMN), 1 4/15 Springweather NA (WGE,NLM), 1 4/16 Cavendish (CJF), 2 4/16 Charlotte (JID, MCD), 1 4/17 Button Bay SP (ATA), 1 4/19 HC (JJC), 1 4/20 L. Bomoseen (CJF), 1 4/24 Thompson Pt.-Charlotte (JID,MCD), 1 4/26 Rutland (CJF), 8 4/26 Fuller Mt. (JID, MCD), 2 4/27 Bartonsville/HC (TEJ), 1 4/28 Shoreham (ELW). High count: a fantastic 27 5/8 Woodstock/Quechee (WGE). A pair built a nest in the Champlain Valley for the first attempted nesting in many years; perhaps they were a young pair and will succeed in raising young nest year (site confidential). Bald Eagle: none seen by hawkwatchers. adult wintered on the Connecticut R. at Wilder Dam and further south (m. ob.); last seen 3/18 at White River Jct. (GFE); roosted on ledge above I91 south of White River Jct. (WGE). Also 1 3/16 Addison (RMW), 1 3/17 Pownal (PW), 1 imm. 3/18 with orange wing tag Westminster (TEJ,JJC), 1 ad. 4/24 Thompson's Pt.-Charlotte (JID,MCD), 1 5/13 Topsham (EM,AM). Northern 25 were seen by hawkwatchers. 1 m. 3/22 Harrier: Clarendon (CJF), 3 3/24 DCWMA (MBN), 1 m. 3/24 Alburg (WGE, NLM), 1 3/27 Rockingham Overlook (TEJ), 1 3/27 Sudbury (SSW), 2 3/28 DCWMA (WAM), 2 3/29 Rockingham Overlook (TEJ,DC,WJN et al.). High count: Shoreham (WGE, NLM). Sharp-shinned Hawk: 190 were seen by hawkwatchers; overwintered Brattleboro area (JJC); 1 3/8 Shrewsbury (LPS), 1 3/9 Plainfield (MFM), 1 3/12 Hinesburg (EH), 1 3/15 Lincoln (JRA), 1 3/16 Danby (CJF), 1 Vernon 2 Brattleboro 3/22 (WGE,NLM), 1 3/23 Weybridge (MBN), 1 3/29 Washington (ATA), 1 3/31 Winhall Hawk Lookout (hereafter WHL) (WJN). later dates: 1 5/10 DCWMA (WAM), 1 5/10 Orwell (ELW), 1 5/12 N. Pomfret (JMN), 1 5/17 Chester (VF), 1 5/18

Cambridge (JGG,RYG), 1 5/18 Duxbury (FAP). count: 27 4/26 Lincoln Hill, Hinesburg (m. ob.). Many people reported them taking birds at feeders. Coopers Hawk: 11 were seen by hawkwatchers; 1 3/22 Dummerston (TEJ, REG), 1 3/16 Westminster Sta. (TEJ), 1 3/24 Woodstock (CRP), 1 4/3 Springfield (MPH), 1 4/11 E. Dorset (RuS), 1 4/13 W. Brattleboro (JJC), 1 4/19 Mt. Holly Hawkwatch (WJN), 1 4/25 Shoreham (ELW), 1 4/26 Bridport (WGE,NLM), 1 4/26 WHL (WJN), 1 4/27 Rockingham (WGE,NLM), 1 5/4 m. found dead in yard-Chippenhook (PaR), 1 5/8 Quechee (WGE), 1 5/17 Chester (VF), 1 5/17 Lincoln (JRA), 1 5/27 Ripton (JID, MCD), 1 5/28 Saxtons River (WJN). High count: 2 4/20 Lincoln Hill (m. ob.). Northern Goshawk: $\frac{13}{3/14}$ were seen by hawkwatchers; 1 $\frac{3}{1}$ Brandon (SSW), 1 $\frac{3}{14}$ Springfield (MPH), 1 3/23 WHL (WJN), 1 3/28 Washington (ATA), 1 4/20 WHL (WJN), 1 4/26 Putney Mt. (JJC), 1 5/6 Lake Durmore, 1 5/17 Ferrisburg (JID,MCD). Red-shouldered Hawk: 32 were seen by hawkwatchers; 1 3/22 Norwich (AAB), 1 ad. 3/26 Rockingham Overlook (WGE, NLM), 1 4/2 Topsham (EM,AM), 1 4/8 Washington (ATA), 1 4/13 Rockingham (WGE,NLM), 1 4/15 WHL (WJN), 1 4/20 Brandon (WGE,NLM), 1 4/26 Putney Mt. (JJC), 2 4/26 Fuller Mt.-Ferrisburg (JID,MCD), $\underline{4}$ 4/27 Rockingham (WGE,NLM) the high count. The many May dates no doubt represent breeders. Broad-winged Hawk: only 273 were seen by hawkwatchers. An unusually early movement took place this spring--for complete details see Spring 1986 Hawk Watch Report forthcoming. First was the phenomenally early date of 3/17 1 ad. Lincoln Hill (PAT et al.), another 3/26 Paine Mt. (Northfield) Hawk Watch (WHB et al.), 1 3/29 South Londonderry (WJN), another 3/31 Paine Mt. (WHB), 2 4/1 Sheffield Hts. (PFW,SAW), 1 4/2 WHL (WJN), 1 4/11 (WHB et al.) another 4/13 (WHB) Paine Mt., 2 4/13 W. Brattleboro (JJC) - all of the above early, normal arrival date 4/15 or after. addition to these your editor heard in a second hand manner of other early ones which were not reported. The high count: 53 4/29 Putney Mt. (JJC). Red-tailed 300 were seen by hawkwatchers; overwintered in some areas; 1 3/2 Woodstock (CRP), 1 3/5 Cambridge (RYG,JGG), 1 3/8 Pittsford (SSW), 1 3/12 Pompanoosuc (TEJ), 1 3/15 Hartford (REG), 3 3/15 Bartonsville (TEJ), 1 3/17 Rockingham (MPH), 1 3/20 Rutland (EPA), on 3/22 1 Washington (ATA), 1 Shelburne (JDM), 5 Bellows Falls-Vernon (DC, TEJ, REG), 5 3/23 DCWMA (WAM), 4 3/24 DCWMA (MBN), 1 3/26 Woodstock (JMN), 9 3/26Rockingham (WGE,NLM), 1 3/28 Springfield Boat Landing (WJN). High count: 29 Lincoln Hill 4/20 (m. ob.). Female on eggs at Quechee 4/12 (WGE). Rough-legged Hawk: 2 were seen by hawkwatchers; overwintered in the Champlain Valley; 2 light phase 3/1 Addison 1 dark phase 3/1 Bridport (WGE, NLM), 2 3/2 Shoreham (CJF), 1 3/22 Shelburne (JDM), 1 3/24 Plainfield (MFM), 3 3/24 DCWMA (MBN), 1-2 3/26-31 Leicester Jct. (SSW,MBN), 5 3/28 DCWMA (WAM), 3 3/29 Addison (JRA), 5 3/30 Addison-Cornwall (WGE, NLM), 2 3/31 DCWMA (PFW, SAW), 2 4/7 3 4/11 1 4/26 Shoreham (ELW), 3 4/26 Shoreham, 1 4/26 Addison (WGE, NLM). The two Hawk Watch birds were at Paine Mt. 4/11 and 4/23 (WHB et al.). High count: 5 twice. GOLDEN EAGLE: imm. reported 4/5 Button Bay SP (ATA), two (pair?) photographed 4/26 Pomfret (FB, SB). American Kestrel: 99 were seen by hawkwatchers; overwintered sparingly in the Champlain Valley (WGE); 1 3/1 Randolph (EWC, MCC), 1 3/12 Bridport (RuS), 1 3/15 Clarendon (CJF), 1 3/16 Brattleboro (REG), 1 3/18 Vernon (JJC, TEJ), on 3/19 1 Berlin 1 E. Montpelier (MFM), l New Haven (JRA), 7 3/22 Bellows Falls to Brattleboro (REG,JJC), 2 3/22 Burlington-Colchester (JDM), 1 3/23 DCWMA (WAM), $\underline{10}$ 3/24 Grand Isle Cty. (WGE,NLM), 1 3/24 Cambridge (RYG,JGG), 1 3/25 MNWR (JBG). High count: 14 4/25 Paine Mt. (WHB et al.). Merlin: only 1 seen by hawkwatchers on Lincoln Hill 4/5 (PAT et al.); 1 4/21 Woodstock (JMN) this bird may have had falconer's jesses on one leg. Falcon: none seen by hawkwatchers; 1 3/19 Burlington

Sping 86

(CCF), 1 3/24 Cambridge (RYG,JGG). Nesting pair returned to Mt. Pisgah (Westmore) 3/30 (NER) this pair seen there 4/8 (WGE,NLM); 1 4/13 West Burke (BG,JG), 1 4/14 Rockingham Overlook (WJN), 1 5/23 Roxbury (IG).

GALLINACEOUS BIRDS THROUGH RAILS

Spruce Grouse: The Vermont Dept. of Fish & Wildlife conducted a survey for Spruce Grouse, betweem March and June, and located 10 adult birds, 3 chicks, and 2 sets of distictive Spruce Grouse droppings. This raises hopes that the Spruce Grouse may still have a viable breeding population in Vermont; further surveys are planned. Survey results: Yellow Bogs, towns of Lewis and Bloomfield, 10 adults: 1 m. 3/18; 3 m. 5/13; 1 m. 5/20; 1 m., 2 f. plus 1 f. with 3 chicks 6/25. Moose Bog, 1 f. 4/25; Ferdinard Bog droppings 5/15; Granby Gob 5/23 (VDFW). Ruffed Grouse was widely reported. High counts: 5 5/10 Benson (CJF), peak of 15 at MNWR (JBG). Remains found 3/4 Woodstock (JMN) killed by some mammalian predator. Gray Partridge: 8 3/6 S. Alburg "present" Grand Isle (DJH), peak of 5 MNWR (JBG). Chukar: bird 5/22 S. Londonderry (HS) came into yard-release from somewhere. Wild Turkey was widely reported: 30 3/1 West Haven (WGE,NLM), 5 3/16 Grand Isle (DJH), 5 3/16 Manchester (CJF), 4 3/17-26 Woodstock (JMN), 6 4/5 Waltham (JRA), 4 4/14 Springfield (MPH). Northern Bobwhite: 1 5/3-5 Sheffield Hts. (PFW, SAW)--at feeder--apparently from some local release. Virginia 1 4/19 Weybridge (MBN), 1 4/26 Brandon (WGE, NLM), 1 5/9 Newport (PFW et al.), 3 5/10 WRM (SSW), on 5/11 2 Weybridge (MBN), 4 WRM (WGE, NLM), 1 BRM (PFW,SAW), on 5/17 1 Ferrisburg (JID,MCD), 1 Allen Bros. Marsh-Westminster (REG,DC,TEJ,JJC), 2 Grand Isle (DJH), 2-3 WRM (m. ob.), 1 5/18 Mud Creek (JDM), 6 5/24 BRM (WGE, NLM et al.) the high count, 4 $5/3\overline{1}$ Newport (ELW, REG et al.), 4 5/21 WRM (SBL, BLR). Peak of 50 MNWR (JBG). Sora: a report of 12 4/11 Grand Isle (DJH), 1 4/29 WRM (WJN), 1 5/6-7 S. Hero (DJH), 1 5/8 Tirmouth (PB), 3 5/11 WRM (WGE, NLM), on 5/17 1 Allen Bros. Marsh (JJC et al.), 1 Ferrisburg (JID, MCD), 3 WRM (WJN), 1 BRM (WGE, NLM et al.), 1 DCWMA (m. ob.), 8 5/23 Grand Isle/S. Hero (DJH), 1 5/24 BRM (WGE, NLM et al.), 3 5/31 WRM (SBL, BLR). Peak of 75 MNWR (JBG). Common Moorhen: 3 4/27 DCWMA (MBN), 1 4/30 Shelburne (WAM), 1 5/3 DCWMA (ELW), 3 5/4 Mud Creek (WAM), 1 5/9 Newport (PFW,SAW), on 5/10 3 Cogman Pond-West Haven (SSW), 1 Shelburne (WAM), 2 Colchester (JDM), 14 East Creek-Orwell (ELW) the high count, on 5/17 2 Ferrisburg (JID, MCD), 1 DCWMA (m. ob.), 3 brm (gfe,WGE,NLM,DHC), 2 5/18 Champlain Valley (JDM), 1 5/18 "Birdathon" (MOM), 2 5/31 Newport (ELW), 2 5/31 WRM (SBL,BLR). Peak of 30 MNWR (JBG). American Coot: 1 3/29 Burlington Intervale (JDM, WAM, DLC), 1 5/10 WRD (JDM). SANDHILL CRANE: 2 reported 5/10 at Retreat Meadows, Brattleboro (DM); details not yet received. A belated report and photo has been received of a Sandhill Crane 5/14/85 in Vernon (PM).


SHOREBIRDS

Black-bellied Plover: 1 5/24 RM (JJC), 1 5/26 Young Isl.-Grand Isle (RBL). Semi-palmated Plover: 10-20 calling overhead in pre-dawn fog 5/17 Island Pond (GFE,WGE,NLM,DHC), 4 5/30 RM (DUW). Killdeer: 1 3/15 Lincoln (JRA), on 3/16 1 Grand Isle (DJH), 1 Rutland (CJF), 2 Vernon (JJC), 5 3/18 Bellows Falls to Vernon (TEJ,JJC), on 3/19 2 Lyndonville (PFW,SAW), 3 MNWR (JBG), 1 E. Dorset (RuS), 3 3/20 Westminster (REG), on 3/22 5 Shelburne (JDM,WAM), 7 Vernon (WGE,NLM), 2 Hartford (GFE), 15 Putney (REG,DC,TEJ et al.), 4 3/23 S. Burlington (WAM), 2 3/24 Weybridge (MBN), on 3/26 2 Shrewsbury (LPS), 3 Woodstock (JMN,CRP), 2 Duxbury (FAP), 1 Springfield (MPH), 11 HC 13 Springfield (WGE,NLM), 1 3/28 Topsham (EM,AM). High count:

38 3/28 DCWMA (WAM). Peak of 35 MNWR (JBG). Female w/4 yg. 5/23 Topsham (EM). Greater Yellowlegs: 1 4/13-15 Springfield Mdws. (WGE,NLM,DHC), 1 4/15 Burlington Intervale (GEB), 1 4/22 Springfield Mdws. (WJN), $\underline{14}$ 4/26 Leicester Jct. (WGE, NLM et al.) the high count, 1 5/3 Shelburne (WAM), 1 5/6 Springfield Mdws. (WGE), 2 5/6 Gale Mdws. (WJN), 1 5/6 W. Salisbury (JID,MCD), 1 5/7 Winhall (WJN), 1 5/10 DCWMA (WAM), 22 5/10 WRD (JDM), 1 5/11 Quechee (JMN,ALG), 4 5/12 Roundy's Cove (REG). Widespread 5/17-Birdathon (m. ob.). Peak of 10 at MNWR (JBG). Lesser Yellowlegs: 3 5/6 W. Salisbury (JID, MCD) the high count, 1 5/6 Springfield Mdws. (WGE), 1 5/7 Burlington Intervale (GEB), 2 5/9 MNWR (JBG), 1 5/12 Roundy's Cove (REG), 1 5/17 Addison (SBL, BLR), 1 5/24 RM (JJC), 1 5/24 DCWMA (MBN). Solitary Sandpiper: 4 Springfield Mdws., 2 Woodstock 5/6 (WGE et al.), 2 5/7 Winhall (WJN), 1 5/9 Barton R. (PFW et al.), 1 WRD 1 Winooski 5/10 (JDM), 3 5/10 E. Creek Orwell (ELW), on 5/11 1 Quechee (JMN,ALG), 1 E. Dorset (RuS), 6 Weybridge (MBN), 1 Halifax (WHA), 1 5/13 Bellows Falls (JJC), 1 5/14 Winhall (WJN), 1 5/16 near Branch Pond-Sunderland (EFG), 1 5/16 Brandon (SSW). Widespread on 5/17; in a large number possibly 40-50 heard passing over in the pre-dawn fog 5/17 Island Pond (WGE,GFE, NLM,DHC); 1 5/24 Coventry (WGE et al.). Spotted Sandpiper: 1 4/22 and 1 4/26 Grand Isle (DJH), 3 4/28 Shoreham (ELW), 1 4/30 Howe's Horse Ranch, S. Londonderry (WJN), 1 4/30 White River Jct. (WGE), 1 5/1 MNWR (JBG), 1 5/5 Shelburne Bay (WAM), 1 5/7 West Haven (SSW), 4 5/9 Shoreham (ELW), 4 5/9 HC-S. Londonderry (WJN), on 5/10 2 W. Glover (REC), 10 WRD-Winooski (JDM), 1 E. Dorset (RuS), 5 5/11 Colchester Pt. (WAM), 3 5/12 Ferrisburg (JID,MCD), 5 5/13 L. Carmi (PJM). High count: 11 5/17 Island Pond (GFE, WGE, NLM, DHC). Peak of 12 MNWR (JBG). Upland Sandpiper: 4/24 then seen daily through the remainder of period Shoreham (ELW), 2 4/26 Salisbury (WGE,NLM et al.), 1 4/27 Newport (WAM,DLC,BLR), 1 5/3 W. Glover (REG), 2 5/17 Ferrisburg, two different prs. (JID,MCD), 2 5/17 Newport (PFW), 1 5/17 DCWMA (WGE, GFE, NLM, DHC), 1 5/18 W. Glover (REG), 2 5/19 Bridport (JSA,KMA), 1 5/22 Winhall (WJN), 2 5/24 Coventry (WGE,NLM et al.). Ruddy Turnstone: 1 5/26 Savage Isl. Grand Isle (RBL). Semi-palmated Sandpiper: on 5/17 2 overhead in fog-Island Pond, 1 WRD (WGE,GFE,NLM,DHC), 6 DCWMA (JID,MCD), 1 5/26 Savage Isl. Grand Isle (RBL). PURPLE SANDPIPER: 1 5/23 Alburg (RBL)-photographed. Least Sandpiper: 1 5/6 Springfield Mdws. (WGE), 4 5/17 Addison (SBL,BLR), "large numbers" 50-100 overhead in pre-dawn fog 5/17 Island Pond also on 5/17 3 DCWMA (WGE,GFE,NLM,DHC), Bennington Cty. (RSK,ERK, BCD,MK), 6 Addison (REG,DC,TEJ,JJC), 13 5/24 Middlebury (MBN), 4 5/25 Ferrisbug (JID, MCD), 7 5/26 Savage Isl. Grand Isle (RBL). Pectoral Sandpiper: 3 3/26 Springfield (WGE, NLM), 3 5/17 Lewis Creek (JID, MCD), 1 5/17 Addison (SBL,BLR). Dunlin: 6-10 heard overhead pre-dawn hours 5/17 Island Pond (WGE, GFE, NLM, DHC), 12 5/17 RM (fide LPM). Short-billed Dowitcher: 1 5/17 WRD (GFE,WGE,NLM,DHC), 50 Bixby Isl., 7 Young Isl. 5/25 (RBL). Peak of 10 MNWR (JBG). Dowitcher (sp.): 1 5/24 Roundy's Cove (REG). Common Snipe: Burlington (JDM) presumed to have overwintered, 1 3/22 Clarendon (CJF), 1 3/30 MNWR (JBG), 1 3/30 Leicester Jct. (WGE, NLM), 1 3/29 Westminster (TEJ, DC, REG), 5 4/4 Leicester Jct. (SSW), 3 4/4 SBWMA (JDM), 1 4/6 RM (JJC), 1 4/12 Rutland (ELW), 2 4/13 SBWMA, 1 4/13-19 Shelburne (WAM), displaying 4/14 Topsham (EM,AM), 1 4/15 E. Dorset (RuS), 1 4/18 Lyndonville (PFW), 3 4/19 Weybridge (MBN), 3 4/20 Newport (REG), displaying 4/20 Castleton (JVF). High counts: 14 4/27 N.E. Kingdom (WAM,DLC,BLR), peak of 150 MNWR (JBG). American Woodcock: 1 3/25 Hartford (GFE), 1 3/26 E. Dorset (RuS), 2 3/26 Bartonsville (TEJ), 1 3/27 Shrewsbury (LPS), 1 3/30 Woodstock (JMN), 1 3/30 Bartonsville (TEJ), on 3/31 1 Reading (FMH, GEH), 1 Duxbury (FAP), 1

-6-

Lincoln (JRA), 1 4/1 Washington (ATA), 1 4/3 Castleton (EPA), 1 4/4 Winhall (WJN), 1 4/11 Grand Isle (DJH), 1 4/14 Springfield (MPH), 1 4/16 Dorset (EFG). High counts: 15 5/17 Brighton/Ferdinand (WGE,GFE,NLM,DHC), peak 50 MNWR (JBG); 5/3 ad. 4 yg. near Roundy's Cove (JJC). RED PHALAROPE: f. in breeding plumage 5/23 Roundy's Cove (WJN); grounded by heavy thundershowers from the night before. First spring record for Vermont.



GULLS AND TERNS

2 5/3 WRD (JDM), 8 5/10-11 Bonaparte's Gull: Colchester (JDM, WAM), 1 5/11 Sherburne (WGE, NLM), 1 5/12 Long Pt.-L. Champlain (JID, MCD), 1 5/17 RM (fide LPM), 20 5/17 WRD (m. ob.) the high count, 8 5/18 WRD (JDM). Ring-billed Gull undoubtedly overwintered L. Champlain: 6 3/12 Brattleboro (REG), 2 3/15 RM (JJC), 1 3/15 Bellows Falls (MPH), on 3/16 5 Brandon (SSW), 100 +/- Grand Isle (DJH), 4 Rutland (CJF), 17 Bellows Falls (TEJ), 1 White River Jct. (JMN), 160+ 3/18 Vernon to Bellows Falls (TEJ, JJC), 110 3/19 Bristol (JRA), 5 3/19 MNWR (JBG), 60 3/22 Brattleboro-RM (TEJ), 8 3/24 Weybridge (MBN), 1 3/26 HC (WJN), on 3/27 1 Manchester (RuS), 1 Plainfield (NER, BMP), 175 RM (JJC). High counts: 300 4/12 Panton (MBN), 450 3/30 Weybridge/Addison (WGE, NLM). Herring Gull overwintered on Champlain, probably in some other areas: 15 3/12 Brattleboro (REG), 1 3/12 Bellows Falls (TEJ), 90 3/18 Bellows Falls-Vernon-Brattleboro (JJC, TEJ), 125 3/20 RM (JJC), 20 RM 20 Brattleboro Dump 3/22 (TEJ et al.), 6 3/22 Grand Isle (DJH), 10 3/26 HC (WJN), 1 4/7 Winhall (WJN), 1 4/20 WHL (WJN), 1 5/11 Quechee (JMN). High counts: 90 Vernon 80 Brattleboro 3/22 (WGE, NLM), 140 4/5 Comerford Dam-Waterford (WGE, NLM). Great Black-backed Gull: 5 wintered Grand Isle (DJH), 1 3/12 Brattleboro (REG), 1 Brattleboro Dump 4 Vernon 3/16 (TEJ,JJC), 2 Brattleboro Dump 5 RM 3/22 (TEJ et al.), 16 3/22 RM (JJC), 5 3/28 RM (WJN), 10 3/29 RM (TEJ), 2 4/12 Grand Isle (WAM,DLC), 1 4/15 RM (WJN), 1 4/26 Vernon (JJC), 5 4/27 N.E. Kingdom (DLC,WAM), 2 5/3 WRD (JDM), 5 5/11 Colchester (WAM), 5/13,18 Grand Isle nesting birds back--1 nest 2 eggs (RBL), 1 5/17 Chimney Pt. (TEJ,DC,REG,JJC), several 5/18 Champlain Valley (JDM), up to 20 5/31 Newport (m. ob.). High 24 3/22 Brattleboro/Vernon (WGE, NLM), 15 Comerford Dam-Waterford to McIndoe's Falls 4/5 (WGE, NLM), peak of 5 at MNWR (JBG). Iceland Gull: one probable imm. 3/16 White River Jct. (JMN). Glaucous Gull: 1 ad. 3/18 Brattleboro Dump (JJC, TEJ). Common Tern: 2 4/30 MNWR (JBG), 3 5/18 "Champlain Valley" (JDM). Peak of 25 MNWR (JBG). Black Tern: 6 4/30 MNWR (JBG), 4 5/6 WRD (GEB), 3 5/9 Newport (PFW), 3 WRD 1 Colchester 5/10 (JDM), 3 5/11 Colchester (WAM), 4 5/11 S. Bay-Newport (PFW, SAW), 1 5/13 DCWMA (MBN), several 5/17 DCWMA (m. ob.). High counts: 20 5/31 Newport (ELW et al.), peak of 75 at MNWR (JBG).

DOVES THROUGH KINGFISHER

Rock Dove present in normal numbers at the usual locations. High counts: 65 4/l Shoreham (ELW), 62 5/6 Rutland (LPS), "up to 100 on any given day" (WGE).

Mourning Dove winters about everywhere now; arrived 3/6 Vershire where it doesn't winter (VRM). High counts: up to 30 Randolph (EWC, MCC), 24 3/14 Hartford (WGE, NLM), 50 5/17 HC to WRM (WJN), peak of 25 MNWR A spring Mourning Dove survey located 172 birds heard or seen on routes in various parts of the state. Black-billed Cuckoo: 1 5/9 Springfield "this bird was perched on a utility wire" (WJN), 1 5/17 Dorset (EFG), 1 5/17 "calling overhead before dawn"-Island Pond (GFE, WGE, NLM, DHC), 1 5/21 Woodstock (NLM), 1 5/27 Brandon (SSW), 1 5/31 Weybridge (MBN). No Yellow-billed Cuckoos were reported. Eastern Screech Owl: peak of 10 MNWR (JBG) the only report. Great relatively few reports, surely underreported:1 3/25 Rockingham (TEJ), 1 4/4 Winhall (WJN), 1 4/22 1 5/14 Dorset (EFG), 1 5/14 Winhall (WJM), 2 5/15 Retreat Woods-Brattleboro one fledgling raised (JJC), 1 5/17 Ferrisburg (JID, MCD), 1 5/17 DCWMA (m. ob.), 1 5/24 Randolph (EWC,MCC), 1 5/26 Clarendon (CJF), 1 5/27 Shoreham (ELW), 1 May (date not recorded) L. Bomoseen-killed itself by flying into a screen window (HWD). Peak of 5 MNWR (JBG). Owl: 1 3/5 Westminster (REG), 1 3/6 Burlington $\overline{\text{(JF)}}$. Barred Owl, the most widely reported of the owls, reported through the period. A bird seen hunting at the feeder in broad daylight 3/8 Winhall (AS) suggests possible food stress. More than usual were seen out in the open: 1 3/9 Westminster West "by side of road" (EJ), 1 3/14 Barnard (JNF) "on a neighbor's telephone pole", 1 3/18 Barnard "in top of a maple tree" (GC), many heard calling in the daytime. Peak of 3 MNWR Northern Saw-whet Owl had only four reports: 1 3/1 "flushed from I-89 exit ramp shelter-Royalton Co. 9 p.m. (WGE, NLM), 1 3/19 N. Calais (BMP), 1 3/4,5,9,10 "came into barn to feed on mice and red squirrels. Seen to fly outside on a windy day, sporting in the wind as Ravens do!" Topsham (EM,AM), 1 5/30,31 calling Topsham (EM,AM). Common Mighthawk: 1 5/17 Rutland (m. ob.), 1 5/19 Barre (ATA), 1 5/20 Burlington (WAM), "several" 5/25 Rutland (PB), 1 5/28 Colchester (JDM), 1 5/31 Glover (ELW). Whip-poorwill: 1 5/10 Benson (CJF), 1 5/13 Washington (ATA), 1 5/16 W. Brattleboro (JJC), on 5/17 1 WRM (SBL,BLR) 1 Topsham (AM), 2 Brighton (WGE, GFE, NLM, DHC), 4 Saxtons River (TEJ,DC,REG) the high count, 1 5/18 Addison (JSA,KMA,WME). Chimney Swift: 4 5/1 Brandon (SSW), 1 5/2 E. Dorset (RuS), 2 5/5 Rutland (LPS), on 5/6 1 Woodstock (WGE), 12 Middlebury (JID,MCD,JRA), 10 Woodstock (JMN), 1 Weybridge (MNB), 3 Dorset (EFG), 1 5/7 Rutland (CJF), 2 5/9 Burlington (WAM), 31 5/9 Woodstock (JMN) the high count. Ruby-throated Hummingbird: 1 5/6 Halifax (WHA), 1 5/7 Ferrisburg (JID,MCD), 1 5/7 Randolph (EWC,MCC), 1 5/9 Ferrisburg (JID,MCD), 1 5/10 E. Dorset (EFG), 2 5/11 Grand Isle (DJH), 1 5/12 Brownsville (BMH), 1 5/12 Fair Haven (EPA), on 5/13 1 Barnard (JNF), 1 Topsham (EM,AM), 1 Cambridge (RYG, JGG), 1 5/14 Washington (ATA), 1 5/14 Woodstock (CRP), on 5/15 1 Rutland (LPS), 1 Reading (FMH,GEH), 1 HC (REG), 3 Woodstock (VINS). Around 50 netted at VINS for the season, 20 on 5/26 the high count. Belted Kingfisher: 1 3/9 Bartonsville (TEJ), 1 3/16 Brattleboro (REG), on 3/26 1 E. Dorset (RuS), 2 Rockingham Overlook (WJN), 1 Springfield Mdws. (WGE, NLM), 1 Hartland (JMN), 1 3/29 HC (WME), 1 3/30 Shelburne (WAM), 1 4/2 Cambridge (RYG,JGG), 1 4/3Chittenden (DeB), 1 4/3 TWD Res. (ATA), 1 4/4 Weathersfield (MPH), 1 4/5 Rutland (CJF). High counts: 8 4/27 N.E. Kingdom (WAM,DLC,BLR), 10 MNWR (JBG).

WOODPECKERS

Red-headed Woodpecker: 2 5/9 1 5/16 Shoreham (ELW), 1 5/17 Bridport (EFG), 1 5/17 DCWMA (JJC,DC, TEJ,REG). Yellow-bellied Sapsucker: 2 4/3 Reading (FMH,GEH), 2 4/4 Winhall (WJN), 1 4/11 W. Brattleboro

(JJC), 1 4/11 Sharon (KH), 1 4/12 Rockingham (MPH), 1 4/12 Shrewsbury (LPS), 2 4/14 Woodstock (WGE, NLM), 1 4/16 Burlington (WAM), 1 4/20 Cambridge (RYG,JGG), 1 4/21 Washington (ATA), 1 4/21 Plainfield (MFM), "from early April on" Topsham (EM,AM). High count: 15 5/7 Reading (FMN,GEH). One netted at VINS. Downy Woodpecker reported widely, mostly at feeders. counts: 6 5/3 Shoreham (ELW), 6 Brandon (SSW), 5 5/26 Woodstock (JMN), $\underline{14}$ 4/20 Pittsford to Brandon (WGE, NLM). Two netted \overline{at} VINS. Hairy Woodpecker as in the previous species, reported widely throughout the pepriod, mostly at feeders. High counts: 4 4/27 N.E. Kingdom (WAM,DLC,BLR), "3 to 4 present" Topsham (EM, AM). Two banded at Plainfield, one at VINS. Blackbacked Woodpecker: 1 5/17 Moose Bog (DHM), 2 5/22 Newark (SN). Northern Flicker: 11 3/9 Shelburne (WAM), 1 3/17 Allen Bros. Marsh (TEJ), 1 3/28 E. Dorset (RuS), 1 3/29 Springfield Mdws. (TEJ,DC), 1 3/30 Duxbury (FAP), 1 3/30 Hartland (PAN), 1 3/31 Woodstock (JMN), 1 4/3 Ferrisburg (JID,MCD), 1 4/3 Shrewsbury (LPS), 1 4/5 Washington (ATA), 1 4/5 HC (REG), 1 4/6 Sheffield (PFW,SAW), 1 4/7 Bolton (DL), 1 4/7 Weybridge (MBN), 1 4/10 Cambridge (RYG, JGG). High count: 15 5/17 HC to WRM (WJN). Two netted at VINS. Pileated Woodpecker reported widely throughout the state as a resident. Some high counts: 3 5/17 SPWMA (WGE,GFE,NLM,DHC), "a couple of pairs" Topsham (EM, AM), 5 MNWR (JBG). One netted at VINS.

PASSERINES

FLYCATCHERS

Olive-sided Flycatcher: 1 5/13 Cambridge (RYG, JGG), 1 5/17 Birdathon (EE, HSP), 1 5/20 Reading (FMH,GEH), 1 5/22 Dorset (DGC), 1 5/24 SBWMA (JDM), 1 5/24 Marlboro (JJC), 1 5/27 Ripton (JID,MCD), 1 5/31 W. Glover (REG). Eastern Wood-Pewee: Woodstock (VINS), 2 5/14 Ferrisburg (JID, MCD), on 5/17 1 HC (TEJ), 1 Orwell (SH), 1 Grafton (REG), 1 W. Haven (SBL,BLR), 2 5/18 Champlain Valley (JDM), 1 5/18 Addison (JSA,KMA,WME), 1 5/19 Reading (FMH,GEH), 1 High count: 10 5/24 SBWMA 5/19 Shoreham (ELW). (JDM). One netted at VINS. Several observers commented on the scarcity of this species. Yellow-bellied Flycatcher: 1 5/8 Retreat Woods (JJC) early, 1 5/26 Kelley Stand (WJN), 1 5/31 Wolcott (ELW). Very scarce, most probably arrived in June. Alder Flycatcher: on 5/17 1 Tinmouth (PB), 1 Plymouth (REG), 1 WRM (DC, TEJ, REG, JJC, SBL, BLR), 1 Bloomfield (WGE, GFE, NLM, DHC), 1 Bennington (ERK, RSK, MK, BCD), 3 5/19 Sheffield (PFW), 1 5/23 S. Londonderry (WJN), 3 5/24 Newport area (WGE, NLM), 1 5/26 Woodstock (JMN), 1 5/26 W. Brattleboro (JJC), 5 5/28 HC-S. Londonderry (WJN), 1 5/29 Winhall (WJN), 10-12 Barton R. Rd. 5/29 (PFW,SAW) the high count, 2 5/31 Glover (ELW). Willow Flycatcher: 1 5/13 RM (WJN), 1 5/17 N.E. Kingdom (DHM), 1 5/17 RM (WJN), 1 5/19 Lincoln (JRA), 1 5/20 Woodstock (VINS), 1 5/23 HC (WJN), 2 5/24 Vernon (JJC), 1 5/24 Ferrisburg (JID,MCD), 2 5/25 Shelburne (WAM), 1 5/28 HC (WJN), 1 5/28 Allen Bros. Marsh (WJN), 1 5/31 W. Glover (REG), 1 5/31 Glover (ELW). Two Traill's type netted at VINS. Least Flycatcher: 1 4/30 Woodstock (VINS), 1 4/30 Topsham (EM, AM), 1 4/30 White River Jct. (WGE), 1 5/2 Ferrisburg (JID, MCD), 1 5/5 Halifax (WHA), 2 5/5 Lincoln (JRA), 1 5/6 Reading (FMH,GEH), 1 5/6 Shoreham (ELW), 1 5/7 Topsham (EM,AM), 4 5/8 Retreat Woods (JJC), 1 5/9 HC (WJN), 1 5/9 Barton R. Rd. (PFW). High count: 10 5/24 SBWMA (JDM). Twenty-one netted at VINS. Several observers commented on this species' scarcity. Empidonax (sp.): 1 5/3 Sheffield (PFW), 1 5/11 Rutland (CJF), 1 5/24 Winhall (WJN). Eastern Phoebe: 1 3/16 Vernon (REG, OAG), 1 3/25 Bartonsville (TEJ), on 3/26 1 Springfield 1 Rockingham (WGE, NLM), 2 Shrewsbury (LPS), 1 Topsham

(EM, AM), 1 Springfield (MPH), 1 Pittsford (SSW), 1 3/27 Woodstock (JMN), 1 3/28 Woodstock (JDL), 1 3/28 Grand Isle (RBL,DJH), on 3/29 6 Springfield Mdws.-Westminster (TEJ,DC), 1 Lincoln (JRA), 1 HC (WJN), 1 Halifax (WHA). High count: 17 4/6 Rockingham (WGE. NLM). Two netted at VINS. Great Crested Flycatcher: on 5/6 2 Middlebury (JID, MCD), 2 Reading (FMH, GEH), 1 Winhall (WJN), 1 5/7 Brandon (SSW), 1 5/7 Shoreham (ELW), on 5/8 4 Retreat Woods (JJC), 1 Hubbardton (CJF), 1 Woodstock (WGE), on 5/10 1 Topsham (EM, AM), 1 E. Dorset (RuS), 1 S. Strafford (HR), 2 Burlington (JDM), 7 Benson (CJF), on 5/11 3 Shoreham (ELW), 1 Woodstock (JMN), 1 Halifax (WHA). High count: 10 5/18 Champlain Valley (JDM). One netted at VINS. Eastern Kingbird: one reported on the very early date $\frac{1}{13}$ Royalton (LWi), 2 5/5 Brownsville (BMH), on 5/6 1 Lincoln (JRA), 2 WRM (LPS), 2 Brandon (SSW), 1 Woodstock (WGE, NLM), 2 Dorset (EFG), 1 5/7 Manchester (CJF), 1 5/8 Shoreham (ELW), on 5/9 1 Woodstock (JMN), 1 Springfield Boat Landing (WJN), 2 Barton R. Rd. (PFW), on 5/10 2 DCWMA (WAM), 5 S. Hero (DJH), "common in Rutland Cty." (CJF). High count: 25 5/18 Champlain Valley (JDM). Four netted at VINS, one a retrap banded 5/22/81, now at least 6 years old, previously retrapped 1984-85. Several observers reported nesting late in the period.

LARKS THROUGH SWALLOWS

Horned Lark was present widely in the Champlain Valley in March (mostly "northern" race). Birds present after mid-April mostly of the breeding "Prairie" race praticola. Away from the Champlain Valley: 12 3/9 Tirmouth (PB), 21 3/11 Barre (DL), 75 3/15 Clarendon (CJF), 11 3/17 Rockingham (TEJ), 10 3/17 Barton (PFW,SAW), 33 3/18 Brattleboro/Vernon (JJC,TEJ), 5 3/20 Sheffield (SAW), 1 3/25 Topsham (EM,AM), 2 4/7 E. Montpelier (MFM), 3 4/26 Vernonpossible breeder (JJC), 1 4/27 Newport (WAM). counts: 197 3/1 Bridport/Addison (WGE, NLM), 52 3/22 Vernon (WGE, NLM). Adult observed gathering food for young 5/24 Coventry Airport (WGE, NLM et al.). Purple Martin: 1 4/27 Grand Isle (DJH), 5 5/3 DCWMA (ELW), 3 5/9 Newport (PFW), 6 5/10 Addison (WAM), 20 5/14 L. Durmore (SSW) the high count. Widespread in the Champlain Valley by the Birdathon weekend. 3 3/22 RM (WGE, NLM, REG, SJS, TEJ) early, 15 3/27 Leicester Jct. (SSW), 2 3/28 Clarendon (LPS), 1 3/28 New Haven (JRA), 60 3/29 HC/Springfield Mdws. (TEJ,DC,WJN), 2 3/29 SBWMA (WAM,DLC), 2 3/30 Weybridge (MBN), 1 3/30 E. Dorset (RuS), 1 3/31 Brownsville (BMH). High count: 520 5/3 Fairlee (WGE, NLM). Six netted at VINS. Northern Rough-winged Swallow: 4/19 Shoreham (ELW), 1 4/19 Rockingham (WGE,NLM), 1 5/4 E. Dorset (RuS), 3 5/4 Champlain Isl. (WAM), "several" 5/8 Dorset (EFG), 1 5/9 Springfield Boat Landing (WJN), 4 5/11 Quechee (JMN, ALG). High count: 12 5/24 Weybridge (MBN) - a poor spring for them. Bank Swallow: "several" 4/16 MNWR (JBG), 1 4/20 DCWMA (WGE,NLM), 1 4/27 Mt. Holly Hawkwatch (WJN), 2 4/27 (WGE, NLM), 1 4/2/ Mt. HOLLY HAWKWATCH (WUN), 2 4/2/ Newport (WAM, DLC, BLR), 6 5/3 DCWMA Addison (ELW), 5 5/8 Ripton (SSW), 1 5/9 S. Bay-Newport (PFW). High count: 200 +/- 5/17 Barre (DL). One netted at VINS. Cliff Swallow: 1 4/27 Rockingham (WGE, NLM), 4 4/30 L. Carmi (PJM), 1 5/6 Winhall (WJN), 10 5/9 Newport (PFW et al.), 1 5/11 E. Dorset (RuS), 20 5/13 RM (WJN) the high count, 2 5/17 Ferrisburg (JID, MCD), 1 5/24 Newport (PFW et al.), 3 5/25 Winhall (WJN). species was very poorly reported. My impression was that all the swallows were late and scarce and had a lot of trouble with the weather. New colonies reported at RM and W. Brattleboro (JJC, WJN). Barn Swallow: 4 4/20 DCWMA (WGE, NLM), 1 4/22 Springfield Boat Landing (WJN), 2 4/24 Townshend (REG), 2 4/25 Vershire (VRM), 1 4/26 Topsham (EM,AM), 6 4/27 Cambridge (RYG, JGG), 3 4/27 Newport (WAM, DLC, BLR), on 4/28 1 Grand

4/29 Rutland (SSW), 2 4/30 E. Middlebury (CJF). The high count only 25 5/3 DCWMA (ELW). Another species which built up very slowly and numbers seemed low.

CORVIDS THROUGH CREEPER

2 5/17 Moose Bog (WGE, GFE, NLM, DHC). Gray Jay: Blue Jay numbers seemed about normal. Some high counts: 40 5/8 Woodstock (WGE), 40 5/8 E. Dorset (RuS), 50 +/- 5/20 Winhall (WJN), 65 5/20 Shoreham (ELW). 5/8 and 20 were obviously movement days for them. Nine netted at VINS. Many reports of nesting in May. American Crow overwintered in all but the highest mountain areas. Some high counts: 300 3/14 S. Burlington (JRA), 500 3/16 Burlington (WGE, NLM), 100+ 3/18 E. Putney (JJC, TEJ). Common Raven now frequent throughout. Some more interesting locations and high counts: "up to 10 all spring" Topsham (EM, AM), 11 3/22 and 8 3/24 White Rocks-Wallingford (MPH), 1 3/31 Grand Isle (RBL), 9 4/5 Westmore (WGE,NLM), "pair feeding young" 4/25 Smuggler's Notch (RYG, JGG). Black-capped Chickadee present everywhere throughout the period. Some high counts: 20+ per day Winhall (WJN), 20 +/- 3/5 Shrewsbury (LPS), 30 5/3 Barnard (JNF), 25 Mar-Apr Reading (FMH, GEH), "feeding young" 5/30 Cambridge (JGG,RYG), "pair nesting in a hollow fence post" Vershire (VRM). Ten banded at Plainfield (MFM), 16 at VINS, ten of which were retraps; the oldest banded 4/21/81 making it at least 7 years old. Boreal Chickadee: 2 3/6-29 daily Sheffield Hts. (PFW, SAW), 1 3/22 Lincoln (MBN), 1 4/11 Sheffield Hts. (PFW,SAW), 6 4/27 Island Pond (WAM,DLC,BLR), 8 5/17 Moose Bog (WGE, GFE, NLM, DHC). Tufted Titmouse: 2 3/1 Westminster (REG), 2 3/9 Plainfield (MFM), 1 Bellows Falls, 1 Westminster 3/18 (JJC,TEJ), 4 3/22 Vernon (WGE,NLM), 1 3/23 Colchester (JDM), 1 3/26 HC (WGE, NLM), 2 3/29 Wilder (WGE,NLM), 1 4/1 Brandon (SSW), 2 4/12 S. Burlington (WAM), 1 4/14 Rutland (ELW), 1 4/18 Brownsville (BMH), 1 4/19 Rockingham (WGE,NLM), 2 4/25 Shelburne (WAM), 2 4/26 S. Burlington (WAM), 1 4/27 Dorset (EFG), 2 5/1 Norwich (MJC), 1 5/17 HC (TEJ, JJC, REG,DC), 1 5/17 WRM (WJN), 1 5/17 Dorset (EFG), 2 5/17 Mendon (JML), 1 5/31 Coventry (ELW), 1 5/31 Newport (REG et al.). Red-breasted Nuthatch resident at higher elevations. Some high counts: 5-6/day Winhall Many other sites had 2-3. One banded at Plainfield (MFM). White-breasted Nuthatch resident in most places. Some high counts: 4 4/29 Shoreham (ELW), 5 5/26 SBWMA (WAM), up to 5 Winhall (WJN). Brown Creeper: 1 3/11 Bartonsville (TEJ), 1 3/17 Reading (FMH,GEH), 1 3/20 Fair Haven (EPA), 2 3/22 Shrewsbury (LPS), 1 3/30 Halifax (WHA), 1 3/31 Cambridge (RYG,JGG), 1 4/20 Shelburne (WAM), 1 4/20 Cornwall (WGE,NLM), 1 4/22 Ferrisburg (JID,MCD), 1 4/28 Woodstock (WGE,NLM). High counts: 8 4/25 Ferrisburg (JID, MCD), up to 5 Topsham (EM, AM). Most May dates represent breeders.

WRENS

Carolina Wren: 1 wintered in Ferrisburg, still present 4/9, nest-building 5/17 (DD,JID,MCD), 1 3/6-16 Brandon "was chased by Winter Wren on 3/16" (SSW). House Wren: 1 4/13 Vernon (JJC) early, 1 4/20 Ferrisburg (JID, MCD), 1 4/28 E. Dorset (RuS), 1 4/29 Rutland (CJF), 2 4/29 Brandon (SSW), 2 4/30 Dorset (EFG), 1 5/4 Shoreham (ELW), 1 5/6 Springfield (WME), 1 5/9 Springweather NA (WJN), 1 5/7 Shrewsbury (LPS), 1 5/8 Randolph (EWC, MCC), 2 5/9 Rutland (CJF), on 5/10 1 Middlebury (MBN), 2 WRD/Winooski (JDM), 1 Fair Haven (EPA), 1 S. Strafford (HR), 1 Springfield (MPH). High counts: 8 5/17 Ferrisburg (JID,MCD), 8 5/17 HC-WRM (WJN). Winter Wren: 1 3/16 Brandon (SSW) see Carolina Wren, 1 3/31 Stockbridge (EH), 2 3/31 Reading (FMH,GEH), 1 4/5 Westmore (WGE,NLM), 1 4/12 Danby

(CJF) appeared to be nest building, 1 4/16 Sheffield (PFW), 1 4/16 Shrewsbury (LPS), 1 4/22 2 4/29 Woodstock (JMN,JJC), 1 4/23 Sheffield (PFW), 1 4/25 Winhall (WJN), 1 4/26 Reading (MPH), 1 4/26 Topsham (EM, AM), 1 4/27 Cambridge (RYG, JGG), 1 5/4 E. Dorset (RuS). High count: 7 4/10 Reading (FMH,GEH). Marsh Wren: 1 WRD 3 Winooski 5/10 (JDM), 5 5/10 WRM (SSW), $\overline{20}$ 5/11 WRM (WGE, NLM, JPM, JBM, VX) the high count, 1 $\overline{5/13}$ HC (WJN), 1 5/17 Allen Bros. Marsh (TEJ,DC,REG, JJC), 5/17 WRM, DCWMA (m. ob.), 1 5/23 HC (WJN), 2 5/24 Mud Creek (WAM), 6 5/24 BRM (WGE, NLM et al.), 12 5/31 Newport (ELW).

MUSCICAPIDAE

Golden-crowned Kinglet wintered in many areas. Two 3/3 Reading (FMH, GEH), 2 3/7 present through 3/31 Bartonsville (TEJ), 1 3/29 Rockingham (TEJ,DC), 1 3/29 Springweather NA (WME), 1 3/30 Halifax (WHA), 1 3/30 Wilgus SP (WME), 1 4/18 Reading (FMH,GEH), 1 4/22 Charlotte (JID,MCD), 1 4/27 Mt. Tabor (MPH). High count: 18 5/17 Ferdinand (WGE, GFE, NLM, DHC). dates probably refer to breeders. Ruby-crowned Kinglet: 2 4/3 Fair Haven (EPA), 2 4/6 Rockingham (WGE, NLM), 2 4/10 Fair Haven (EPA), 1 4/13 Vernon (JJC), 1 4/16 Woodstock (JMN), 1 4/16 Winhall (WJN), 1 4/18 Reading (FMH,GEH), 1 4/19 Cambridge (RYG,JGG), 1 4/19 Charlotte (MBN), 1 4/20 Dorset (EFG), 2 4/25 Rutland (CJF), on 4/26 1 Springfield (MPH), 1 Shrewsbury (MPH), 5 Winhall (WJN), 2 Shelburne (WAM), 1 Topsham (EM,AM). High count: 24 4/27 N.E. Kingdom (WAM,DLC,BLR). Eighteen netted at VINS. Blue-gray Gnatcatcher: 2 4/22 Brandon (SSW), 2 5/5 Vernon (JJC), on 5/6 3 Shoreham (ELW), 1 Lewis Creek (JID, MCD), 1 Roundy's Cove (WGE), 1 Halifax (WHA), 1 5/7 Woodstock (NLM), on 5/17 6 Lewis Creek (JID,MCD), 1 West Haven (LPS), 1 Newport (MFM), 2 HC 1 Roundy's Cove (TEJ, REG, DC, JJC), 3 SBWMA (m. ob.), 2 5/23 HC (WJN), present at SBWMA from 5/17 through period by m. ob. with an incredible high of 50 5/26 (JDM). Eastern Bluebird: first 3/1 Brandon (EH), 1 3/18 E. Putney (JJC,TEJ), 2 3/22 Vernon (WGE,NLM), 4 3/25 Brownsville (BMH) the high count, on 3/26 1 Springweather NA (WJN), 1 Reading (FMH, GEH), 2 Springfield (MPH), 1 Topsham (EM, AM), on 3/28 1 Woodstock (JMN), 1 Saxtons River (OAG), 1 Tinmouth (PB), 2 3/29 Salisbury (SSW), 1 3/31 DCWMA (PFW,SAW), 2 3/31 Reading (JoJ). Numerous nesting reports; nestlings out by 5/30; reports of Bluebirds being harassed at boxes by Tree Swallows and Chickadees. Four netted at VINS. Veery: 1 5/10 E. Dorset (RuS), 2 5/10 Reading (FMH,GEH), on 5/11 1 S. Wallingford (CJF), 1 Winhall (WJN), 1 Woodstock (JMN), 1 Halifax (WHA), 1 5/12 Topsham (EM, AM), on 5/16 1 Shrewsbury (LPS), 1 Grafton (TEJ), 2 Woodstock (VINS); widespread by 5/17. High count: 25 5/17 HC to WRM (WJN). Seven netted at VINS; 2retraps, oldest one banded 5/26/80 now at least 7 years old. Gray-cheeked Thrush: 2 5/17 Island Pondoverhead pre-dawn (WGE, GFE, NLM, DHC), 2 5/26 Kelley Stand (WJN). Swainson's Thrush: 1 4/26 Cambridge (JGG,RYG), 1 4/27 N.E. Kingdom (WAM,DLC,BLR) both very early, 1 5/11 Halifax (WHA), 2 Lyndonville, 10 Island Pond (calling overhead pre-dawn) 2 Ferdinand 5/17 (WGE,GFE,NLM,DHC), 1 5/18 Lincoln (JRA), 5 5/18 Champlain Valley (JDM), 1 Colchester 1 SBWMA 5/24 (JDM), 4 5/26 Kelley Stand (WJN), 1 5/30 Jay Peak (REG). Hermit Thrush: 1 4/3 W. Brattleboro (JJC), 1 4/10 Stockbridge (EH), 2 4/10 Reading (FMH,GEH), 1 4/11 Shrewsbury (LPS), 1 4/14 Springfield (MPH), 1 4/17 Topsham (EM,AM), 1 4/19 Hartland (WGE), 1 4/20 Cambridge (RYG, JGG), 5 4/26 Winhall (WJN). count: 10 5/17 Ferdinand (WGE,GFE,NLM,DHC). Thrush: on 5/6 4 W. Brattleboro (JJC), 1 Halifax (WHA), 3 Brandon (SSW), 1 Woodstock (JMN), on 5/7 1 Winhall (WJN), 1 Woodstock (WGE, NLM), 1 Reading (FMH, GEH), 1 Shoreham (ELW), 1 Washington (ATA), 1 5/8

Dorset (EFG), 1 5/9 Fair Haven (EPA), 1 5/9 Randolph (EWC,MCC), on 5/10 1 W. Glover (REG), 1 Benson (CJF), 1 E. Dorset (RuS), 1 Shrewsbury (LPS), 1 Cambridge (RYG,JGG), 1 Topsham (EM,AM). High count: 15 5/17 HC to WRM (WJN). Many observers commented on the scarcity of all the thrush species. American Robin: 2 3/2 Brandon (SSW), 24 3/4 Grand Isle (DJH), 1 3/11 Woodstock (CRP), on 3/16 8 Rockingham (TEJ), 2 Heineberg Br. (JRA), 3 Westminster (REG), on 3/17 1 Bartonsville (TEJ), 1 Springfield (MPH), 1 Bethel (EH), 1 3/18 HC (WJN), 1 3/18 Clarendon (CJF); overwintered at Shelburne (WGE). High count: 125 5/17 HC-WRM (WJN). One banded at Plainfield; 16 netted at VINS where 1 retrap was banded 5/26/80--at least 7 years old.

MIMIDS


Gray Catbird overwintered at Manchester (fide NS). Others: 1 5/1 W. Brattleboro (JJC), 1 5/1 Arlington (NS), 2 5/6 Ferrisburg (JID,MCD), 1 5/6 Winhall (WJN), 1 5/7 Dorset (EFG), 3 5/8 Woodstock/Quechee (WGE), 1 5/8 Woodstock (VINS), 1 5/8 Shrewsbury (LPS), 1 5/9 Shoreham (ELW), 1 5/9 Barton R. Rd. (PFW), on 5/10 1 Fair Haven (EPA), 1 Heineberg Br. (JDM), 2 S. Wallingford (CJF), 1 Barnard (JNF), 1 WRM (SSW), 1 L. Carmi (PJM), 1 Burlington (WAM). High count: 15 5/17 HC-WRM (WJN). Thirty-six netted at VINS, one retrap banded 8/22/79 now at least 7 years old. Northern Mockingbird: 1 3/1 Shoreham (WGE, NLM), 1 3/5 Westminster (REG), 2 3/22 WRD (JDM), 1 3/27 Brandon (SSW), 1 4/12 Addison (MBN), 2 4/26 Ferrisburg (JID, MCD), 1 Rutland 1 Sudbury 4/26 (WGE, NLM), 1 4/27 Reading (FMH,GEH) first there, 2 5/4 Champlain Isl. (WAM), on 5/10 3 WRD/Burlington (JDM) high count, 1 Dorset (RuS), 1 Montpelier (DL), on 5/17 1 RM (WJN), 1 Rutland Airport (WJN), 1 Newport (WGE,GFE,NLM,DHC), 1 Ferrisburg (JID,MCD), 1 W. Rutland (SBL,BLR), 1 5/18 Shoreham (ELW), 2 5/18 Champlain Valley (JDM), 1 5/19 RM (WJN). Brown Thrasher: 1 4/25 Vershire (VRM), 1 4/25 Woodstock (CCR, WGE, NLM), 1 4/27 Woodstock (JMN), 1 4/28 HC (WJN), 1 4/29 Woodstock (VINS), 1 4/30 Dorset (EFG), 1 5/1 Arlington (NS), 3 5/1 Winhall (WJN) the high count, 1 5/7 Randolph (EWC, MCC), on 5/9 1 Well's River (REG), 1 Barton R. Rd. (PFW), 1 Grand Isle (DJH), 2 5/10 Cambridge (RYG, JGG), 1 5/10 Orwell (ELW). Six netted at VINS.

PIPITS THROUGH STARLING

Water Pipit: 1 3/28 Woodstock (JDL), 14 3/29 Thetford (WGE, NLM), 1 4/5 Bellows Falls (REG), 40 4/6 Rockingham (WGE,NLM), 20 4/13 Champlain Valley (WAM), 17 5/3 White River Jct. (WGE,NLM), 60 5/7 Shoreham (ELW) the high count, 50 5/9 Salisbury (SSW). Bohemian Waxwing: 35 3/2 Brandon (SSW), 100 3/3 St. Albans (DHH), 4 3/9 Shelburne (WAM), 10 3/16 Charlotte (WAM), 240 4/1 Shoreham (WGE, NLM) the high count, 14 4/13 Duxbury (FAP). A report of 5 5/31 L. Carmi (PJM) seems late. <u>Cedar Waxwing</u> winters in many places especially the <u>Champlain Valley</u> and Lower Connecticut River Valley. In places where it doesn't winter, it is a late migrant arriving after mid-May. Some high counts: 100 3/1 Shoreham (WGE,NLM), 100 3/2 Brandon (SSW), 250 3/9 Shelburne (WAM), 120 3/9 Brattleboro (MPH), 67 3/6 Bartonsville (TEJ), 300 3/16 Charlotte (WAM), 65 3/19 Woodstock (JMN), 160 4/26 Brandon (WGE, NLM), 250 5/9 Grand Isle (DJH). Ten netted at VINS. Northern Shrike: a shrike seen 3/13 Hartland (HBR) was reported as a Loggerhead, unlikely at this date, 1 3/22 RM (TEJ, REG, SJS, DC). European Starling was present in usual numbers. Returns in March to high elevation areas where it doesn't winter. High counts: 630 3/24 Grand Isle Cty. (WGE, NLM), 200 3/6 E. Montpelier (MFM), several with 100 +/-. netted VINS; 2 banded Plainfield.

VIREOS

Solitary Vireo: 1 4/19 Rockingham (WGE,NLM), 1 4/20 Winhall (WJN), 1 4/25 Reading (FMH,GEH), 1 4/27 N.E. Kingdom (WAM, DLC, BLR), 3 4/27 W. Brattleboro (JJC), 2 4/28 Shrewsbury (LPS), 1 4/28 Norwich (EH), 1 4/29 Cambridge (RYG, JGG). High counts: 6 5/26 Kelley Stand (WJN), 8 5/1 Reading (FMH,GEH). Yellow-throated Vireo: 1 5/6 Woodstock (WGE,NLM), 1 5/8 Retreat Woods $\overline{\text{(JJC)}}$, 1 5/10 West Haven (SSW), $\underline{6}$ 5/11 Woodstock/ Quechee (JMN) the high count, 1 5/13 HC (WJN), 1 5/14 Woodstock (CRP), 3 5/14 Lewis Creek (JID, MCD), 2 5/16 Woodstock (VINS), 2 5/17 Cambridge (RYG, JGG); seen on the Birdathon 5/17 at HC, Roundy's, RM, Plymouth, etc. (m. ob.), 4 SBWMA 5/24 (CJF). Three netted at VINS. Warbling Vireo: 1 4/29 Woodstock (WGE, NLM), 1 5/1 Winhall (WJN), 1 5/6 Shoreham (ELW), on 5/7 1 Weybridge (MBN), 3 L. Carmi (PJM), 1 Woodstock (JMN), 1 W. Haven (SSW), 1 5/9 Barton R. Rd. (PFW), on 5/10 11 WRD/Heineberg Br. (JDM), 4 Shoreham (ELW), 1 E. Dorset (RuS), 3 Woodstock (CRP). High counts: 5/18 Mud Creek/Heineberg Br. (JDM), 14 5/28 Ferrisburg (JID, MCD). Six netted at VINS. Philadelphia Vireo: 1 5/17 WRD (PRi), 1 55/26 SBWMA (WAM), 1 5/28 Vershire (VPM), most of them probably moved in June. Red-eyed <u>Vireo:</u> 1 5/6 Winhall (WJN), 3 5/6 Shrewsbury (LPS), 1 5/10 Cambridge (RYG, JGG), 1 5/10 E. Dorset (RuS), 1 5/15 Woodstock (JMN); arrived en masse 5/17 (m. ob.). High count: 8 5/22 Reading (FMH,GEH). Two netted at VINS. Several observers were of the opinion that this species was in low numbers. WHITE-EYED VIREO: 1 5/23 HC (WJN) "chubby little bird, more active than some other vireos, moving through the small branches of deciduous trees"; (one seen there also 5/19/84).



WOOD WARBLERS

Blue-winged Warbler: 1 5/8 Ira Rest Stop (LPS), 1 5/10 E. Dorset (RuS), 1 5/11 W. Brattleboro (JJC), on 5/17 2 Saxtons River (TEJ,JJC,DC,REG), 1 Brandon 3 Ira Rest Stop (SSW), 1 Shaftsbury (ERK,RSK,MK,BD). Golden-winged Warbler: 1 5/8 2 5/10 Ira Rest Stop (LPS,SSW), 1 5/12 N. Pomfret (JMN,ALG), on 5/17 2 Ira Rest Stop (WJN), 1 Williston (CCY), 1 Saxtons River (REG,DC,JJC,TEJ). "Brewster's" Warbler: 1 5/8 W. Brattleboro (JJC), 2 poss, 3 different males of this hybrid 5/17 Ira Rest Stop (WJN,REG,TEJ,JJC,DC,HSP,EE). Tennessee Warbler: 1 4/30 Dorset (EFG) very early, 2 5/6 Shoreham (ELW), 1 5/7 Westminster (REG), 4 5/11 W. Brattleboro (JJC), 1 5/12 Topsham (EM,AM), 1 5/12 Fair Haven (EPA), 1 5/15 Cambridge (RYG,JGG), 1 5/16 Brandon (SSW), 1 5/17 Shrewsbury (BLR,SBL), on 5/17 1

Bennington (ERK, RSK, MK, BD), 1 Topsham (EM, AM), 1 -10-Dorset (EFG), 1 Halifax (WHA), 2 Bloomfield (WGE,GFE,NLM,DHC), 6 Birdathon (JJC,TEJ,DC,REG), 10 5/18 Colchester (JDM) the high count, 1 5/18 Addison (JSA, KMA, WME), 1 5/23 HC (WJN), 2 5/25 Rutland (CJF), 1 5/25 Reading (FMH, GEH), 1 5/27 Ripton (JID, MCD), 1 5/31 Colchester (JDM). Nashville Warbler: on 4/29 1 Woodstock (VINS), 1 Putney Mt. (JJC), 1 Shoreham (ELW), 1 5/1 Woodstock (JMN), 1 5/3 Reading (FMH,GEH), on 5/6 3 Woodstock (JMN), 5 Shoreham (ELW), 1 Cambridge (RYG,JGG), 1 Winhall (WJN), on 5/9 3 Woodstock (WGE,NLM), 1 Ripton (SSW), 1 Sheffield Hts. Woodstock (WGE,NLM), I RIPLON (BOW), I SOLUTION (PFW), 2 5/10 Charlotte (WAM,DLC), 1 5/10 E. Dorset (EFG). High count: 10 5/14 Lincoln (JRA). Three netted at VINS. Northern Parula: 1 5/6 Winhall (WJN), 1 5/8 Quechee (WGE), 1 5/11 W. Brattleboro (JJC), 1 5/12 Topsham (EM, AM), 1 5/17 Grafton (REG, DC, TEJ,JJC), 6 5/17 Ferdinand/Bloomfield (WGE,GFE,NLM, DHC) the high count, 1 5/18 1 5/23 Dorset (EFG), 1 5/23-26 Reading (FMH,GEH), 1 5/29 SBWMA (JDM), 1 5/31 Wolcott (ELW). Yellow Warbler: 1 4/29 Halifax (WHA), 1 4/30 Dorset (EFG), 1 5/1 Woodstock (VINS), 1 5/1 Shoreham (ELW), 1 5/5 Woodstock (CRP), on 5/6 1 W. Brattleboro (JJC), 3 Ferrisburg (JID, MCD), 2 WRM (LPS), 1 E. Dorset (RuS), 2 Springweather NA (WME), 2 Woodstock (WGE, NLM, JJC), on 5/7 1 Vergennes (MBN), 1 Grand Isle (DJH), 1 Rutland (EPA), 5 W. Arlington (CJF), 4 W. Haven (SSW). High count: Champlain Valley (JDM). Nineteen netted at VINS; a retrap banded 5/19/83 as a 2 year old, now at least 4 years old, retrapped each previous year. Chestnutsided Warbler: 3 5/4 W. Brattleboro (JJC), on 5/6 1 Ripton (JID, MCD), 1 Woodstock (WGE, NLM, JJC), 1 Halifax (WHA), 3 Shoreham (ELW), 2 Lincoln (JRA), 6 Woodstock (JMN), on 5/7 1 HC (REG), 1 Winhall (WJN), 1 Reading (FMH,GEH), on 5/8 5 Quechee/Woodstock (WGE), 1 Woodstock (VINS), 1 Ira (LPS), 1 5/9 Ripton (SSW). High count: 10 5/24 SBWMA (JDM). Four netted at Magnolia Warbler: 1 5/6 Halifax (WHA), 1 5/7 Winhall (WJN), 4 5/8 Woodstock/Quechee (WGE), 2 5/8 Retreat Woods (JJC), 1 5/9 Shoreham (ELW), 1 5/10 Sheffield Hts. (PFW), 1 5/11 Woodstock (VINS), 1 5/12 Topsham (EM, AM), on 5/13 1 Cambridge (RYG, JGG), 1 Sheffield Hts. (PFW), 2 Rutland (CJF). High count: 5 5/18 Colchester (JDM). Three netted at VINS. Cape 1 4/26 Woodstock (JMN)-early, 1 5/6 May Warbler: Halifax (WHA), 7 5/8 Woodstock (WGE) the high count, 1 5/9 Sheffield Hts. (PFW), 1 5/10 E. Dorset (RuS), 1 5/11 Fair Haven (EPA), 1 5/12 Shoreham (ELW), 6 5/15 Fair Haven (EPA), on 5/17 1 TWD Res. 1 Cambridge (ATA), 1 Brighton (WGE), 1 Tirmouth (PB), 1 5/24 SBWMA (JDM). Black-throated Blue Warbler: 1 5/4 E. Dorset (RuS), 1 5/5 Winhall (WJN), 1 5/6 Shoreham (ELW), on 5/7 l Halifax (WHA), l Stockbridge (EH), l Reading (FMH, GEH), 1 Shrewsbury (LPS), 8 5/9,10 Reading (FMH, GEH) a high count, 1 5/10 Cambridge (RYG, JGG), on 5/11 1 Woodstock (JMN), 1 Washington (ATA), 1 Shoreham (ELW), another high of 8 5/18 Lincoln (JRA). netted at VINS. Yellow-rumped Warbler: 1 4/6 HC (WGE,NLM), 1 4/11 Fair Haven (EPA), 1 4/13 W. Brattle-Yellow-rumped Warbler: 1 4/6 HC boro (JJC), 1 4/17 Woodstock (JMN), 1 4/20 Halifax (WHA), 1 4/21 Washington (ATA), 2 4/21 Retreat Woods (JJC), 1 4/22 Topsham (EM, AM), 1 4/24 Shrewbury (LPS), 1 4/25 Reading (FMH,GEH), 1 4/25 W. Glover (REG), on 4/26 l Bartonsville (TEJ), l Brownsville (BMH), l Winhall (WJN), 1 4/27 Springfield (MPH), 1 4/28 Colchester (JDM). High count: 24 5/8 Woodstock/ Quechee (WGE). Three netted at VINS. Black-throated 1 4/22 Topsham (EM,AM) early, 1 4/29 Green Warbler: Shrewsbury (LPS), 1 4/30 Reading (MWB), 1 5/4 Stock-bridge (EH), 1 5/4 Springfield (WME), on 5/6 1 Cambridge (RYG,JGG), 2 Shoreham (ELW), 7 Woodstock (JMN) the high count, 2 W. Brattleboro (JJ \overline{C}), on 5/7 2 Lincoln (JRA), 1 West Haven (SSW), 1 Reading (FMH, GEH), 1 5/9 Sheffield (PFW). Blackburnian Warbler: 1 5/6 Reading (FMH,GEH), 1 5/8 Woodstock (WGE), 1 5/8

Springfield (WME), 1 5/11 Winhall (WJN), 1 5/11 E. Dorset (RuS), 1 5/13 Cambridge (RYG,JGG), 2 5/14 Shrewsbury (LPS), 1 5/15 Washington (ATA). Hiccount: 7 5/22 Reading (FMH,GEH). Pine Warbler: 3/31 Stockbridge (EH) came to feeder-early, 1 4/3 Sheffield Hts. (PFW, SAW) came to feeder-photograph submitted, 3 4/12 W. Brattleboro (JJC), 1 4/13 Rockingham (WGE, NLM), 1 4/15 Wilous SP (WGE, DHC), 1 4/26,28,29 Burlington (WAM), 1 4/28 Charlotte (JID, MCD), 1 Lake Morey 2 Wilder 5/3 (WGE, NLM), 1 5/4 Quechee (WGE), 1 5/6 E. Dorset (RuS), 2 5/8 Quechee (WGE), 1 5/9 Woodstock (WGE), on 5/17 1 Newport (WGE, GFE, NLM, DHC), 1 Washington (ATA), 1 Brattleboro (JJC), 1 Fair Haven (SBL, BLR), 1 5/23 HC (WJN). Prairie Warbler: 1 4/30 L. Dunmore (SSW), 1 5/9 Woodstock (WGE,JRL), 1 5/11 E. Dorset (RuS), 9 5/17 Woodstock (JMN et al.) the high count, 1 5/17 W. Bridgewater (TEJ,DC,REG,JJC), 1 5/26 Woodstock (VINS), 1 5/28 Saxtons River (WJN). One netted at VINS-first for station. Palm Warbler: 1 4/10 Springfield (MPH), 1 4/17 Quechee (WGE), 1 4/29 W. Brattleboro (JJC), 3 5/6 Shoreham (ELW), 2 5/8 Retreat Woods (JJC). A poor spring for them, compared to last year--see RVB Spring 1985. Bay-breasted Warbler: 3 5/11 W. Brattleboro (JJC), 1 5/11 Washington (ATA), on 5/17 1 Woodstock (JMN), 2 Shrewsbury (LPS), 1 Tinmouth (PB), 1 Ferdinand 1 SBWMA (WGE, GFE, NLM, DHC), on 5/18 1 Addison (JSA,KMA,WME), 2 Lincoln Gap (JRA), 2 Colchester (JDM), 1 5/20 Woodstock (VINS), $\frac{5}{5}$ 5/24 SBWMA (JDM) the high count. Not a very good spring for them either; missed by many. One netted at VINS. Warbler: on 5/17 l Addison (JSA,KMA,WME), 1 Sherburne (REG,DC,TEJ,JJC), 1 Camels Hump (GM,KM), 1 5/19 Woodstock (VINS), 1 5/20 Duxbury (FAP), 2 5/20 2 5/22 Fair Haven (EPA), 1 5/23 Dorset (EFG), 3 5/24 Newport (WGE, NLM et al.), 10 5/24 SBWMA (JDM, CJF) the high count, 1 5/25 Rutland (CJF), 1 5/25 Brandon (SSW), 1 5/26 SBWMA (WAM), 1 5/27 Woodstock (VINS), 1 5/29 Winhall (WJN), 5 5/30 Jay Peak (REG). Two netted at VINS. Cerulean Warbler: 2 5/18 SBWMA (WAM, LJE, DCD, RUS), 5 5/24 SBWMA beginning to build nest (JDM,CJF), 4 5/26 SBWMA (WAM). Black-and-white Warbler: 1 4/20 Woodstock (JMN), on 4/29 1 W. Brattleboro (JJC), 1 Shrewsbury (LPS), 2 Woodstock (WGE, NLM), 1 Barnard (EH), $1 \frac{4}{30}$ Brandon (SSW), $1 \frac{5}{4}$ Cambridge (RYG, JGG), 1 5/4 E. Dorset (RuS), on 5/6 1 Winhall (WJN), 5 Shoreham (ELW), 1 Ferrisburg (JID, MCD), 1 Washington (ATA), 1 Essex Jct. (JDM), 2 Vershire (VRM). High count: 7 5/17 Woodstock/Quechee (WGE). One netted at VINS. American Redstart: on 5/6 1 Halifax (WHA), 1 Ferrisburg (JID, MCD), 1 Woodstock (WGE, NLM, JJC), 1 5/8 Woodstock (CRP), 1 5/8 E. Dorset (RuS), on 5/9 1 Cambridge (RYG, JGG), 1 Reading (FMH, GEH), 1 HC (WJN), 1 5/10 W. Glover (REG), 1 5/10 Barnard (JNF), 1 5/11 Brandon (SSW), 1 5/11 Washington (ATA), 1 5/12 Topsham (EM,AM), 1 5/16 Fair Haven (EPA). High count: 13 5/18 Colchester-Mud Creek (JDM). Twelve netted at VINS. Ovenbird: 1 4/21 W. Brattleboro (JJC) early, 1 4/29 Shrewsbury (LPS), on 5/6 1 E. Dorset (RuS), 1 Woodstock (WGE, NLM, JJC), 2 Winhall (WJN), 1 Reading (FMH,GEH), 6 Woodstock (JMN), 1 5/7 Barre (ATA), 3 5/9 Cambridge (RYG, JGG), 12 5/9 Reading (FMH, GEH) the high count, on 5/10 3 Charlotte (WAM,DLC), 1 W. Glover (REG), 1 S. Strafford (HR), 2 5/11 Mt. Tabor (CJF), 1 5/11 Topsham (EM,AM). Another high was 12 5/17 Lincoln (JRA). One netted at VINS. Northern Waterthrush: 1 5/1 Reading (FMH,GEH), 1 5/6 Woodstock (VINS), 1 5/8 Quechee (WGE), 1 5/9 Barton R. Rd. (PFW), 1 5/10 W. Glover (REG), 1 5/10 Cambridge (RYG, JGG), 2 5/11 Sherburne (WGE, NLM), 1 5/13 Sheffield Hts. (PFW), 1 5/14 Calais (DL). High count: 10 5/17 "Birdathon" (TEJ,DC,REG,JJC). Four netted at VINS. Louisiana Waterthrush: 1 4/15 Reading (FMH,GEH), 1 4/18 W. Brattleboro (JJC), 2 4/27 Dorset (EFG), 1 5/4 E. Dorset (RuS), 2 5/10 Norwich (WGE, GFE), on 5/17 1 Orwell (SH), 2 Dorset (EFG), 1 Westminster (TEJ, JJC,

DC, REG), 1 5/18 Bartonsville (TEJ), 2 5/19 Reading (FMH, GEH). Mourning Warbler: 1 5/17 Shrewsbury (SBL, BLR), 1 5/19 Reading (FMH, GEH), 1 5/20 Lincoln (JRA), 1 5/24 Middlebury (MBN), 1 5/31 Cambridge (RYG,JGG), 2 5/31 Reading (FMH,GEH). Most arrived in June. Common Yellowthroat: on 5/6 1 Woodstock (VINS), 1 Halifax (WHA), 3 Ferrisburg (JID, MCD), 2 5/9 HC (WJN), 1 5/9 Dorset (EFG), on 5/10 1 Colchester (JDM), 1 W. Rutland (SSW), 1 S. Strafford (HR), 1 Orwell (ELW), 1 Fair Haven (EPA), 1 E. Dorset (RuS), on $5/11\ 1$ W. Glover (REG), 1 Shrewsbury (LPS), 1 Vershire (VRM), 1 Washington (ATA), 1 Woodstock (JMN). High counts: 25 5/18 Champlain Valley (JDM), 25 5/24 SBWMA (JDM). Twenty-five netted at VINS; 2 retraps, 1 banded 5/16/82 at least 5 years old. Wilson's Warbler: 1 5/9 Woodstock (VINS), 1 5/11 W. Brattleboro (JJC), 1 5/11 Vershire (VRM), 1 5/17 Brighton (WGE,GFE,NLM, DHC), 1 5/17 Woodstock (JMN), 1 5/18 Addison (JSA,KMA, WME), 1 5/18 Colchester (JDM), 2 5/21 Shoreham (ELW), 1 5/22 Winhall (WJN), 5 5/24 SBWMA (JDM), 1 5/24 Newport (WGE, NLM et al.). One netted at VINS. Canada 1 5/12 Snake Mtn.-Addison (SSW), 1 5/15 Cambridge (RYG, JGG), on 5/17 5 Grafton/Shrewsbury (JJC,TEJ,DC,REG) high count, 1 WRD (PRi), 2 Woodstock (JMN), 1 Ira (SBL,BLR), 1 Timmouth (PB), 2 Brunswick/ Bloomfield (WGE, GFE, NLM, DHC), 1 5/18 Addison (JSA, KMA, WME), 3 5/18 Colchester (JDM), 1 5/19 Reading (FMH, GEH), 2 5/19 Woodstock (VINS). Another high count 5 5/31 Glover/Wolcott (ELW). Five netted at VINS. Yellow-breasted Chat: a bird reported as "heard" 5/17 S. Hero (DJH). This should be considered a possible, because of the possibility of mimicry, when dealing with a bird this rare in the state or with an out of season record.

TANAGERS THROUGH SNOW BUNTING


Scarlet Tanager: 1 5/6 Winhall (WJN), 1 5/6 Woodstock (NLM), 1 5/8 Retreat Woods (JJC), 1 5/10 Benson (CJF), 1 5/10 Charlotte (WAM,DLC), 1 5/11 Woodstock (JMN), 1 5/13 Cambridge (RYG, JGG), 1 5/14 Fair Haven (EPA), 1 5/15 Topsham (EM,AM), 1 5/16 Westminster (REG). High count: 10 5/24 SBWMA (JDM). Northern Cardinal present throughout the period in most areas. Some high counts: 9 3/9 Shelburne (WAM), 10 3/16 Shelburne (WAM), 6 4/4 Springfield (WME), 8 4/15 Ferrisburg (JID, MCD), 8 4/26 Brandon (WGE, NLM et al.), 1 5/17 Newport (WGE, GFE, NLM, DHC) where scarcer. Two netted at VINS. Rose-breasted Grosbeak: 1 5/1 Winhall (WJN), 1 5/1 Woodstock (JMN), 3 5/3 W. Brattleboro (JJC), on 5/6 2 Shrewsbury (LPS), 2 Lincoln (JRA), 1 Ferrisburg (JID, MCD), 2 S. Strafford (HR), 1 Reading (FMH,GEH), 2 Cambridge (RYG,JGG), 1 Randolph (EWC,MCC), on 5/7 1 Washington (ATA), 1 Fair Haven (EPA), 1 Woodstock (WGE,NLM), 1 5/8 Dorset (EFG), 1 5/9 Springfield (MPH), on 5/10 1 Charlotte (WAM, DLC), 1 Benson (CJF), 1 E. Dorset) RuS). High count: 10 3/18 Champlain Valley (JDM). Three netted at VINS; 1 retrap banded 7/13/82 as second year malenow 5 years old. <u>Indigo Bunting</u>: 1 5/6 Ferrisburg (JID,MCD), 1 5/13 Woodstock (JMN), 2 5/15 Brattleboro now 5 years old. (JJC), on 5/17 1 Springfield (MPH), 1 W. Bridgewater (TEJ,DC,JJC,REG), l Ira Rest Stop (m. ob.), l Cambridge (RYG,JGG), l Topsham (EM,AM). High counts: 3 5/26 Woodstock (JMN), 5 Topsham (EM,AM). Rufoussided Towhee: 1 4/26 Sudbury (WGE,NLM), 1 4/26 Cambridge (RYG, JGG), 1 4/27 Bartonsville (TEJ), 1 4/27 Brattleboro (JJC), 1 4/28 Springfield (MPH), 1 4/29Ferrisburg (JID, MCD), 2 4/30 Winhall (WJN), 1 5/4 Springweather NA (WME), 1 5/8 Ira Rest Stop (LPS), 1 5/10 E. Dorset (RuS). High count: 4 5/17 Ira Rest Stop (m. ob.). Two netted at VINS. American Tree Sparrow wintered widely at lower elevations. late dates: 1 4/13 Fair Haven (EPA), 2 4/15 Ferrisburg (JID, MCD), 1 4/16 Shoreham (ELW), on 4/19 1 Sheffield Hts. (PFW), 1 Shelburne (WAM), 2 Weybridge (MBN), 1 4/21 Wilder (WGE), 1 4/22 Woodstock (JMN).

High count: 67 3/1 West Haven/Addison (WGE, NLM). Twenty-four banded at Plainfield. Chipping Sparrow: 2 3/30 Randolph (EWC,MCC), 1 4/1 Grand Isle (DJH), 3 4/3 Brandon (SSW), 1 4/7 Rutland (ELW), 1 4/15 Wilgus SP (WGE,DHC), 1 4/16 Dorset (EFG), 1 4/19 Weybridge (MBN), 1 4/19 Halifax (WHA). High counts: 50 5/7 Middlebury (JRA), 45 5/8 Woodstock/Quechee (WGE). Field Sparrow: 1 3/28 Cambridge netted at VINS. (RYG,JGC), 1 3/29 Shrewsbury (LPS), 1 3/31 Woodstock (JMN), on 4/8 1 Sheffield Hts. (PFW), 1 Barnard (JNF), 1 Washington (ATA), 1 4/12 Springfield (MPH), 1 4/13 W. Brattleboro (JJC), 1 4/14 Woodstock (WGE, NLM), 1 4/16 Dorset (EFG). High count: 8 5/10 Orwell (ELW). Four netted at VINS. Vesper Sparrow: Pittsford (WGE,NLM), 1 4/20 Salisbury (WGE,NLM et al.), 1 5/9 Grand Isle (DJH), 1 5/13 Shoreham (ELW), on 5/17 1 Cambridge (RYG, JGG), 3 Brighton Airport (WGE, GFE, NLM, DHC), 1 DCWMA (m. ob.), 1 5/18 Grand Isle (DJH), 4 5/29 Shoreham (ELW) the high count. Savannah <u>Sparrow:</u> 2 4/5 Springfield (REG), 1 4/14 HC (WJN), 3 4/15 Shelburne (WAM), 1 4/15 Brandon (SSW), 1 4/15 Shoreham (ELW), 16 4/15 Weathersfield/Rockingham (WGE,DHC) the high count, 2 4/18 Brattleboro (JJC), 1 4/25 Cambridge (RYG,JGG), 1 4/25 RM (WJN), 7 4/28 Shoreham (ELW), 2 4/30 Shelburne (WAM), 10 4/30 White River Jct. (WGE), seen widely 5/17 at DCWMA (m. ob.). One netted at VINS. Grasshopper Sparrow: 1 4/19 Grand Isle (DJH), 1 5/17 DCWMA-Panton (m. ob.). Fox Sparrow: 1 3/23 Grand Isle (DJH), 1 3/27 Plainfield (MFM), 1 3/28 Shrewsbury (LPS), 1 3/29 HC (TEJ,WJN), 1 3/30 Stockbridge (EH), 2 4/1 Woodstock (WGE,NLM), 3 4/4 Shrewsbury (LPS), 1 4/4 Sheffield Hts. (PFW,SAW), 1 4/5 Hartford (WGE, NLM). Late dates: Shrewsbury (LPS), 1 4/23 Shoreham (ELW), 1 4/26 Brandon (WGE,NLM), 1 4/26 Woodstock (VINS). High count: 4 4/6 Shrewsbury (LPS). One netted at VINS. Song Sparrow overwintered in some areas. First spring reports: 1 3/11 Orwell (WGE,NLM), 1 3/16 Brattleboro (REG), 1 3/17 Allen Bros. Marsh (TEJ), 2 3/18 HC (WJN), 1 3/19 Berlin (MFM), 1 3/19 Woodstock (CRP), 3 3/21 Rutland "one closely resembled 'maxima' race largest definitiely grey-brown, not only in the cheeks" (CJF), on 3/22 1 Weybridge (MBN), 1 Halifax (WHA), 3 Colchester (JDM), 1 Lincoln (JRA), 1 Randolph (EWC, MCC), 1 3/23 E. Dorset (RuS). High count: 37 3/26 Rockingham (WGE, NLM). Two banded at Plainfield; 11 netted at VINS. Lincoln's Sparrow: 1 5/8 Quechee (WGE), 1 5/10 Peru (WJN), 1 5/11 Woodstock (VINS), on 5/17 l "Champlain Edge" (ATA), l Mt. Holly beaver pond (WJN), 7 Island Pond 1 Hyde Pk. (WGE, GFE, NLM, DHC) the high count, 1 5/22,23,26 Sheffield Hts. (PFW). netted at VINS. Swamp Sparrow: 4 3/19 Newport (REG), 1 3/29 White River Jct. (WGE, NLM), 1 4/6 Rockingham (WGE, NLM), 2 4/13 Vernon (JJC), 1 4/19 Weybridge (MBN), 2 4/19,20 Shelburne (WAM), 5 4/25 Cambridge (RYG, JGG), 35 4/27 N.E. Kingdom (WAM, DLC, BLR) the high count, 3 $4/\overline{29}$ WRM (WJN). Four netted at VINS. Whitethroated Sparrow overwintered in some areas, early March sightings refer to them. Migration dates: 1 4/3 Springfield (WME), 1 4/7 Vershire (VRM), 1 4/11 E. Dorset (RuS), 1 4/12 Halifax (WHA), 1 4/15 Brandon (SSW), 1 4/16 Rutland (CJF), 1 4/17 Winhall (WJN), 1 4/19 Shrewsbury (LPS), 1 4/20 Dorset (EFG), 1 4/20 Cambridge (RYG,JGG), on 4/21 l Washington (ATA), 1 Hartford (WGE,NLM), l Reading (FMH,GEH), l Sheffield Hts. (PFW). High count: 90 5/8 Woodstock/Quechee (WGE). One banded at Plainfield; 54 netted at VINS. White-crowned Sparrow: 1 4/22 Cambridge (RYG,JGG), 3 4/29 Shoreham (ELW), 1 4/30 Springfield (MPH), on 5/5 4 Rutland (CJF), 1 Sheffield Hts. (PFW), 12 Berlin (MFM), on 5/6 6 Barnard (EH), 1 Washington (ATA), 10 Lincoln 2 Middlebury (JRA), 5 Castleton (MT), 2 Fair Haven (EPA), 1 W. Brattleboro (JJC), 1 Woodstock (CRP), 2 Brandon (SSW), 2 Ferrisburg (JID, MCD). They became widespread after that, everyone commented on higher than usual numbers. Late dates: 1 5/17 SBWMA

(WGE,GFE,NLM,DHC), 1 5/17 Essex Jct. (TG), 1 5/31 $^{-12-}$ Springfield (MPH). High counts: 36 5/8 Woodstock/ Quechee (WGE), "hundreds"!! 5/7 Grand Isle (DJH). Seven netted at VINS. Dark-eyed Junco wintered in many places particularly at lower elevations. First spring reports: 1 3/6 Weybridge (MBN), on 3/19 1 Bartonsville (TEJ), 1 Reading (FMH, GEH), 1 Winhall (WJN), 4 Woodstock (CRP), 1 3/21 Grand Isle (DJH), 1 3/22 Halifax (WHA), 4 3/24 Bartonsville (TEJ), on 3/26 "good numbers" Topsham (EM, AM), 6 Brownsville (BMH), 2 Springfield (MPH), 3 Woodstock (JMN), 1 3/27 Shrewsbury (LPS). High count: 200 +/- 3/30 Woodstock (JMN). One banded at VINS; 164 banded at Plainfield. Lapland Longspur: 2 3/22 Vernon (WGE). Snow Bunting: 4 3/1 Barnet (ATA), 60 Addison 1 Bridport 3/1 (WGE, NLM), 25 3/4 Plainfield (MFM), 24 3/5 Cambridge (RYG, JGG), 20 Bethel 1 Stockbridge 3/17 (EH), 2 3/17 Saxtons River (MPH), 1 3/18 Topsham (EM,AM), 20 3/20 Woodstock (EWC, MCC).

BLACKBIRDS

Bobolink: reported 4/15 MNWR (JBG) exceptionally early, 1 5/3 Addison (ELW), 6 5/6 Woodstock (WGE, NLM, JJC,CCR), 1 5/6 Dorset (EFG), 3 5/7 Woodstock (JMN), 2 5/7 L. Carmi (PJM), 1 5/8 RM (JJC), 1 5/9 Topsham (EM, AM), 1 5/9 Lincoln (JRA), on 5/10 5 W. Haven (SSW), 4 DCWMA (WAM), 2 Landgrove (WJN), 1 5/11 E. Dorset (RuS), 1 5/11 Brownsville (BMH). High count: 30 5/24 Newport area (WGE, NLM et al.). Red-winged Blackbird: first 1 3/3 Topsham (EM, AM), 1 3/10 Winhall (WJN), 1 3/10 Woodstock (WD), 1 3/11 Bartonsville (TEJ), on 3/12 3 Chester Depot (MPH), 3 Shrewsbury (LPS), 1 Guilford (REG), 2 Woodstock (CRP), "flock" 3/13 Woodstock (BAH), 1 3/13 Brandon (SSW), on 3/14 2 Bartonsville (TEJ), 1 Randolph (EWC, MCC), 1 3/14 Sheffield Hts. (PFW), 500 3/15 Clarendon (CJF). High 1000+ 3/28 WRM (WGE, NLM). Three banded at Plainfield; 22 netted at VINS. Eastern Meadowlark: 1 3/18 (TEJ,JJC), 1 3/19 Duxbury (FAP), 12 3/22 Vernon (WGE, NLM), 18 3/22 Dummerston/Westminster (TEJ, DC, REG) the high count, 3 3/23 DCWMA (WAM), 1 3/25 Shrewsbury (LPS), 2 3/26 Woodstock (JMN), 3 3/28 Grand Isle (DJH), 1 3/29 Grand Isle (WAM), 8 3/29 White River Jct. (WGE, NLM), 1 3/30 Hinesberg (ATA), 1 3/31 DCWMA (PFW,SAW), 1 4/1 Brandon (SSW), 1 4/2 Plainfield (MFM), on 4/4 1 N. Hero (JDM), 1 Lincoln (JRA), 2 Ferrisburg (JID, MCD), 3 4/21 RM (JJC). Rusty Blackbird: 12 3/21 Rutland (CJF) the high count, 1 3/22 Vernon (DC,TEJ,REG), 2 3/28 Bartonsville (TEJ), 8 3/30 Barnard (WGE, NLM), 2 4/6 Rockingham (WGE, NLM), 2 Burlington Intervale 1 SBWMA 4/12 (WAM, DLC), 1 4/16 Sheffield Hts. (PFW), 2 4/16 Woodstock (WGE), 1 4/20 Brandon (WGE,NLM), 6 4/21 Weybridge (MBN), 3 4/26 Grand Isle (DJH), 5 4/26 Cornwall (WGE,NLM et al.), 1 5/6 S. Strafford (HR), 1 5/17 Essex Jct. (TG), 1 5/31 Glover (ELW), 1 5/31 S. Strafford (HR). Common Grackle: 1 3/1 Pittsford (EH), 1 3/12 Guilford (REG), on 3/16 20 Westminster (TEJ), 1 Grand Isle (DJH), 18 Burlington (WGE, NLM), 6 Brandon (SSW), 20 3/17 Bartonsville/Westminister (TEJ), 12 3/17 Ferrisburg (JRA), on 3/18 1 Washington (ATA), 3 Woodstock (CRP), 1 Rutland (CJF), 300 Westminster Station (TEJ,JJC), 12 3/19 Weybridge (MBN), 1 3/19 Shrewsbury (LPS), widespread after that. High count 1200 +/- 3/30 Salisbury/Leicester (WGE, NLM). Two netted at VINS; 22 banded at Plainfield. Brown-headed Cowbird over-wintered in some areas. Other early reports: 1 3/12 Guilford (REG), 60+ 3/18 Westminster Station (JJC, TEJ), 1 3/18 Middlebury (JRA), 2 3/19 Shrewsbury (LPS), 1 3/19 Sheffield Hts. (PFW), 2 3/20 Woodstock (CRP), 150 3/20 Weybridge (MBN) the high count, on 3/22 2 Lamoille R. (JDM), 1 Rutland (CJF), 1 Vernon (TEJ,REG), 1 3/23 Bartonsville (TEJ), 8 3/23 DCWMA (WAM). ORCHARD ORIOLE: 1 5/10 Castleton (HBS), 1 5/10 Addison (WAM), 2 5/17 Addison (TEG,DC,TEJ,JJC,



SBL,BLR), 3 5/17 Bridgport (JSA,KMA,WME). Oriole: 1 5/1 Saxtons River (REG), on 5/6 1 Halifax (WHA), 1 E. Dorset (RuS), 1 Ferrisburg (JID, MCD), 1 Reading (FMH, GEH), 1 Topsham (EM, AM), 1 Cambridge (RYG, JGG), 1 Woodstock (WGE, JJC, NLM, CCR), on 5/7 1 Weybridge (MBN), 1 W. Arlington (CJF), 1 Winhall (WJN), 1 Woodstock (JMN), 1 Fair Haven (EPA), 3 Brandon (SSW), 2 Dorset (EFG), 1 Vershire (VRM), "feeding on sliced oranges" 5/14 Ferrisburg (JID, MCD), 1 5/23 Dorset "orange coloring replaced by red" (EFG). High count: 26 5/17 HC/WRM (WJN). Ten netted at VINS, one retrap banded 5/15/81 at least 7 years old.

FRINGILLIDAE-HOUSE SPARROW


Pine Grosbeak: 2 through March Reading (MWB), 20 3/1 W. Rutland (WGE, NLM), 5 3/1 Burlington (JDM), 10 3/2 Washington (ATA), 2 3/12 Woodstock (WGE, NLM), 12 3/14 Barnard (JNF), 1 3/22 Winhall (WJN), 3 3/25 Shrewsbury (LPS), until 4/1 Topsham (EM,AM), 10 5/13 "in apple trees" 1 5/16 Sheffield Hts. (PFW). Purple Finch: "wintered at feeder" Grand Isle (DJH), $\overline{1.3/19}$ Woodstock (CRP), 1 3/20 Woodstock (JMN), 1 3/21 Vergennes (JRA), 1 3/27 Shrewsbury (LPS), 1 3/29 Washington (ATA), 1 3/31 Winhall (WJN), 1 4/1 Hartland (ECM), 1 4/4 Vershire (VRM), 4 4/10 S. Strafford (HR), 2 4/17 Brandon (SSW). High count: 30 5/7 Washington Two netted at VINS; 4 at Plainfield. observers commented "scarce and late". House Finch widespread now in much of the state. Some high counts: ca. 50 through period Fair Haven (EPA), 10 4/16 RM (WJN), 11 5/29 Lyndonville (PFW). Some places where scarce: 8 4/11 Lincoln (JRA), 1 5/16 Grand Isle (DJH), 2 5/17 Newport (WGE,GFE,NLM,DHC), 1 5/18 Washington (ATA) "first ever at house" there. Red "a few in the woods in March" Topsham Crossbill: (EM,AM). White-winged Crossbill: "a few in the woods in March" Topsham (EM,AM). Common Redpoll: fairly heavy movement, particularly in the north. Most everywhere in early March: 50 3/30 Sheffield Hts. (PFW), 3 Winhall (WJN), 20 Springfield (WME), 1 Randolph (EWC, MCC), on 3/31 50 Reading (JoJ), 6 Stockbridge (EH), 8 Washington (ATA), 10 4/1 Fair Haven (EPA), 4 4/1 Springfield (WME), 15 4/2 Barnard (JNF), 4 4/2 Lincoln (JRA), 1 4/3 Cambridge (RYG, JCG), 1 Westmore 2 L. Willoughby 4/5 (WGE, NLM), 4 4/5 Sheffield Hts. (PFW), 1 4/11 Grand Isle (RBL), 5 4/11 S. Strafford (HR), 1 4/12 Weybridge (MBN), 20 4/14Sheffield Hts. (PFW). High counts: 200 wi Grand Isle (RBL), 125 3/27 Woodstock (JMN). 200 wintered Siskin wintered at feeders in some areas; some places

where did not winter it turned up heavily in May $^{-13}$ -(especially S.E. Vermont). Two 3/16 Woodstock (JMN), 2 3/21 Plainfield (MFM), 1 3/22 Shelburne (JDM), "a few" 3/26 Topsham (EM, AM), 4 3/27 Brandon (SSW), "flock" 3/31 Randolph (EWC,MCC), 2 4/7 Woodstock (WGE), 1 4/8 Randolph (EWC,MCC), 5 4/22 Burlington (ELW), 10 5/5 Shoreham (ELW), 1 5/5 Sheffield Hts.

(PFW), 1 5/6 Washington (ATA), 14 5/6 Lincoln (JRA), 9 5/7 Shrewsbury (LPS), 1 5/7 Hartford (WGE,NLM), 3 5/8 Weybridge (MBN), 15 5/10,11 Hartford (WGE,NLM) the high count, 2 5/16 S. Strafford (HR). Late dates: present on 5/17 in the s. e. at Saxtons River, HC, Bartonsville, RM (m. ob.), 1 5/31 Reading (FMH,GEH), 1 5/31 Island Pond (ELW). American Goldfinch: scarce early, late arriving did not become abundant until the second half of may. Wintered in Fair Haven (EPA) and Shelburne (WAM), 3 3/2 Plainfield (MFM), 7 3/5 Lincoln (JRA), 30 3/5 Weybridge (MBN), 24 3/28 Grand Isle (DJH), 1 3/29 Fairlee (ATA), 1 3/30 Washington (ATA), 4 4/11 Shoreham (ELW), 1 4/15 Vershire (VRM), 1 4/20 Dorset (EFG), 30 5/2 Shoreham (ELW), 2 5/2 W. Brattleboro (JJC), 1 5/9 Springweather NA (WJN), 3 5/9 Woodstock (JMN), 1 5/10 E. Dorset (RuS), 1 5/11 Woodstock (CRP), widespread after 5/11. High count 30 several times. Ten netted at VINS. Evening Grosbeak wintered widely although in lower numbers than usual. Some late dates: 60 5/10 Burlington/Colchester (JDM), 2 5/16 Winhall (WJN), on 5/17 5 Dorset (EFG), 1 Halifax (WHA), 20 Washington (ATA), 2 5/18 Lamoille R. (JDM), 2 5/19 S. Strafford (HR), 1 5/22 Sheffield Hts. (PFW), 1 5/30 Ferrisburg (JID,MCD). Male gathering nesting material 5/10 (FMH,GEH). High counts: into early May Montpelier (DL), 50 5/6 Shoreham (ELW). Nine banded at VINS; 15 at Plainfield. House Sparrow numbers seem stable. Some high counts: 20 New Haven (ECM), 20 Brownsville (BMH), 30 S. Londonderry (WJN). Most people don't bother to count them. At Fair Haven Betty Allen notes that she hasn't had them since the House Finch arrived.

Abbreviations Used In Text

BRM DCWMA HC MNWR RM	Barton River Mars Dead Creek Wildli: Herricks Cove (Ro Missisquoi Nation Retreat Meadows ()	fe Managemer ckingham) al Wildlife	Refuge
SBWMA	Sand Bar Waterfowl Management Area		
TWD Res.	Thurman W. Dix Reservoir		
WRM	West Rutland Marsh		
WRD	Winooski River Delta		
WHL	Winhall Hawk Lookout		
ad.	adult	mdws.	meadows
Ck.	Creek	m. ob.	many obs
ctr.	center	NA	Nature A





The SPRING 1985 records reported Swamp Sparrow in Duxbury (FHP) as 3/19/85 - correct date was 5/19/85.

CONTRIBUTORS

CONTINI	5010185		
WHA	Bill Ackemann	DJH	David Hoag
CEA	Cedric Alexander	BAH	Beth Ann Howard
EPA	Betty Allen	FCH	Fran Howe
JJA	Jeff Allen	FMH	Fred Hunt
JSA	Jim Andrews	GEH	Gloria Hunt
KMA	Kris Andrews	AJ	Alysoun Johansson
JRA	Jean Arrowsmith	EJ	Erik Johansson
ATA	Anne Aversa	TEJ	Tait Johansson
GB	Gred Baker	JoJ	Joan Johnson
DB	Diane Ballou	FK	Francesca Keeler
HAB	Heather Ballou	CDK	Chris Kibbe
PB	Phillip Ballou	RSK	Ruth Kosche
EBB	Betty Barbarise	ERK	Eugene Kosche
JВ	Joe Barbarise	MK	Mary Kochenour
MWB	Margaret Barker	m JDL	David Laughlin
WHB	Bill Barnard	SBL	Sally Laughlin
EB	Evaline Bates	RBL	Richard Lavallee
DeB	Delores Booth	JL	Jeaenne LeVangia
GEB	Gilbert Bosterle	JML	Julie Limmer
AAB	Ada Brown	DL	Dan Lindner
FB	Francois Brutsch	JaL	Jaye Lindner
SB	Sheila Brutsch	JRL	Jenepher Lingelbach
MJC	Michael Caduto	SL	Stephen Little
GC	Gordon Campbell	AM	Alison Macdonald
DLC	Dwight Cargill	EM	Elizabeth Macdonald
EWC	Elizabeth Clapp	MM	Mark Maghini
MCC	Mary Clapp	JDM	John Marsh
DC	Don Clark	GM	Gail Martin
JJC	Jeremy Coleman	JPM	Janet Martin
MCo	Mark Coots	JBM	John Martin
RLC	Ruth Crane (Fairbanks	KM	Ken Martin
1100	Museum)	NHM	Nancy Martin
DHC	,	NLM	Nancy Martin
	Dan Crook	MAM	Bill Meador
JC	Jim Cummings	DM	Dorrit Merton
BD B-D	Betty Dale	CM	Corinne Messine
BeD	Ben Davis	MFM	Marion Metcalf
DCD	Deb Davis	MOM	Mary Metcalf
WD	Winifred Derosia	DHM	Don Miller
BDeA	Barb DeAngelis	ECM	Elizabeth Miller
DD	Doris DeVine	PM	Paul Miller
DGC	Dorset Garden Club	JLM	Jan Mower
BCD	Bonnie Dundas	LPM	Louise P. Mullen
HWD	Helen Dunham	PJM	Phoebe Jane Mullen
JID	John Dye	VRM	Valerie Mullen
MCD	Margaret Dye	RN	Ruth Needham
EE	Eleanor Ellis	MBN	Marge Nelson
GFE	George Ellison	SN	Sally Newell
WGE	Walter Ellison	GFN	Jerry Nicholson
WME	Wally Elton	JMN	Julie Nicholson
LJE	Lynn Erb	PAN	Penelope Nicholson
JF	Jonathan Falk	WJN	Bill Norse
FF	Frances Fenn	DP	Dick Park
CCF	Chris Fichtel	BMP	Brian Pfeiffer
JNF	Jean Fleming	RWP	Roy Pilcher
JFo	Jennifer Fox	ALP	Al Pophier
CJF	C.J. Frankiewicz	CRP	Carol Powell
VF	Virginia Freeman	FAP	Frederick Pratt
JVF TG	Jeff Freeman	HSP	Hugh Putnam
JВС	Tony Galbraith John Gallegos	BPR	Barbara Racusen
GWG		NER	Nancy Read
JoG	Gloria Gates John Gates	HR	Herman Redden
AG		PR	Peter Riley
EFG	Ann Gavett	CCR	Chris Rimmer
BG	Betty Gilbert	BLR	Betty Rist
JG	Betty Gordon	HBR	Heidi Rogers
ALG	Joe Gordon	KR	Kim Royar
	Annette Gosnell	PaR	Paul Royce
IG OAG	Ilse Govoni	JMS	Julie Schroeder
	Olive Griffin	HBS	Helen Shepard
REG	Ray Griffin	LPS	Linda Shelvey
BPG	Bea Guyett	NS	Nancy Simson
TCG	Cassius Guyett	PS	Paul Sloan
JGG	June Guyette	ES	Ed Sjoster
RYG	Robert Guyette	HS	Mrs. Herbert Smith
EH	Ed Hack	RNS	Bob Spear
SH	Susan Hagan	AS	Ann Spencer
MPH	Mark Harris	RS	Ray Spackman
MH	Marion Hastings	RuS	Ruth Stewart
JH	John Hawkins	PAT	Pat Taber
ELH	Elizabeth Hazen	DMT	Don Tobey
KH	Kay Henry	MT	Martha Towers
DHH	Donald Hill	VDFW	Vermont Department of
BMH	Beryl Hinton		Fish & Wildlife

Loren & Venita Webster -14-Vermont Institute VINS LVW of Natural Science ELM Betty Weeks Bird Banding data Susan Wetmore SSW Perry Waite Laurie Williams PW r.wi PFW Paul Wagner DUW Doug Wilson SAW Shirley Wagner CMW Carol Wood Mrs. Vicker Ward Roy Wardwell Carolyn Wynne CW WV Vang Xiong VΧ RMW Cathy Yandell Al Watson CCY ASW

Special thanks to all birdathoners and hawkwatchers.

Notice to our Readers -

Summer 1985 has not been published yet. We apologize for the great delay!

The Records of Vermont Birds is published quarterly by the Vermont Institute of Natural Science. Subscription is on an annual basis, dating from the original month of subscription. Yearly Subscription: \$5.00

Contributors are reminded to send in rare and unusual bird sightings at once (or to call the Vermont Bird Alert) and to submit seasonal summaries promptly at the end of each season. This publication is only as complete as you make it. If you need sighting cards, write VINS, Woodstock, VT 05091, or call us at 457-2779.

SPRING - 1 March - 31 May

Editors, Whitney Nichols

William J. Norse

SUMMER - 1 June - 31 July

Editor, Michael Maurer

FALL - 1 August - 30 November

Editor, Walter Ellison

WINTER - 1 December - 29 February

Editor, Frederick Pratt

MANAGING EDITOR: Sarah B. Laughlin ASSISTANT EDITOR: Julia M. Nicholson

LAYOUT & ILLUSTRATION: Nancy Martin & Carol Wood



VERMONT BIRD BOOKS FROM VINS

Vermont's landmark bird book

THE ATLAS OF BREEDING BIRDS OF VERMONT edited by Sarah B. Laughlin and Douglas P. Kibbe published by the Vermont Institute of Natural Science

detailed text and maps of all breeding species
478 pages, 8 overlays
\$45.00 plus \$2.25 shipping and handling

GUIDE TO BIRD FINDING IN VERMONT by Walter G. Ellison maps and illustrations by Nancy L. Martin

THE guide to where to bird in Vermont \$5.95 plus \$1.50 shipping and handling

VERMONT DAILY FIELD CARD seasonality of Vermont's 244 regularly-occurring species

15¢ each or 20 for \$2.25

SUBSTANTIAL MEMBER'S DISCOUNTS ON BINOCULARS - Nikon, Bausch & Lomb and others

Call VINS at 802-457-2779 for information

order from: Vermont Institute of Natural

Science P.O. Box 86

Woodstock, Vermont 05091

802/457/2779

The VERMONT INSTITUTE OF NATURAL SCIENCE is a nonprofit membership organization with statewide programs in environmental education and ornithological research. VINS' purpose is to promote an understanding of and appreciation for the natural world; membership is open to all interested in this purpose. Publications include a bi-monthly newsletter, quarterly calendar, and the annual magazine, VERMONT NATURAL HISTORY. Membership is \$12 - Individual; \$15 - Family; \$30 - Supporting. VERMONT INSTITUTE OF NATURAL SCIENCE, Woodstock, Vermont 05091 802/457-2779

RECORDS OF VERMONT BIRDS - Vol. 14, No. 2 Spring 1986 Published April 1987 Vermont Institute of Natural Science Woodstock, Vermont 05091

U.S. Postage Paid Non-profit Organization Woodstock, Vermont Permit No. 4