





### THE 2015 BREEDING STATUS OF COMMON LOONS IN VERMONT

Eric W. Hanson<sup>1,2</sup> and John Buck<sup>3</sup>

**ABSTRACT**: The Vermont Loon Conservation Project, a program of the Vermont Center for Ecostudies and the Vermont Fish and Wildlife Department, documented 93 nesting loon pairs and 117 territorial pairs statewide. Of the 93 pairs that attempted nesting, 65 successfully hatched 102 eggs, with 80 chicks surviving through August (chick survival rate 78%, 0.68 chicks surviving per territorial pair). Seven new nesting pairs and 2 new potential territorial pair were identified. Eighteen pairs that have nested in recent years did not nest in 2016. Of 29 pairs whose first nest attempts failed, 6 re-nested, and 2 were successful. Known causes of nest failure included depredation (6 nests), flooding (2 nests), and human disturbance (1 nest). The remaining failed nests were abandoned for unknown reasons with predators and disruption from intruder loons being the most likely causes. The causes of mortality of most chicks were unknown. At least 2 chicks disappeared after interactions with intruder loons, 1 was depredated by a Bald Eagle, and 1 died from sibling rivalry. During the summer months, two adult loon mortalities were documented, and one was unconfirmed. One bird died from aspergillosis on Berlin Pond. Three additional adults and two subadults likely died after becoming iced-in during the winter. One adult loon was successfully rescued after beaching itself (Hardwick L.). A chick was rescued and treated for a broken wing after being attacked by an intruder loon (L. Groton). Another chick was rescued that landed on very small pond (Walden). One Common Loon and a Red-throated Loon were rescued after crash landing on roads in Rutland and Walden, respectively. Eight subadults were rescued after becoming iced-in on Lake Champlain in February. We monitored several other loons reported in distress or caught in fishing line. About 200 volunteers surveyed lakes throughout Vermont on 16 July as part of the LoonWatch program, an annual statewide loon count. Loons were observed on 112 of 153 surveyed lakes, where observers counted 301 adults, 74 chicks, and 2 subadult loons. The total number of adult loons was similar to 2013-15. To provide a historical perspective, volunteers counted 179 and 225 adult loons in 2003 and 2008, respectively. Twenty-eight of the 93 breeding pairs nested on nesting rafts, 27 on islands, 22 in marshes, and 16 on shorelines. Thirty-nine nesting rafts were placed on known or potential nesting waterbodies. Warning sign buoys were placed around 52 of the 93 nests. About 80 nest warning signs were replaced this year with easier-to-read lettering and updated information. Volunteers provided technical assistance through the placement and maintenance of nest warning signs and/or nesting rafts on 46 lakes as part of the adopt-a-lake program. A full page photographic story about the rescue of the eight loons iced-in on Lake Champlain was printed in the Burlington Free Press and an interview with the VLCP coordinator was aired on WCAX television. Ten loon conservation programs were presented to over 300 people statewide. We continued to distribute 2 informational brochures on loon conservation and conservation of lakeshores. Loon conservation brochures were available in self-serve boxes at over 40 boat access areas.

<sup>1</sup> Vermont Center for Ecostudies, P.O. Box 420, Norwich, VT 05055; 802-649-1431

<sup>2</sup> Vermont Loon Conservation Project Coordinator, P.O. Box 22, Craftsbury, VT 05826; 802-586-8064

<sup>3</sup> Vermont Fish and Wildlife Department, McFarland State Office Building, 5 Perry St. Suite 40, Barre, VT 05641; 802-476-0196

#### **INTRODUCTION**

In 1977, the Vermont Loon Conservation Project (VLCP) was initiated to assess the status of Common Loons (*Gavia immer*) in Vermont and found that the breeding population had significantly declined (Laughlin 1977). As a result, the VLCP began a loon monitoring and management program in 1978. Numbers of breeding pairs peaked at 19 in 1982, and then dropped sharply to 7 pairs in 1983 for unknown reasons. From 1983 to 1989, Vermont's breeding loon population gradually increased at an average rate of 1 pair per year, stabilized between 1989 and 1994 at 14-16 breeding pairs, and then experienced a marked increase over the subsequent 21 years to 93 in 2016. The VLCP is a program of the Vermont Center for Ecostudies (VCE) and the Vermont Fish and Wildlife Department (VFWD).

A major accomplishment was reached in 2005 with the removal of the Common Loon from the Vermont Endangered and Threatened Species list. Thirty-nine years of Common Loon conservation and education by many groups and individuals enabled the achievement of this milestone. Through the guidance of VCE and VFWD, monitoring and management programs were implemented throughout the 1980s and 1990s. In 1998, the Vermont Loon Recovery Plan (Borden and Rimmer 1998) was recommended for approval by the Vermont Scientific Advisory Group (SAG) on Birds and the Vermont Endangered Species Committee (ESC), and approved by the Vermont Agency of Natural Resources (ANR). The recovery plan recommended actions on management, monitoring, research, and education programs to promote the recovery of the species. The Common Loon was designated a state endangered species in 1987 following documentation of its population decline in the early 1980's. The target level to de-list as written in the Vermont Loon Recovery Plan was "40 nesting pairs averaged over 5 consecutive years", with a minimum of 5 nesting pairs in "2 geographically discrete areas." From 2000-2004, the average number of nesting loon pairs was 41, and 6 pairs nested in the southern half of Vermont. Today, the average number of nesting pairs from 2012-2016 was 83 with 20 territorial pairs in the southern half of the state in 2016.

Since the mid-1980's, the VLCP has been a joint program between VCE and VFWD. The Nongame Wildlife Fund has been the primary funding source for the VLCP (35-40% of budget) for many years, and VFWD has provided technical, law enforcement, and logistical support. Starting in 2013, the VFWD began utilizing the federal Pittman-Robertson Fund for the VLCP. VCE annually hires the VLCP biologist, provides staff support, and raises the remaining VLCP budget through donations and grants.

#### **METHODS**

#### Monitoring of lakes with breeding and territorial loons

The VLCP biologist, a VCE intern and seasonal biologist, and volunteers surveyed approximately 135 lakes with known histories of loon nesting, occupancy by territorial pairs, or high levels of loon activity on a regular basis (weekly to monthly). Over 180 adopt-a-lake volunteers provided technical assistance in this intensive monitoring effort.

Vermont LoonWatch day was initiated in 1983 to provide a mid-summer estimate of the statewide loon population. On the third Saturday in July each year, volunteers survey assigned lakes, ponds, and reservoirs from 8:00 to 9:00 a.m., recording the number of adult loons, subadult loons (1-2 year olds), and loon chicks on the water body, as well as relevant human and wildlife activity. The information has provided an annual statewide population estimate, an estimate of the number of non-breeding loons, and a check on lakes with previously undetected breeding pairs.

#### Management

Loon management practices included: 1) stabilization of water levels during the nesting period through cooperation with hydroelectric companies and others who control water levels; 2) placement of artificial nesting rafts in appropriate sites; 3) placement of warning sign buoys to discourage human intrusion at nest sites; 4) responding to all reports of distressed or dead loons, and 5) providing technical assistance to regulatory agencies. Volunteers provided important technical support for the first 4 of these practices.

The 8 hydroelectric companies and 3 agencies that regulate water levels on lakes where loons have historically nested were contacted in April by VFWD staff. Each company was requested to stabilize water levels during the nesting period so that nests would not be flooded by rising water levels or left stranded by water drawdowns.

Thirty-nine artificial nesting rafts were placed on 32 lakes. These rafts provided an alternative nest site to natural sites where predation from terrestrial mammals and/or fluctuating water levels had caused nests to fail in previous years. Rafts were placed on some lakes with presumed territorial loon pairs, but where natural habitat is lacking (e.g., no suitable islands and/or marshes, highly developed shorelines). In cases where a potential pair is present and natural nest sites exist, rafts will not be considered unless the pair fails to nest after 4 or 5 consecutive years of occupancy. Rafts are considered on lakes where natural nests have failed 3 consecutive times, and the VLCP deems that rafts might prove beneficial. A new raft was placed on Fairfield Pond for 2016 after determining that even minor rain events can cause flooding of nests including the past 2 years; the loon pair used the raft but the nest failed. Another new raft was placed on Caspian Lake after the loons had a failed shoreline nest. The Caspian Lake shoreline is mostly developed. We placed the raft to encourage the loons to nest in a quieter location and to reduce future conflict with lakeshore use. Adopt-a-lake volunteers maintained or helped with 20 rafts.

Warning sign buoys were placed around 52 of the 93 active nest sites to discourage human intrusion close to nests. These signs were also placed around 4 other nest sites where loons ultimately did not nest in 2016. Sign buoys were used in areas where repeated human disturbance was likely to occur. In 2014, we received funding from the Vermont Watershed Grant Program and individual donors and lake associations to replace about 100 loon nest warning signs. For 2015-16, we received a grant from the Canaday Foundation to replace another 160 signs. The new signs contain updated loon information and are easier to read from a distance.

The VLCP biologist coordinated responses to loons in distress with volunteers, VFWD game wardens, wildlife rehab personnel, and veterinarians (e.g., caught in monofilament, injured, road crashes, landed on ponds too small to fly from, iced-in, other).

#### Education

Public education continued to be a vital part of loon management efforts. The VLCP biologist contacted landowners of new nesting sites as soon as nesting was suspected or observed. Ten slide lectures, discussions, and workshops on loon biology, conservation, and research were presented to audiences at lake associations, youth groups, and other organizations (conservation groups, Road Scholar). Approximately 300 people attended these programs. A sign informing boaters and anglers how to help nesting loons was placed at lake access areas. Another sign cautioning boaters to be alert for loon chicks and to watch loons from a distance was also placed at some access areas. Biologists, staff educators, and the project's volunteer network regularly informed camp owners and other lake users about loon conservation measures.

Two brochures directed at 1) boaters and 2) lakeshore owners were distributed at programs. "The Common Loon – a guide for boaters" containing information about loon conservation and natural history was available at over 40 boat access areas in self-serve boxes and at state parks with loon lakes. A second brochure "the Common Loon – a guide for lakeshore owners" contained information about the importance of riparian habitat for the health of a lake and was distributed to several lake associations. VCE mailed the *Loon Caller* newsletter to over 800 loon volunteers, donors, and other loon program contacts. The newsletter and brochures were distributed at all programs.

A full page photographic story about the rescue of the eight loons iced-in on Lake Champlain was printed in the Burlington Free Press and an interview with the VLCP coordinator was aired on WCAX television.

#### Contaminant sampling

Abandoned eggs were collected and delivered to Biodiversity Research Institute (276 Canco Rd., Portland, ME 04103) for methylmercury (MeHg) analysis (Evers et al. 1999). Nine eggs were collected in 2016. Currently BRI is archiving egg samples until funding is allocated for more mercury analysis. Cooperators on this research include the U.S. Environmental Protection Agency, U.S. Fish and Wildlife Service, BRI, the Vermont Department of Environmental Conservation, and several other state agencies, private organizations, and universities.

#### **RESULTS AND DISCUSSION**

#### Description of loon activity on individual lakes in 2016

Lake and loon activity descriptions are provided for nesting pairs, known and potential territorial pairs, and lakes with high levels of loon activity in Table 1. Nesting pairs nested this year, territorial pairs have nested in recent years, and potential territorial pairs have no recent history of nesting but 2 adult loons were observed throughout much of the summer.

#### Distribution of territorial and nesting pairs

There were 117 known and potential territorial loon pairs, 93 of which were confirmed to nest on 83 lakes (Fig. 1, Table 1). Seven new nesting pairs were identified, including Caspian Lake (2 chicks), Chittenden Res.- NE (2 chicks), Curtis Pond (failed), Lake Fairlee (2 chicks), Lake Iroquois (failed), Lake Raponda (1 chick), and Sugar Hill Res. (1 chick). Two new potential territorial pairs were identified on Gale Meadows Pond and Glen Lake, both located in the southern half of Vermont. Two pairs on Great Hosmer Pond – North and Parker Pond started building nest bowls but did not lay any eggs. Neither pair has nested in the past.

#### Population levels and breeding success

The number of nesting pairs and territorial pairs increased from 2015. Of the 93 pairs that attempted nesting, 65 successfully hatched 102 eggs, with 80 chicks surviving through August (Fig. 2, Table 2). There were 111 known territorial pairs on water bodies where nesting or nest building had occurred within the last 3 years, and 6 potential territorial pairs, each of which was observed consistently for 6 weeks or more. Eighteen pairs that have nested in recent years did not nest in 2016, thus 84 percent of the known territorial pairs nested. This represents a high rate of pairs nesting compared to recent years. Of 29 pairs whose first nest attempts failed, 6 re-nested, and 2 were successful. Known causes of nest failure included depredation (6 nests), flooding (2 nests), and human disturbance (1 nest). A record number of loon pairs nested on shorelines, where depredation occurs more frequently. The remaining failed nests were abandoned for unknown reasons, with depredation and disruption from intruder loons being the most likely causes.

The chick survival rate through August was 78% with 0.68 chicks surviving per territorial pair in 2016. Since 1979, the average chick survival rate is 81% with 0.70 chicks per territorial pair. The causes of mortality of most chicks were unknown. At least 2 chicks disappeared after interactions with intruder loons, 1 was depredated by a Bald Eagle, and 1 died from sibling rivalry. During the summer months, two adult loon mortalities were documented, and a third one was unconfirmed (May P.). One bird died from aspergillosis on Berlin Pond. A dead loon from Ricker Pond was sent to Tufts University for a necropsy. Three additional adults and two subadults likely died after becoming iced-in during the winter. A Bald Eagle was harassing two iced-in loons on Lake Morey. One adult dove under the ice and was not observed again; a second adult disappeared during a several hour period from the same open-water hole and presumably drowned. A Bald Eagle depredated an iced-in adult loon on Lake Seymour. A rescue attempt was considered for both of these cases, but the ice was determined to be unsafe. Two subadults drowned after becoming iced-in on Lake Champlain, but eight subadults were rescued from the same situation (see Rescues below).

In 2014 and 2015, we observed higher nest failure and chick mortality rates compared to recent years. In 2016, a large number of depredated shoreline nests contributed to the high nest failure rate, however the 78 percent chick survivorship was near the 39 year average. With chick survivorship leveling off from 2009 to 2015, we recently speculated that the Vermont loon population may be reaching a certain level of carrying capacity. However, seven new loon pairs were detected in 2016 indicating loons are finding new habitat in which to expand. Five of the nesting pairs were located on highly developed lakes (Caspian, Curtis, Fairlee, Iroquois, Raponda), where education and management efforts will be necessary for the pairs to be successful. One pair was located on a small reservoir (Sugar Hill). Although the availability of quality habitat may be becoming limited and competition for available habitat may be increasing, we will likely observe new loon pairs attempting to nest on water bodies considered to be marginal habitat (e.g., highly developed shorelines, small size).

#### Management Results: artificial nesting rafts and nest warning sign buoys

Of the 93 known nests, 28 were on artificial nesting rafts (82% successful), 27 on islands (74% successful), 22 in marshes (68% successful), and 16 on shorelines (44% successful). Nests with warning sign buoys had a 79% success rate compared to 59% for nests without signs. Signs are used more frequently for raft and island sites, which are often more exposed to boaters. Shoreline nests are more likely to be depredated causing nest success rates to be low.

#### Vermont LoonWatch Day

Vermont LoonWatch day was conducted on 16 July when over 200 volunteers counted 301 adult loons, 74 chicks, and 2 subadults (Table 2, Fig. 3) Loons were observed on 112 of the 153 lakes surveyed. The total number of adult loons was similar to 2013-2015. Forty-six of 301 adult loons counted were located in southern and central Vermont, an increase from 39 in both 2013 and 2014, but lower than the 51 adults observed in 2015. Volunteers counted the most loons on Joe's Pond (14 adults) and Lake Memphremagog (10 adults) followed by Green River Reservoir, Little Averill Lake, Norton Pond, Seymour Lake, and Lake Willoughby, all with 9 adults.

#### Loon Rescues

One adult loon was successfully rescued after beaching itself near Hardwick Lake. A chick from Lake Groton was rescued and treated for a broken wing by Avian Haven in Freedom, Maine after being attacked by an intruder loon. Lake residents, VLCP volunteer Darlene Sprague, VFWD game warden Mark Shichtle, the Vermont Institute of Natural Science Wildlife Services, and water bird rehabilitator Kappy Sprenger all assisted. Another chick was rescued from a small pond in Walden, VT where it could not take off. It is likely the chick was from Coles Pond. In November, one Common Loon and a Red-throated Loon were rescued after crash landing on roads in Rutland and Walden, respectively.

Eight subadults were rescued over a week period after becoming iced-in on Lake Champlain in February with the assistance of Bob Dill, Phyll Newbeck, and several other long-distance ice-skaters, who found the birds and were knowledgeable in ice-safety. We monitored several other loons reported in distress or caught in fishing line. These included 1 chick (Spectacle P.) and 3 adults (L. Morey, Seymour L.) that became iced-in and likely died before we could rescue them (see Population and Breeding Success above).

The VLCP biologist spent over 85 hours in 2016 conducting capture attempts and coordinating monitoring efforts with volunteers and game wardens. The biologist has spent 52-85 hours annually dealing with loons in distress in recent years. Volunteers were instrumental in the monitoring and capture attempts of all these birds.

#### Volunteer Effort

Volunteers provided important technical assistance for loon conservation efforts in Vermont. The efforts of adopt-a-lake volunteers, who helped monitor over 70 lakes statewide, varied from a few surveys over the summer to daily observations. Volunteers assisted with either loon nest warning signs and/or nesting rafts on 46 of the 69 lakes where these management tools were used. Volunteers were critical in helping to inform the VLCP biologist about lakes and ponds with increased loon activity, potential territorial pair development, and loons in distress. Volunteers or other citizens aware of the loon program helped determine the status of most of the potential territorial pairs through repeated surveys.

#### Threats to Vermont's loons

Vermont's loons continue to face many short- and long-term threats to their viability, including: (1) water level fluctuations on lakes where water levels are regulated; (2) shoreline development and human disturbance; (3) mortality through lead poisoning, entanglement with monofilament fishing line, and fishing gear ingestion; (4) environmental background of bio-accumulating mercury and methyl-mercury, (5) oil spills in wintering coastal areas, and (6) disease such as aspergillosis and botulism. Two natural sources of mortality include predation and intraspecific competition between breeding pairs and extraterritorial (rogue/intruder) loons. Background and historic information on these threats are provided in the Vermont Common Loon Recovery Plan (Borden and Rimmer 1998, pp. 5-10) and the VLCP 2000 and 2009 annual reports.

Table 1. Sun	nmary of	f Commo	n Loo	n breeding ad	ctivity in	n Verm	ont, 20	016								
	Nesting pa	irs:93 Knov	vn territor	ial pairs: 111 Poter	ntial territo	rial pairs:										
	Chicks hat	ched: 103 Ch	icks survi	iving through August	: 70											
	Lake list di	vided into sec	tions: 1) r	nesting pairs, 2) kno	wn and po	tential terr	itorial pair	s, and 3) loo	n active lake	s.						
	Loonwatch	Count 16 July	y2016: A	dult loons - 301 Ne	w nesting	pairs:6	New territ	orial pairs: 2								
			1		Nost			1						8		
Lake Name	Town	2016 Status	Nest Type	Nest Outcome	Warning Sign Buoys	Chicks hatched out	Chicks through August	Chick Mortality Cause	Rescues/ Mortality/ Monitor	Date	Aqe	Mortality and Rescue Cause	Comments	# years nested	# years nest success	total# survivinq chicks
Baker P.	Barton	nesting	marsh	successful		2 ch	2 ch				ļ			12	10	15
	Westmore	n antin a	chorolino	cucocceful		2	0 ah							15	a	10
Bean P	Sutton	nesting	island	successful		2 Cn 1 ch		Inknown						12	12	14
Beaver P	Holland	nesting	island	successful		1 ch	1 ch							34	29	35
Beecher P.	Brighton	nesting	marsh	successful		2 ch	1 ch	Unknown - disappeared early				*		3	2	2
	Destin												Found dead along shore. Sent to UNH. Severe case	10	10	15
Berlin P north	Berlin	nesting	marsh	successful	signs	2 ch	1 ch	Unknown	Mortality	7/17/2016	Adult	Aspergillois	of aspergillosis.	15	14	15
Bourn P.	Sundenand	nesting	Island	successiu		1 Ch	ICN							15	14	15
Brownington P.	Brownington	nesting	marsh	Abandoned - no eggs	signs									15	6	9
Bruce P.	Sheffield	nesting	marsh	Over-incubation										7	0	
Buck L.	Woodbury	nesting	marsh	successful		1 ch	0 ch	Unknown						9	5	5
Caspian L.	Greensboro	nesting	raft	successful	signs	2 ch	2 ch			ļ	ļ			2	1	2
Center P.	Newark	nestina	shoreline	Abandoned - no eggs	sians									3	0	
Chandler P.	Wheelock	nesting	marsh	successful		1 ch	1 ch	1			1			9	6	6
Chittendon Res							1	1			1					
East	Chittenden	nesting	raft	successful	signs	1 ch	1 ch							12	9	11
Chittendon Res	Chittondon		ielend	sussectul		0	0						New nest within 400 m of East pair; chicks reared	-	1	2
NE	Critteriden	nesting	Island	successiui		2 ch	2 ch						Chick on small pond in	I		۷
	Waldan		h			<u> </u>	<u> </u>		2	10/01/0010	a · · ·		Walden; Coles P. located nearby. Released on	17	14	21
Curtic P	Calaic	nesting	marsh		signs	2 ch	2 ch		Rescue	10/24/2016	Chick	Small pond	Caspain L.	17	14	21
Daniels /Daniels		ilesting											Disappeared during journey from West Daniels to Daniels; one chick			
West P.	Giover	nesting	marsh	SUCCESSTUI		2 ch	ICN	Uther					survived	ь 0	5	5
Dunmore I / Mud	Loicector	nesting	marsn	Avian depredation			+				+			U		3
P.	Salisbury	nestina	island	Abandoned - no eggs	sians									10	8	9
East Long P.	Woodbury	nesting	island	successful		2 ch	2 ch	1			1			36	28	33
Echo L. (Charleston)	Charleston	nestina	shoreline	Flooded	signs									6	2	2
Eden L.	Eden	nesting	raft	successful	signs	2 ch	2 ch							13	11	15
Elligo L.	Greensboro	nesting	island	Abandoned - eqq(s); re-nest abandoned - no eqqs	signs									15	12	14
Elmore L.	Elmore	nesting	marsh	Abandoned - no eqqs	signs									5	1	1
Ewell P.	Peacham	nesting	marsh	successful	signs	2 ch	2 ch	ļ						8	8	8
Fairfield	Fairfield	nesting	island	Abandoned - no eqqs	signs		ļ							3	0	
Fairlee L.	Fairlee	nesting	shoreline	successful	<u> </u>	1 ch	1 ch	<u> </u>				<u> </u>		1	1	1 6

Table 1 - continu	ied. Sumi	mary of Con	nmon L	oon breeding ac	tivity in '	Vermont	, 2016									
			Nest		Nest Warning Sign	Chicks hatched	Chicks through	Chick Mortality	Rescues/ Mortality/			Mortality and		# years	# years nest	total <b>#</b> survivinq
Lake Name	Iown	2016 Status	lype	Nest Outcome	Buoys	out	August	Cause	Monitor	Date	Aqe	Rescue Cause	Comments	nested	success	Chicks
Forest L.		nesting	raft	successful		1 ch	0 ch	Unknown - dis	appeared ear	1y	ļ			23	20	25
Fosters P.	Peacham	nesting	raft	successful		2 ch	2 ch				ļ			14	14	21
Great Averill L															1.0	10
North	Avenii	nesting	raft	Abandoned - no eqqs							ļ			22	12	3
Great Averill L			·													
South	Avenii	nesting	raft	successful		1 ch	1 Ch				<b> </b>			ļ	6	б
Great Hosmer P	Albany/															
South	Cransbury	nesting	marsh	successful	signs	1 ch	1 Ch							Ь	6	9
Green River Res																
Access Bay	Hyde Park	nesting	Island	successful	signs	2 ch	2 ch							9	8	У
Green River Res	Librate Devile		·	Mammalian												
Big Island	Hyde Park	nesting	island	depredation					l	l					U	
Green River Res													L			10
N VV	Hyde Park	nesting	raft	successful	sians	1 ch	Uch	Unknown - dis	appeared ear	1y	<u> </u>		Intruder loons common	38	29	40
Greenwood L.	Woodbury	nesting	raft	successful	signs	2 ch	ICN	Unknown - dis	appeared ear	1y I			Chick attacked by intruder	h	5	5
	<b>0</b>		<b>.</b>							0/10/0010	<u>a : -</u>	Trauma - attack by	loon while parents off defending. Minor head wounds and broken wing. Brought to VINS and then Kappy Sprenger/Avian	7	4	F
Groton L North	Groton	nesting	raft	successful	signs	1 ch	1 ch		Rescue	8/19/2016	Chick	Intruder loon	Haven.	ļ	4	5
													found nearby near road. A little thin but feisty. Banded and released on			
Hardwick L.	Hardwick	nesting	raft	successful		<u>1 ch</u>	1 ch		Rescue	7/24/2016	Adult	Beached	Elliqo.	13	12	18
Harveys L.	Barnet	nesting	marsh	successful	signs	1 ch	0 ch	Trauma - attac	k by another	loon	ļ		Intruder loons common	8	6	5
Iroquois L.	Hinesburg	nesting	island	Human disturbance							ļ			1		
Island P.	Brighton	nesting	island	Abandoned			ļ				ļ			16	13	15
Jobs P.	Westmore	nesting	shoreline	Abandoned - no eqqs							ļ			9	5	5
loe's P - inlet	Danville	nestina	raft	successful	sians	2 ch	1 ch	l Inknown - dis	anneared ear	łv				17	17	23
	Cabot/	nesting	- nan	54666655141		2 011								<u> </u>	<u> </u>	
Joe's P 1st Pond	Danville	nesting	shoreline	Abandoned - no eggs										7	4	3
Kalaan D	Danville/			Alexandroved and even										12	0	0
Keiser P.	Killington	nesting	marsn	Abandoned - no eggs	_:	<u> </u>	<u> </u>		ļ						3	3
Rent P.	Groton/	nesting	Island	successiui	SIGHS	2 cn	2 cn							́		· · · ·
Kettle P.	Marshfield	nesting	raft	Abandoned - no eggs	signs									26	16	21
Little Averill L	1						1									
West	Averill	nesting	raft	Abandoned - no eggs	signs									29	17	24
Little Hosmer P.	Craftsbury	nesting	island	successful	signs	2 ch	1 ch	Unknown - dis	appeared ear	iy	T			16	9	8
Long P. (Eden)	Eden	nesting	marsh	successful		2 ch	2 ch							5	3	4
				Abandoned (eqqs												
LONG F.	Westman	n cotin a	iolond	disappeared); same	ciana									10	14	10
	Dvogeto	nesung	mamb	successful	SILIIS	2 ob	2 ab	1						13	19	10
Lower Symes P.		nesung	marsh	Chicks lost right away 1st nest; re-nest abandoned (eggs		<u> 2 CN</u>	<u>2 CN</u>							13	16	
Lyford P.	Walden	nesting	marsh	disappeared)										7	5	5

Table 1 - continu	ed. Sumr	nary of Con	nmon Le	oon breeding ac	tivity in '	Vermont,	, 2016									
					Nest	Ohiaka	Ohiaha	Ohiah	D/						#	+-+-1#
			Nest		Sign	hatched	through	Mortality	Rescues/ Mortality/			Mortality and		# vears	# years	survivina
Lake Name	Town	2016 Status	Туре	Nest Outcome	Buoys	out	August	Cause	Monitor	Date	Aae	Rescue Cause	Comments	nested	success	chicks
Maidstone L	l															
North	Maidstone	nesting	shoreline	Abandoned - no eggs										7	5	3
Maidstone L SE	Maidstone	nesting	island	successful		2 ch	2 ch	1						6	3	5
													Neglected by parents for			
													several days who were			
													possible attack but not			
Maidstone LSW	Maidstone	nesting	island	successful	signs	1 ch	0 ch	Other					observed.	34	31	36
Martins P.	Peacham	nesting	raft	successful	signs	2 ch	2 ch	1						20	20	29
				Mammalian												
MataalfD	Elotohor		ah avalin a	depredation; same for										4	~	
	rietcher	nesting	snoreline	renesi	signs						ļ			4	۷	4
													One of pair had fishing line			
												Fishing gear -	for about a week before			_
Miller P.	Strafford	nesting	marsh	successful	signs	1 ch	1 ch	ļ	Monitor	6/19/2016	Adult	monofilament	line no longer observed.	4	4	6
Molly's Falls Res			_													
North	Cabot	nesting	raft	successful	signs	1 ch	1 ch	L			ļ			22	21	29
Newark P.	Newark	nesting	island	successful	signs	1 ch	0 ch	Trauma - attac	k by another	loon	ļ			27	20	28
Nichols P.	Woodbury	nesting	raft	successful	signs	1 ch	1 ch	Į			ļ			1/	15	15
Ninevah L.		nesting	Island	successful	signs	2 ch	2 ch				ļ		1	22	20	28
Norton P Island	Norton	nesting	raft	successful	signs	2 ch	1 ch	Unknown - dis	appeared ear	1y I	<u> </u>			3/	30	39
Norton P North	Norton	nesting	raπ	successful	signs	2 ch	2 ch							10	J 14	17
Nonon P South	NURUH	nesting	ran	successiui		2 ch	2 ch				ļ			10	14	17
Osmore P.	Peacham	nestina	shoreline	successful		1 ch	1 ch							8	5	5
Peacham P	1															
North	Peacham	nesting	island	successful	signs	2 ch	0 ch	Unknown					Intruder loons common	39	32	37
Pensioner P.	Charleston	nesting	raft	successful	signs	1 ch	1 ch							9	8	10
	_		_											-	-	-
Pigeon P.	Groton	nesting	raft	Abandoned - no eqqs							ļ			2	U	U
Raponda L.	vviimington	nesting	island	successful	signs	1 ch	1 Ch				] 		Found deed along shore:	1	1	1
Ricker P	Groton	nestina	shoreline	Flooded	sians				Mortality	8/26/2016	Δdult	Unknown	sent to Tufts.	14	11	11
Sevmourl -		neoting														
Winape	Morgan	nestina	raft	successful	sians	1 ch	1 ch							19	15	20
Shadow L														1		
(Concord)	Concord	nesting	shoreline	successful		1 ch	1 ch							10	5	6
***************************************								1						1		
Silver L. (Leicester)	Leicester	nesting	shoreline	successful		2 ch	2 ch							3	3	4
Somerset Res																
Dandeneau Cove	Somerset	nesting	island	successful	signs	2 ch	2 ch	1			]		1	35	25	32
Somerset Res																
North Islands	Somerset	nesting	island	successful		1 ch	1 ch							9	7	9
South P. (Eden)	Eden	nesting	island	successful	signs	2 ch	2 ch							18	14	18
South P. (Marlboro)	Marlboro	nesting	marsh	successful	signs	2 ch	1 ch	Unknown - dis	appeared ear	1y	ļ		<u></u>	2	2	3
Spectacle B	Brighton	n antin a	mft	cuccoccful	cianc	2	1 ob	Cilbling rively					Chick ignored by tamily,	22	20	23
Speciacie P.	Dirquiton	nesting	ran	successiui	signs	2 CN		Silbiing iivairy			]		incley sibility dominance		20	23
Spring L.	Shrewsbury	nestina	shoreline	successful	signs	2 ch	2 ch							14	10	14
Stiles Res.	Waterford	nestina	marsh	Abandoned				1			1			13	9	13
Sugar Hill Res.	1	nesting	raft	successful	signs	1 ch	1 ch	1			<u> </u>			1	1	1
Sunset L.								1			[				[	
(Marlboro)	Marlboro	nesting	island	successful	signs	2 ch	1 ch	Unknown						8	6	6
																8

Table 1 - continu	ed. Sumi	nary of Con	nmon Lo	oon breeding ac	tivity in	Vermont	, 2016									
Lake Name	Town	2016 Status	Nest Type	Nest Outcome	Nest Warning Sign Buoys	Chicks hatched out	Chicks through August	Chick Mortality Cause	Rescues/ Mortality/ Monitor	Date	Age	Mortality and Rescue Cause	Comments	# years nested	# years nest success	total # surviving chicks
Thurman Dix Res	Orange	nestina	island	Abandoned			1	1						36	29	34
Ticklonakod	· · ·	n cotin q	chamlina	cuccoctul	signs	0 - h	1 ob	l la ka avua – di		.t	-			2		1
Mallingford P	Wellingford	nesting	snoreline	Abandonod - oggo	signs	∠ cn	I CN	Unknown - ai	sappeared ear		+			17	12	10
Wantastiquet P	Wester	nesting	icland	Abanuoneu - equs		0 - 6	01								7	10
Wallastiquet F.	Welcott	nesting	march	successful	signs	2 CN	2 CN	l lata aun di		<u>.</u>	+			24	, 20	26
Woodbury L.	Woodbury		met	succession	signs	2 ch	1.ch	Dradation a	ion				Bald Eagle observed attacking family, chick not observed after this	10	10	10
(Sabiri) Woodword Boo	Dkmouth	nesung	icland	successful	signs	2 CN	1 ch	Fieudiiun - av			+			10	7	8
Zack Woods P	Hvde Park	nesung	island	successful	signs	1 ch	1 ch		-					20	ر 19	20
Coite P	Cabot	territoru	Isiana	last nested 2015	signs	1 CII	1 011	1						3	3	23
Dog Pond	Woodbury	torritory		last nested 2015	Sigits									1	0	£
Elago P	Wheelock	torritory		last nested 2013	+						+			<u> </u>	3	5
Great Hosmer P North	Albany/ Craftsbury	territory											Nest building far NW shore			
Green River Res																
SW	Hyde Park	territory		last nested 2015									Nest building SE island	2	1	1
Groton L South	Groton	territory		last nested 2015							1			14	12	15
Holland P South	Holland	territory		last nested 2015	signs									20	13	16
Little Averill L																
North	Averill	territory		last nested 2015										6	4	1
Long P.																
(Greensboro)	Greensboro	territory		last nested 2015										1	0	
May P	Barton	torritory		last nested 2015	eigne				Mortality	7/25/2016	Adult	Unknown	Report of dead loon floating near shore; not found. Many territorial chases observed all summer	20	17	24
Milos P	Concord	territory		last nested 2015	Signs				Wortanty	11 231 2010	Addit		Summer.	22	16	22
Molly's Falls Ros		terntory		100, 1100,000 2010			+	+			+					
Island	Cabot	territony		last nested 2015										4	3	5
		temoly								10/5/2010		Fishing gear -	VFWD qame warden attempted unsuccessful capture; outcome			
Neal P.	Lunenberg	territory		last nested 2015					Rescue	10/5/2016	Adult	monofilament	lunknown		U	
NO. 10 P. (Mirror L.)	Calais	territory	ļ	last nested 2015	signs								Nort building abcorved	9	У	11
Parker L.	Glover	territory		lect ported 2015									SW inlet	0	10	
Peacham P Sw	Feacham	territory		last nesteu 2015			1								13	2.5
Somerset Res	Somercet	ta mitan .		last pasted 2014										4	1	1
West Mountain P	Maidstone	territory		last nested 2014										16	10	6
Colo Moodowa	maastone	lerritory	1	Just mested 2013			1	1			-				10	
	Winhall	estential territor	.		*****									2	0	0
Clon P	Castletor	potential territor	(		+		+	+			+			£	U	U
Holland P - North	Holland	notential territor	(	last nested 2000	+			+						2	n	n n
Mollys P	Cabot	potential territory	;		1		1	1						-		

Table 1 - continu	ed. Sumr	nary of Con	nmon Lo	oon breeding ac	tivity in	Vermont	2016									
		Nest			Nest	Chieke	Chieke	Chick	Pesou os/						# voarc	total #
			Nest		Sign	hatched	through	Mortality	Mortality/			Mortality and		vears	+ years nest	survivina
Lake Name	Town	2016 Status	Туре	Nest Outcome	Buoys	out	August	Cause	Monitor	Date	Aqe	Rescue Cause	Comments	nested	success	chicks
			<u>.</u>										One disappeared under ice and did not surface; 2nd adult disappeared. Chance it flew off or dove under ice. Eaqle presence			
Morey L.	Fairlee	potential territory	/						Mortality	12/15/2015	Adult	lced-in	causing loons to dive.			
Peacham P SE	Peacham	potential territory	/	last nested 2014	signs									6	2	3
Amherst L.	Plymouth	loon active			ļ						ļ			ļl	ļ	
Berlin PSouth	Berlin	loon active									ļ			ļ		
Branch P.	Sunderland	loon active			Į					ļ	ļ			1	1	1
Carmi L.	Franklin	loon active			ļ					ļ	ļ			ļ	ļ	ļ
Clark P.	Glover	loon active											MultHake territory with Bruce P.	1	0	
Clyde R.	Newport	loon active												l		
Crystal L.	Barton	loon active												1		
Dunmore L North	Leicester/ Salisbury	loon active														
Halls L.	Newbury	loon active												0		
Hardwood P.	Elmore	loon active									T			10	9	11
Harriman Res.	Wilmington	loon active												1		
Hortonia L.	Hubbardton	loon active												1		
Knapp Brook P.	Reading	loon active												1	1	1
Lowell L.	Londonderry	loon active														
Marshfield P.	Marshfield	loon active														
McConnell P.	Brighton	loon active		last nested 2007										15	11	15
Memphramagog L.	Newnort	loon active														
Memphremagog		loon active							+	<u>+</u>	+			/		
- John's River	Derby	loon activo		last nested 2009										4	2	1
Moore Res -		loon active									1					
Roaring Brook	Concord	loon active												4	3	l n
Nelson P	Woodbury	loon active		last nested 2011						<u> </u>				1	0	
												Fishing gear -	Loon observed with fishing line around the head. Eventually fell off on it's own. Loon taking fish from			
Noyes P.	Groton	loon active	ļ		Į				Monitor	6/15/2016	Adult	monofilament	anglers' lines.		ļ	0
Nulhegan	Brighton	loon active		<u> </u>	ļ						ļ			ļ <sup> </sup>		
Rescue L.	Ludlow	loon active									ļ	Devenadation		ļ		
Seymour L West	Morqan	loon active							Mortality	1/20/2016	Adult	Depredation - avian	liced-in; depredated by baid eagle	1	1	2
Shadow L. (Glover)	Glover	loon active														
South Bay	Newport	loon active												1		
Sunset L. (Benson)	Benson	loon active			1											
Wallace P.	Canaan	loon active												0		
Wapanacki P.	Wolcott	loon active			1		[			[	1			i		
Warden P.	Barnet	loon active												1		
Waterbury Res.	Waterbury	loon active												3	1	1
West Hill P.	Cabot	loon active	1											l		
Willoughby L.	Westmore	loon active												, <u> </u>		



## Figure 1a. Common Loon Nesting and Territorial Pairs in Vermont - Northern Area



- nest
- potential territory
- territory







## Location of Loon Pairs - 2016

- nest
- potential territory
- territory



# Figure 2. Summary of Common Loon breeding activity in Vermont, 1978-2016



Table 2. Sum	mary	y of	рор	ulat	ion	cha	nge	s ar	nd re	epro	duo	ctive	e su	cce	ss o	f Co	omm	on	Loo	ns i	n Ve	ermo	ont,	197	9-20	16.												
Year	'79	'80	'81	'82	'83	'84	'85	'86	'87	'88	'89	'90	'91	'92	'93	'94	'95	'96	'97	'98	'99	'00	'01	'02	'03	'04	'05	'06	'07	'08	'09	'10	'11	'12	'13	'14	'15	16
TOTAL territorial		İ																-			l	1	1			1							1					
pairs	28	<u>0</u>	24	24	12	17	<u>16</u>	<u>15</u>	15	<u>16</u>	<u>19</u>	21	<u>19</u>	20	23	23	<u>30</u>	31	37	<u>40</u>	<u>42</u>	48	<u>49</u>	<u>59</u>	64	<u>64</u>	72	77	<u>82</u>	<u>86</u>	<u>90</u>	92	<u>98</u>	<u>103</u>	106	110	<u>112</u>	117
Know n terr. prs.	21		18	19	9	12	11	11	12	13	16	17	16	18	17	21	22	24	29	34	39	44	44	49	53	57	60	65	71	75	80	85	88	92	93	100	102	111
Potential terr. prs.	7		6	5	3	5	5	4	3	3	3	4	3	2	6	2	8	7	8	6	3	4	5	10	11	7	12	12	11	11	10	7	10	11	13	10	10	6
Nesting pairs	18		15	19	7	8	10	10	12	12	14	14	15	16	15	14	19	21	26	30	33	38	38	40	44	43	53	58	62	61	66	72	72	70	81	84	87	93
Successful pairs	12		11	12	5	6	8	9	9	7	10	9	10	10	11	13	15	14	21	23	25	36	34	34	38	34	47	44	47	49	53	57	52	50	62	57	65	65
Chicks hatched					10	7		16	12	11	19	18	16	15	18	20	21	25	32	37	41	56	56	52	62	54	68	66	71	75	83	85	76	87	97	93	103	102
Chicks surviving																																						
through August	14		15	14	9	6	13	13	11	9	17	15	14	13	13	17	19	22	25	30	36	44	47	40	45	44	57	56	56	55	74	70	60	66	71	62	69	80
Chicks surviving							-																															
per nesting pair	0.78		1.00	0.74	1.29	0.75	1.30	1.30	0.92	0.75	1.21	1.07	0.93	0.81	0.87	1.21	1.00	1.05	0.96	1.00	1.09	1.16	1.24	1.00	1.02	1.02	1.08	0.97	0.90	0.90	1.12	0.97	0.83	0.94	0.88	0.74	0.79	0.86
Chicks surviving																																						
per total																																						
territorial pair	0.50		0.63	0.58	0.75	0.35	0.81	0.87	0.73	0.56	0.89	0.71	0.74	0.65	0.57	0.74	0.63	0.71	0.68	0.75	0.86	0.92	0.96	0.68	0.70	0.69	0.79	0.73	0.68	0.64	0.82	0.76	0.61	0.64	0.67	0.56	0.62	0.68
% chick survival					90%	86%		81%	92%	82%	89%	83%	88%	87%	72%	85%	90%	88%	78%	81%	88%	79%	84%	77%	73%	81%	84%	85%	79%	73%	89%	82%	79%	76%	73%	67%	67%	78%
Lakes with	17		14	10	7	0	10	10	11	11	12	12	14	15	14	11	10	21	25	20	22	26	26	20	11	20	10	52	57	54	61	62	62	62	72	70	76	02
nesting pairs	17	[	<u> 14</u>	15	1	0	10	10		11	10	15	14	15	14	<u> </u>	10	1 21	25	{ 23	52	50	- 50	50	1	- 55	43	52	57	<u> </u>	01	05	05	05	12	12	10	05
	<b>a b</b>																																					
Loonwatch result	<u>s</u> <sup>a,b</sup> (	state	wide	annu	alsur	vey)																																
Number of adults					29	30	37	50	45	41	47	79	74	86	71	83	97	79	99	106	127	126	135	166	179	184	191	201	218	225	228	201°	271	280	297	301	298	301
Number of chicks					9	16	13	17	9	9	16	15	15	15	14	11	17	21	21	26	36	45	45	39	44	40	45	53	54	42	65	53	52	63	69	66	63	74
Number of				~	-			_	45	_		22	10	00	14		10		2			10				2	_		~				-			6		
Subaduits	8			ю	1		0	Э	15	9	9	33	18	23	11	14	10	9	2	ю	6	10	2	э	0	3	5	2	9	8	6	0	<u> </u>	9	3	0	9	2
Number of lakes surveyed																					150	107	131	133	123	98	122	133	148	148	129	129	162	150	162	161	162	153
Number of lakes occupied																										68	69	84	86	84	89	76	102	98	106	103	116	112
<sup>a</sup> The number of lake	s sur	veyed	d for L	oonv	vatch	incre	ased	in 19	99. lt	is pos	ssible	surv	ey ad	ult loc	n cou	unts d	urina	the n	nid-19	90s v	v ere :	slight	ly low	er.									-					
<sup>b</sup> Data since 2002 do	not i	nclude	e Lake	e Cha	mplai	n surv	vey re	sults	, beca	auseo	of the	large	-scal	e surv	vey et	fort o	ondu	cted	in that	year	r.		1															
	On J	uly 19	and	20 in	2002	, 28 a	Idult a	nd 18	suba	adult k	oons	w ere	coun	ted in	non-	overla	p reg	ions	on La	ke Ch	nampla	ain.																
<sup>c</sup> Over 10 know n lak	es wi	ith loc	n acti	ivity v	verei	misse	d in 2	010.																														

## Figure 3. Vermont Loonwatch Results, 1983-2016

(an annual statewide loon census on the third Saturday of July)



#### RECOMMENDATIONS

The total adult loon population and numbers of nesting pairs have steadily increased since the mid-1990s. These results suggest that conservation efforts have aided the loon recovery in Vermont, in spite of persistent threats identified above. Increasing numbers of territorial pairs and ponds with more consistent loon activity indicate a potential for further growth in the breeding population. The invaluable assistance of volunteer observers, cottage owners, VFWD biologists and game wardens, and Vermont State Park and Green Mountain National Forest staff have greatly enhanced the effectiveness of statewide loon conservation efforts. Monitoring and management efforts, participation of volunteers, education of lake-users, and water level management should continue to be the primary tools for ensuring success of Vermont's breeding loons.

Implementation of the comprehensive Vermont Loon Recovery Plan (Borden and Rimmer 1998) has been ongoing and has helped the VLCP realize its population recovery goals. The majority of the short-term, high priority goals have been implemented since the mid-1990s. The post-delisting monitoring and management plan addresses continued threats to loons in Vermont and the species' dependence on the VLCP's management and educational efforts. It should be emphasized that over 50% of the breeding loons in Vermont have directly benefited from VLCP management programs, and that many of these pairs would likely fail without such assistance. The Vermont Loon Recovery Plan will continue to guide loon conservation efforts in the future.

With most short-term goals of the Recovery Plan having been achieved, the VLCP must now address the Plan's long-term, medium priority actions while monitoring potential changes due to delisting and the lead sinker ban. Many of the actions and recommendations below have been in place for several years, but resources have limited their implementation. These include:

- 1. Development of a comprehensive database in conjunction with the LPC in New Hampshire and BRI in Maine and New York would allow us to better assess and summarize Vermont's loon population trends, share and compare data with New Hampshire, Maine, and New York, develop a detailed population viability assessment for Vermont, and more efficiently coordinate volunteers.
- 2. We would like to provide more detailed training packets for adopt-a-lake volunteers.
- 3. Other future initiatives to consider should focus on improving the awareness of lake users on busy lakes. Actions could include (a) developing an information sheet and set of management protocols for loon breeding lakes, especially those requiring intensive management and education, and (b) developing permanent displays at State Parks and at kiosks on busy lakes.
- 4. Capture methods have improved over the past decade. It would be helpful to upgrade equipment for both summer and winter rescues.
- 5. In 2017, the VLCP might assist the Biodiversity Research Institute capture several loons in Vermont as part of a North America Common Loon health assessment.
- 6. Further work should assess other means to protect nesting sites, including conservation easements. The Trust for Public Land has indicated an interest in prioritizing critical shorelines for protecting nesting areas.
- 7. Future research needs should be assessed and prioritized including the effects of climate change.

The VLCP will continue its involvement with the Northeast Loon Study Working Group (NELSWG), a coalition of state and federal agency representatives, universities, non-profit organizations, and other interested parties addressing the conservation problems of loons in eastern North America. This is a valuable partnership and forum for information exchange.

#### **Acknowledgments**

**Major contributors:** We thank the VFWD for ongoing, core financial support through the federal State Wildlife Grant program and the Nongame Wildlife Fund and other contributors to VLCP fundraising efforts, including Trans Canada Hydro and many individual donors. The Canaday Trust and many individuals and lake associations provided support to replace loon nest warning signs.

**Professional assistance:** Amber Wolf provided support as a VCE intern, and Grace Mitchum was the VCE seasonal biologist. VFWD biologist John Buck provided general support for the VLCP. We greatly appreciate ongoing support from VFWD game wardens who assisted with the project. We thank the hydroelectric companies and other groups that regulate water levels for their continuing stabilization efforts. We are especially grateful to Mathew Cole from Trans Canada Hydro, Simon Morin from Coaticook River Water Power Company, John Sutter from Green Mountain Power, Hardwick Electric Department, Craig Myotte and John Pilton of Morrisville Water and Light, Bill Rogers from Great Bay Hydro, and Reg Abare from the Barre Public Works Department for their efforts to ensure stable water levels during the nesting season. Vermont Parks and Recreation staff at Brighton, Maidstone, New Discovery, Ricker, and Stillwater state parks helped with outreach efforts. The Vermont Institute of Natural Science (VINS), Kappy Sprenger, and Avian Haven have assisted loons in distress over the past several years. Thanks also go to Dr. Mark Pokras of Tufts University Wildlife Medicine Program, John Cooley and Harry Vogel of the LPC, and Jim Paruk of BRI. The Nature Conservancy's efforts to protect loon habitat continue to promote the success of this project, and we appreciate all the staff and members who contribute to those efforts. Chris Rimmer, Susan Hindinger, Steve Faccio, and Melissa MacKenzie of VCE assisted in VLCP fundraising and administration.

**Volunteer assistance:** We extend special thanks to the more than 280 Loonwatch and adopt-a-lake volunteers who care so deeply about Vermont's loons. We received assistance from dozens of lakeshore owners in reporting loon sightings and allowing access to lakes. Numerous volunteers helped distribute loon conservation brochures and promote awareness about loon conservation. Volunteers and staff spent hundreds of hours monitoring and attempting to catch loons in distress over the past several years

**Vermont Wildlife Action Plan:** The efforts of VFWD staff and many contributing partners resulted in the formal acceptance of the congressionally mandated Vermont Wildlife Action Plan in November 2005. The plan draws attention to the 323 Species of Greatest Conservation Need in Vermont, including the Common Loon. Now that the Common Loon has been removed from the Vermont Endangered and Threatened Species list due to many years of dedicated monitoring and management of this species, the Vermont Wildlife Action Plan provides for continued attention to our natural heritage. For more information, visit <u>http://www.vtfishandwildlife.com/SWG\_home.cfm</u>.

#### LITERATURE CITED AND BACKGROUND LITERATURE

- Borden, S.E. and C.C. Rimmer. 1998. Vermont Loon Recovery Plan. Unpubl. report. Vermont Institute of Natural Science, Woodstock, VT and Vermont Fish and Wildlife Department, Waterbury, VT.
- Desorbo, C.R., K.M. Taylor, D.E. Kramar, J. Fair, J.H. Cooley, Jr., D.C. Evers, W. Hanson, H.S. Vogel, J.L. Atwood. 2007. Reproductive advantages for Common Loons using rafts. J. of Wildl. Mgmt. 71(4):1206-1213.
- Evers, D.C., O.P. Lane, C. DeSorbo, and L. Savoy. 2002. Assessing the impacts of methylmercury on piscivorous wildlife using a wildlife criterion value based on the Common Loon, 1998-2001. Unpubl.

report, submitted to Maine Dept. of Environenmental Protection by Biodiversity Research Institute, Freeport, Maine.

- Evers, D.C. 2006. Status assessment and conservation plan for the common Loon (Gavia immer) in North America. U.S. Fish Wildl. Serv., Hadley, Massachusetts.
- Hanson, E.W. 1996. Monitoring the Common Loon population in Minnesota: assessment of the 1994 and 1995 survey results, the accuracy of volunteers and aerial surveys, and the power of detecting trends. M.S. thesis. Univ. of Minnesota. 206 pp.
- Hanson, E.W. and J. Buck. 2009. The 2009 breeding status of Common Loons in Vermont. Unpubl. report. Vermont Center for Ecostudies, Norwich, VT and Vermont Fish and Wildlife Department, Waterbury, VT.
- Hanson, E.W., C.C. Rimmer, and J. Gobeille. 2000. The 2000 breeding status of Common Loons in Vermont. Unpubl. report. Vermont Institute of Natural Science, Woodstock, VT and Vermont Fish and Wildlife Department, Waterbury, VT.
- Laughlin, S.B. 1977. Status of the Common Loon in Vermont: August 1977. Unpubl. report, Vermont Institute of Natural Science, Woodstock, VT.
- McIntyre, J.W. 1988. The Common Loon: Spirit of Northern Lakes. Univ. Minnesota Press, Minneapolis, MN. 228 pp.
- McIntyre, J.W. and J.F. Barr. 1997. Common Loon (*Gavia immer*). In The Birds of North America, No. 313 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.